

2026

Issue date 24Sep2026

Scales & Balances



*The weigh you want... **today***

the weigh you want... *today!*



Dear Customer:

This catalog has been prepared especially for the professional in the weighing industry. I think that you will find it informative and helpful.

We pride ourselves on answering the phone on the first ring and shipping your order the same day that you place it. This is due to our huge inventory.

You can depend on our price being the best in the industry. If you have a need for a large quantity we can give you a better price.

Thank you for being our customer. We look forward to many successful years with you.

Best Personal Regards
Rudolph J. Kolaci
President

Mission

Serve, Supply, & Inform You with Totalcomp**etence**.

Vision

Embrace Change While Maintaining Values.

Values

Honest in all of our dealings.
Helpful to our customers & each other.
Happy in both home and office.
Healthy in all aspects of our lives.

To see current dealer pricing please go to ***www.Totalcomp.com*** and create an account.

After dealer approval, you will be able to order online as an authorized Totalcomp reseller.

Please feel free to call us at 800-631-0347 should you have any issues successfully registering.

Prices are subject to change without notice. See website for current prices. Other items are available from the manufacturers, please call for prices.

Compact



**PS
Compact Scale**

OHAUS®

PS Compact scale

Unique pan design, durable ABS housing slides back to engage the load cell and expose the display and buttons for operation. Weighing units for g, oz, ozt, dwt. 0.3" LCD display. Text weight unit prompts with stability and overload indicators. Auto shut off to preserve battery. Cover protects display and keys and prevents load cell damage in transport. Smaller than most pocket scales, allows a comfortable fit in your pocket. Piano style mechanical buttons provide positive dependable operation. Includes calibration software using 100g weight for PS121 and 200g weight for PS251. Calibration weights are not included. Two CR2032 lithium batteries included. 1 year warranty.

Part Number	Capacity	Platform	Weight	SKU	List
PS121	120g x 0.1g	2.8" x 2.5"	1 lb	2329	\$ 114.00
PS251	250g x 0.1g	2.8" x 2.5"	1 lb	2330	146.00



CX Compact scale

Compass offers a battery life of up to 1,000 continuous hours, allowing for uninterrupted operation. Featuring a slim, stackable and light-weight design, two-button operation. The Compass CX's large backlit display increases readability in dim lighting conditions.

Part Number	Capacity	Platform	Weight	SKU	List
CX221	220 x 0.1 g	5" x 5.6"	2 lb	2876	\$ 246.00
CX621	620 x 0.1 g	5" x 5.6"	2 lb	2877	254.00
CX1201	1,200 x 0.1 g	5" x 5.6"	2 lb	2878	270.00
CX2200	2,200 x 1.0 g	5" x 5.6"	2 lb	2879	246.00
CX5200	5,200 x 1.0 g	5" x 5.6"	2 lb	2880	290.00

Models followed by the letter P include a postal chart

CX221P	220 x 0.1 g	5" x 5.6"	2 lb	2881	265.00
CX2200P	2,200 x 1.0 g	5" x 5.6"	2 lb	2882	266.00
CX5200P	5,200 x 1.0 g	5" x 5.6"	2 lb	2883	290.00

Culinary Scale

CX5200F	5,200 x 1.0 g	5" x 5.6"	2 lb	2884	333.00
---------	---------------	-----------	------	------	--------

Options

30467763 Carrying Case			2 lb	2874	105.00
30330714 Adaptor 5v 1A US plug			1 lb	2740	42.00
12102565 Carat bowl XS aluminum			1 lb	2885	37.00
30020842 Carat bowl XS Gold			1 lb	1141	56.00



CX Compact Scale

Compact



CR
Compact scale

OHAUS®

CR Compass compact scale

Compass offers basic weighing functionality and competitive performance. Features such as a slim, stackable design, and an enlarged weighing platform, perfect for a variety of portable weighing applications. Stack up to 4 scales.

Part Number	Capacity	Platform	Weight	SKU	List
CR221	220 x 0.1 g	5" x 5.2"	2 lb	2870	\$ 177.00
CR621	620 x 0.1 g	5" x 5.2"	2 lb	2871	182.00
CR2200	2,200 x 1.0 g	5" x 5.2"	2 lb	2872	177.00
CR5200	5,200 x 1.0 g	5" x 5.2"	2 lb	2873	243.00

Options

30467763 Carrying Case	2 lb	2874	105.00
30467987 Adaptor w/plugs(EU,US,UK,AU,KR)	1 lb	2875	65.00

Totalcomp



MH-200
Pocket scale

MH Pocket scale

The best pocket scale on the market, extreme accuracy for an incredibly low price. Competitive units sell for \$100 with a capacity of 100g x 0.01g. While this unit sells for \$79.99 with a capacity of 200g x 0.01g. Accurate weight readings in a fraction of a second. Zero's out in half the time of other units. Lightweight and portable. Can be stored in your pocket or backpack for easy transport. Perfect for jewelry, herbs, or anything you need to weigh up to 200g. (2) AAA batteries, included.

Part Number	Capacity	Platform	Weight	SKU	List
MH-200	200g x 0.01 g	1.9" x 2.2"	0.24 lb	5294	\$ 9.99



A&D WEIGHING DIVISION

HL Compact Scale

Use in a wide range of applications including office, warehouse, laboratory and industry. Keys for ON/OFF, UNITS, RE-ZERO. Liquid crystal display(LCD) can be selected to various weighing modes which can include g, lb oz. Self contained, battery operated by (6) AA batteries or an optional AC adapter 120 VAC, 50/60 Hz, 1.5 watts. Auto shut off after 5 minutes. 7.8"W x 5.51"D x 1.75"H
NTEP Legal for Trade (select models)

Part Number	Capacity	Platform	Weight	SKU	List
Stainless Steel Full Washdown IP65 NEMA-4X					
HL-300WP	300 x 0.1g	5" x 5"	3 lb	6617	555.00
HL-1000WP	1,000 x 0.5g	5" x 5"	3 lb	6618	555.00
HL-3000WP	3,000 x 1g	5" x 5"	3 lb	6619	585.00
HL-3000WPN *	3,000 x 1g	5" x 5"	3 lb	6620	595.00
HL-3000LWP	3,000 x 1g	5.4" x 6.8"	4 lb	6621	585.00
HL-3000LWPN *	3,000 x 1g	5.4" x 6.8"	4 lb	6622	585.00

* N suffix does not have lb/oz mode and is NTEP

Service Parts

04:3006434 SS pan 5" x 5"	1 lb	6676	24.38
07:4014219 adjustable foot	1 lb	6677	10.60



HL-300WP
Stainless Steel Washdown
Compact Scale



A&D WEIGHING DIVISION

HLi Ninja Compact Scale

Portable, battery operated. Simple, easy to operate. Clear 0.53" 7 segment LCD display. Keys are: ON/OFF, UNITS, O/T/RE-ZERO. Units: g, oz, tl. HL-200i has additional units of g. Indicators are: low batt, weight stability, scale overload. 1,000 hours of battery life. Auto power off. 2 year warranty. Includes (4) AA batteries, optional AC adapter. 5.1"W x 7.6"D x 2"H

Part Number	Capacity	Pan	Weight	SKU	List
HL-200i	200 x 0.1g	5.1" dia	2 lb	5360	\$ 145.00
HL-2000i	2,000 x 1g	5.1" dia	2 lb	5361	145.00

Options

TB:662 AC adapter 120 VAC	1 lb	1305	50.00
FV:06 AC adapter 240VAC	1 lb	1306	65.00



HL-200i
Compact Scale

Prices are subject to change without notice. Please call for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION

HT-500
Bench Scale**HT Compact Bench Scale**

Engineered with simplicity in mind. Low profile and lightweight. Designed with portability and protection. Unique to this scale are 3 included color bars that allow the user to categorize the scale by user or function. Choose one of the 3 color bars (red, green, orange) to personalize your scale. Clearly visible, 13.5mm high digital LCD display. Multiple units of measure for: g, oz, Troy oz, lb, lb-oz, N, tael, tola. Auto power off function to preserve battery life. 450 hour battery life (4AA batteries included). Standard plastic carrying case included that are stackable for easy storage. It is even possible to weigh on the scale as it rests in the case, no need to remove it. The case also comes with penholders for added convenience. Security slot in the rear of the scale can accommodate an anti-theft device. 7.68"W x 5.35"D x 1.73"H

Part Number	Capacity	Platform	Weight	SKU	List
HT-120	120 x 0.01g	2.75" x 5.12"	3 lb	4228	\$ 345.00
HT-300	310 x 0.1g	5.20" x 5.12"	3 lb	4278	215.00
HT-500	510 x 0.1g	5.20" x 5.12"	3 lb	4279	215.00
HT-3000	3,100 x 1g	5.20" x 5.12"	3 lb	4280	215.00
HT-5000	5,100 x 1g	5.20" x 5.12"	3 lb	4281	215.00

Options

HT-10 Stainless steel pan	5.20" x 5.12"	2 lb	4290	40.00
TB:662 AC adapter 120 VAC		1 lb	1305	50.00



A&D WEIGHING DIVISION

SJ-2000HS
Bench Scale**SJ Bench Scale**

Full digital calibration, large, removable stainless steel pan. Easy to read 1" 7 segment LCD display. Less than one second response. Keys for ON/OFF, RE-ZERO, UNITS. Weighing units are: g, oz, lb-oz, lb. 800 hour battery life. Battery level indicator. Automatic power off. Optional AC adapter (not included). 10.4"W x 9.8"D x 4.1"H.

Part Number	Capacity	Pan	Weight	SKU	List
SJ-1000HS	1,000 x 0.5g	230 x 190mm	4 lb	4093	\$ 345.00
SJ-2000HS	2,000 x 1g	230 x 190mm	4 lb	4096	345.00
SJ-5000HS	5,000 x 2g	230 x 190mm	4 lb	4097	345.00
SJ-5001HS	5,000 x 1g	230 x 190mm	4 lb	4036	360.00
SJ-12KHS	12,000 x 5g	230 x 190mm	4 lb	4099	345.00
SJ-20KHS	20,000 x 10g	230 x 190mm	4 lb	4094	365.00
SJ-30KHS	30,000 x 20g	230 x 190mm	4 lb	4095	365.00

Options

TB:662 AC adapter 120 VAC	1 lb	1305	50.00
---------------------------	------	------	-------

Service Parts

07:4018232A foot for SJ old version	1 lb	5798	10.60
707:4018232 foot for SJ w/rubber insert	1 lb	5883	10.60
07:3008539 battery cover for SJ	0.03 lb	5886	10.60



A&D WEIGHING DIVISION

EK-i Bench Scale

1/30,000 resolution and a complete range of features from a scale portable enough to carry in one hand. Gram, oz(avoirdupois), oz(troy), lb, grain, carat, mome, tael, pennyweight, counting function, Percentage Function. Includes RS232C interface to communicate with computers and printers. Includes AC adapter. 115VAC, 50/60 Hz, 2.5VA, 7.5"W x 8.6"D x 2.6"H.

NTEP Legal for Trade 04-019 Class III & II

Part Number	Capacity	Pan	Weight	SKU	List
EK-120i*	120 x 0.01g	4.3"dia	4 lb	5647	\$ 665.00
EK-200i*	200 x 0.01g	4.3"dia	4 lb	5648	715.00
EK-300i*	300 x 0.01g	4.3"dia	4 lb	5649	745.00
EK-410i*	400 x 0.01g	4.3"dia	4 lb	5226	835.00
EK-610i*	600 x 0.01g	4.3"dia	4 lb	5227	985.00
EK-600i	600 x 0.1g	5.2" x 6.7"	5 lb	5650	665.00
EK-1200i	1,200 x 0.1g	5.2" x 6.7"	5 lb	5651	630.00
EK-2000i*	2,000 x 0.1g	5.2" x 6.7"	5 lb	5652	745.00
EK-3000i*	3,000 x 0.1g	5.2" x 6.7"	5 lb	5653	785.00
EK-4100i*	4,000 x 0.1g	5.2" x 6.7"	5 lb	5228	955.00
EK-6100i*	6,000 x 0.1g	5.2" x 6.7"	5 lb	5229	1,140.00
EK-6000i	6,000 x 1g	5.2" x 6.7"	5 lb	5654	745.00
EK-12Ki	12,000 x 1g	5.2" x 6.7"	5 lb	5655	915.00

* Not NTEP

Options

EKW-04i Comparator/Relay output/Buzzer	1 lb	5656	220.00
EKW-07i Underhook for EK-6000i & 12Ki	1 lb	5657	70.00
EKW-09i Rechargeable NiCd battery pack	4 lb	5658	280.00
AX: 3005824-5S Protective in use cover	1 lb	5231	13.78
EJ-12 Carry case for EW/EK-i	2 lb	7555	80.00
AD-100-2 Anti theft device	1 lb	1849	105.00

Service Parts

TB:662 AC adapter 120VAC	1 lb	1305	50.00
06:4011084B-2 foot EK EW EJ	1 lb	6176	10.60
04:4007526 pan 5.2"x6.7"	1 lb	5614	46.64
07: A46041A adjustable foot EKA EKG EWG EWH	1 lb	6184	16.28
07:4000316 display filter EK EW	0.02 lb	6311	10.60
08:3005577 keysheet EKI	0.02 lb	6312	29.68



**EK-12Ki
Bench Scale**



A&D WEIGHING DIVISION

EK (Old) Bench Scale

Old Series parts only.

Part Number	Weight	SKU	List
Old Version Service Parts			
01:A33711-2A keysheet EK-1200A	1 lb	1503	\$ 28.00
01:A33744 keysheet for EK-12KA	1 lb	1956	31.00
PZ:690 Pushbutton assy for EK/EW Series	1 lb	18	39.00
AX:00A20559A protective dust cover for EK/EW 120/1200	1 lb	1674	12.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Drive Ext
Fair Lawn NJ 07410
201-797-2718 * 800-631-0347

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

Bench



T29
Washdown Bench Scale



EW-1500i
Bench Scale



T29 Washdown Bench Scale

Stainless steel housing with steel case, locks out water, dust and dirt. Portable. Washdown with breathable knob design. Designed to withstand a variety of harsh conditions found in commercial and industrial facilities (tighten knob for complete seal). Large 25mm LCD display with white LED backlight make this scale easy to read. Keys for ON/OFF, TARE, ZERO. Indicators for Zero, Stable, Net, Battery, kg, lb, charging LED light. Adjustable feet and front bubble level makes it easy to level this scale. 6V/3.2Ah rechargeable battery included. Battery provides up to 70 hours of continuous use (without backlight). 12V/500mA AC adapter included. Operating temperature -10 C to +40 C. IP67. 9.5"W x 11.75"D x 5"H.

Part Number	Capacity	Platform	Weight	SKU	List
T29-6 lb	6 x 0.001 lb	7.5" x 9.0"	10 lb	7982	\$ 525.75
T29-24 lb	24 x 0.005 lb	7.5" x 9.0"	10 lb	7984	525.75

Options

AC Adapter 12VDC	1 lb	6362	34.84
------------------	------	------	-------

Service Parts

Main board for T29	1 lb	7592	252.89
110200050 battery for T29 6v/3.2a	1.42 lb	7366	27.83



A&D WEIGHING DIVISION

EW-i Bench Scale

The EW-i Series scales offer attractive triple ranges at an even more economical price. Weighing modes include gram(g), decimal ounce(oz), decimal pound(lb), troy ounce(ozt), pennyweight(dwt), carat(ct), Momme(mm), Grain Unit(GU), tael(tl), percentage and counting functions. Includes RS-232C interface for connecting computers and printers. Includes AC adapter, 115 VAC 50/60 Hz, 2.5 VA, 7.5"W x 8.6"D x 2.2"H. NTEP Legal for Trade 04-019 Class III

Part Number	Capacity	Pan	Weight	SKU	List
EW-150i *	30g x 0.01g 60g x 0.02g 150g x 0.05g	4.3" dia	4 lb	5644	\$ 560.00
EW-1500i	300g x 0.1g 600g x 0.2g 1,500g x 0.5g	5.2" x 6.7"	5 lb	5645	560.00
EW-12Ki	3,000g x 1g 6,000g x 2g 12,000g x 5g	5.2" x 6.7"	5 lb	5646	560.00

* Not NTEP

Options

EKW-04i Comparator/Relay output/Buzzer	1 lb	5656	220.00
EKW-07i Underhook for EK-6000i & 12Ki	1 lb	5657	70.00
EKW-09i Rechargeable NiCd battery pack	4 lb	5658	280.00

AX: 3005824-5S Protective in use cover	1 lb	5231	13.78
EJ-12 106 Carry case for EW/EK-i	2 lb	7555	80.00
AD-100-2 Anti theft device	1 lb	1849	105.00

Service Parts

TB:662 AC adapter 120VAC	1 lb	1305	50.00
--------------------------	------	------	-------

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



A&D WEIGHING DIVISION

SK-WPF Water Proof Bench Scale

Stainless steel, rugged, high impact housing. Detachable stainless steel weighing pan. Large & clear LCD display 25mm high. Portable with (6) D size batteries (not included). Approx. 600 hours (manganese type), 1,200 hours (alkaline). Indicators for Stable. Net, Zero and Low battery. Keys for ON/OFF, ZERO, TARE. Auto power off function. SK-Z is LB w/decimal oz, fractional oz, decimal lb. Optional AC adapter (not included). 10.5"W x 11"D x 5.75"H.
NTEP Legal for Trade 98-086 Class III,
NSF pending

Part Number	Capacity	Pan	Weight	SKU	List
SK-1000WPF	1,000 x 0.5g	232 x 192mm	8 lb	2936	\$ 575.00
SK-2000WPF	2,000 x 1g	232 x 192mm	8 lb	2937	595.00
SK-5000WPF	5,000 x 2g	232 x 192mm	8 lb	2938	595.00
SK-5001WPF	5,000 x 1g	232 x 192mm	8 lb	2939	595.00
SK-10KWPF	10kg x 0.005kg	232 x 192mm	8 lb	2940	575.00
SK-20KWPF	20kg x 0.01kg	232 x 192mm	10 lb	2941	605.00

Options

TB:662 AC adapter 120 VAC	1 lb	1305	50.00
FV-06 AC adapter 220 VAC	1 lb	1306	65.00

Service Parts

08:3005664A Keypad overlay for SK2000WPF	1 lb	3028	12.72
07:2000638 battery cover SKWPF	1 lb	2935	21.20
PZ:4334 main board SKWPF	1 lb	2947	145.22
07:4011266A adjustable foot	0.05 lb	2986	10.60

Load cells

LC:121-2000WP for SK1000WPF,SK2000WPF	1 lb	2888	130.38
LC:121-10KWP for SK5000WPF,SK5001WPF, and SK10KWPF	1 lb	2889	130.38
LC:121-20KWP for SK20KWPF	1 lb	2890	130.38



SK-WP
Bench Scale



A&D WEIGHING DIVISION

FV + FW Portable Bench/Floor Scale

Service parts only.
HV: NTEP Legal for Trade 96-186 III 3,100 div Canadian SWA# AM-5093

Part Number	Weight	SKU	List
Service parts (Old Units FV & FW)			
01A Wall mounting kit for display pod(FV/FW)	1 lb	1268	\$ 45.00
02 Display pod extension cable 5m	1 lb	1302	145.95
09:A34157-7 Keysheet unit for FV	1 lb	1495	97.65
06:A33710-1A rubber cushion small for FV	1 lb	1462	17.85
06:A33710-2A rubber cushion large for FV	1 lb	1463	21.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION



EJ-200



EJ-2000



EK-120G

Service Parts only

EJ Bench Scale

Ten different capacities cover a broad range of applications for your user requirements. Easy to read, 16mm high LCD display with amber backlight allows for easy viewing in the worst conditions. Fast, 1 second response time. Keys for: ON/OFF, SAMPLE, PRINT, OT/RE-ZERO, PRINT. Weighing units are: grams, ounces, pounds, troy ounces, carats, momme, pennyweight, grains, newtons, tael. Counting mode with Automatic Counting Accuracy Improvement (ACAI). Percent weighing. Specific gravity function. Over-Under. Stackable (up to 3 high) for easy storage and retrieval. 5 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
EJ-54D2	22g x 0.0002g 52g x 0.001g	1.96"	3 lb	7670	\$ 875.00
EJ-123	120g x 0.001g	4.3"	4 lb	7626	630.00
EJ-303	300g x 0.001g	4.3"	4 lb	7624	720.00
EJ-120	120g x 0.01g	4.3"	4 lb	7540	350.00
EJ-200	200g x 0.01g	4.3"	4 lb	7541	455.00
EJ-300	300g x 0.01g	4.3"	4 lb	7542	520.00
EJ-410	410g x 0.01g	4.3"	4 lb	7543	585.00
EJ-610	610g x 0.01g	4.3"	4 lb	7544	675.00
EJ-1202	1,200g x 0.01g	5" x 5.5"	6 lb	7671	740.00
EJ-3002	3,100g x 0.01g	5" x 5.5"	6 lb	7672	795.00
EJ-1500	1500g x 0.1g	5" x 5.5"	6 lb	7545	370.00
EJ-2000	2100g x 0.1g	5" x 5.5"	6 lb	7546	435.00
EJ-3000	3100g x 0.1g	5" x 5.5"	6 lb	7547	535.00
EJ-4100	4100g x 0.1g	5" x 5.5"	6 lb	7548	585.00
EJ-6100	6100g x 0.1g	5" x 5.5"	6 lb	7549	675.00
Options					
EJ-02C USB interface w/ cable			1 lb	7550	125.00
EJ-03C RS232 interface w/ cable			1 lb	7551	110.00
EJ-07 Underhook for EJ 3K, 4.1K, 6.1K			1 lb	7552	90.00
EJ-08 Underhook for EJ 1500 and 2000			1 lb	7553	90.00
EJ-11 Breeze break			1 lb	7554	90.00
EJ-12 Carry case			1 lb	7555	80.00
EJ-13 Density determination kit			1 lb	7556	110.00
Service Parts					
TB:662 adapter 120 VAC			1 lb	1305	50.00
06:4011084B-2 foot EK EW EJ			1 lb	6176	10.60



A&D WEIGHING DIVISION

EK-G Bench Scale

Service Parts only for A&D EK-G.

Part Number	Weight	SKU	List
Service parts			
TB:102 AC adapter 120 VAC for EW/EK	1 lb	986	\$ 48.00
TB:119 AC adapter 220 VAC for EW/EK	1 lb	674	65.00
08:3000113 Keysheet for EK-G	1 lb	3138	29.40
SK:SKHHAK Pushbutton switch individual	1 lb	3139	10.60
07:3001151 Protective covers for EW/EK	1 lb	3140	15.75



A&D WEIGHING DIVISION

SK Bench Scale

1/2,000 resolution, solid & reliable design, splash proof (driptight), large & clear LCD display 25mm high, large stainless steel pan. Portable with (6) D size batteries (not included). Indicators for Stable, Net, Zero and Low battery. Keys for ON/OFF, ZERO, TARE. Auto power off function. SK-Z is LB w/decimal oz, fractional oz, decimal lb. Optional AC adapter (not included). 244mm x 232mm x 137mm.

USDA Approved

NTEP Legal for Trade 98-086 Class III, CSA

Part Number	Capacity	Pan	Weight	SKU	List
Dual Display					
SK-5000D	11 lb x 0.005 lb	230 x 190mm	9 lb	5541	330.00

Options

TB:662 AC adapter 120 VAC	1 lb	1305	50.00
---------------------------	------	------	-------

FV-06 AC adapter 220 VAC	1 lb	1306	6500
--------------------------	------	------	------

Service Parts

PZ:3006 main board for SK (specify capacity)	1 lb	3251	105.00
--	------	------	--------

07:4003338 plastic foot	1 lb	3269	10.50
-------------------------	------	------	-------

08:4003781 keysheet	1 lb	3270	6.30
---------------------	------	------	------

**SK-5001*
Bench Scale**

A&D WEIGHING DIVISION

SJ Bench Scale

Bright and Multi-Colored 5-Step LED Comparator Lights Externally mounted load cell to realize fast stabilization (0.5 seconds), IP67 Dust and Waterproof Construction, Large LCD digits (26 mm height) with white backlight that provides excellent visibility in dim light, Unparalleled, 5000-hour continuous operation with normal batteries, Key lock function to prevent operators from making unwanted changes to the scale settings, Auto power OFF function to avoid wasting power when the scale is inactive for a set period (5 to 60 minutes) of time, Four selectable weighing resolutions: 1/3,000, 1/6,000 (or 1/7,500), 1/12,000 (or 1/15,000), and 1/30,000 Multiple weighing units: gram, kilogram, pound, ounce, troy ounce, pound-ounce, tael (Singapore/HK jewelry/Taiwan), tola, and Newton Counting mode to count a number of small pieces of the same weight instantly and precisely, Scratch-free and hygienic stainless steel (SUS304) weighing pan, Removable, transparent pan support with overhanging panels to shield the load cell Waterproof and anti-corrosive load cell with integrated overload protection mechanism, Counting mode function, Auto power OFF function, Battery life indicator

Part Number	Capacity	Weight	SKU	List
SJ-3000WP	6 lb x 0.001 lb	9 lb	2059	655.00
SJ-6000WP	13 lb x 0.002 lb	9 lb	2060	655.00
SJ-15KWP	33 lb x 0.005 lb	9 lb	2061	695.00
SJ-30KWP	66 lb x 0.01 lb	9 lb	2062	670.00

Service Parts

Plastic pan SJ-WP	0.26 lb	2164	21.20
-------------------	---------	------	-------

1072002653A battery cover for SJ-WP	0.03 lb	5887	15.90
-------------------------------------	---------	------	-------

**SJ-WP**



**ABW Aqua
Washdown bench**

ABW Aqua washdown bench

ABW washdown scales are IP67 rated and feature a large **stainless steel** weighing pan and solid ABS housing. They are protected for water immersion up to one meter deep. The Aqua is suitable for applications that require frequent and repetitive cleaning. Dual displays are front facing and rear facing LED displays 0.8" high. Check weighing has LED color changing indicators which will show if the weight is HI LOW or OK compared to preset limits. Percentage weighing and parts counting function are available for the operator to use. Keys for Power ON/OFF, ZERO, TARE, UNITS. Power is supplied using the included AC adapter or the built in rechargeable battery with 55 hours of continual use. 10"W x 11.4"D x 4.1"H. IP67

Part Number	Capacity	Pan	Weight	SKU	List
ABW4	9 x 0.001 lb	9.6" x 7.1"	5.5 lb	1963	\$ 500.00
ABW8	15 x 0.002 lb	9.6" x 7.1"	5.5 lb	1964	500.00
ABW16	32 x 0.005 lb	9.6" x 7.1"	5.5 lb	1965	500.00
ABW32	70 x 0.01 lb	9.6" x 7.1"	5.5 lb	1966	500.00



**LBX
Bench/Floor Scale**

LBX Component Bench Scale

With intuitive operation, Latitude compact bench scales deliver excellent value for quick, basic weighing, checkweighing, and counting needs. Latitude compact bench scales deliver an excellent value for weighing, checkweighing, percentage weighing, and counting. With easy operation, Latitude is ideal for production, warehouse, or field use, as it is powered by the included AC adapter or internal rechargeable battery. The battery operates for 240 hours, so there are no worries about losing power. For added flexibility and convenience, Latitude can be charged using any USB power source, such as the USB connection in a vehicle or external USB power banks.

Part Number	Capacity	Platform	Weight	SKU	List
LBX 3	6 x 0.001 lb	9.6" x 7.1"	6 lb	517	\$ 305.00
LBX 6	12 x 0.002 lb	9.6" x 7.1"	6 lb	518	305.00
LBX 12	25 x 0.005 lb	9.6" x 7.1"	6 lb	519	305.00
LBX 30	65 x 0.01 lb	9.6" x 7.1"	16 lb	520	305.00



ED Bench Scale

Multi function scale, battery operated. LCD display with backlight. Dual range for improved accuracy. Counting and percentage, accumulation. Comparison HI/OK/LO with alarm beeps. lb/oz/kg/g switchable with front panel key. Soft touch keys for ON/OFF, ZERO, TARE, MODE, PRINT, SAMPLE, *, SET. Indicators for ZERO, NET, STABLE, LOW BATTERY. 170 hour operating time with rechargeable battery, included. Battery saver mode with auto off. A/C adapter, included. 120 VAC. **Stainless Steel** platform size 12" x 8.75". Overall size 13"W x 13"D x 4.2"H. RS232 output for printer. NTEP Legal for Trade 09-072

Part Number	Capacity	Weight	SKU	List
ED-6LB	3x0.001 lb/6x 0.002 lb	13 lb	988	\$ 325.00
ED-15LB	6x0.002 lb/15x0.005 lb	13 lb	989	325.00
ED-30LB	15x0.005 lb/30x0.01 lb	13 lb	990	406.00
ED-60LB	30x0.01 lb/60x0.02 lb	13 lb	991	325.00

Options

TM-U295 Ticket Printer w/power supply	8 lb	2225	770.00
---------------------------------------	------	------	--------



ED
Bench Scale



SW-10RS
POS Interface



SW-RS POS Interface Bench Scale

Compact, use where space is limited. Stainless steel platter. Large easy to read 1", 5 digit LCD display. Customer rear display. Soft touch tactile keyboard. Keys for ZERO, TARE, UNIT, POWER. Indicators for Stable, Zero, Net, Batt. Lg, g, kg, switchable. RS-232 interface. DC 9V. AC adapter included. Auto power off. 1 year warranty. 10.23"W x 11.29"D x 5.39"H

NTEP Legal for Trade 99-002 III 2,500 div

Part Number	Capacity	Pan	Weight	SKU	List
SW-10RS	10 x 0.005 lb	9.05" x 7.48"	10 lb	2696	\$ 486.00
SW-20RS	20 x 0.01 lb	9.05" x 7.48"	10 lb	2697	486.00

Options

WS13 Serial cable	1 lb	2215	18.00
-------------------	------	------	-------

Service Parts

ZS11 Battery Cover	0.25 lb	7616	11.00
TS13 SS tray for SW-10, SW-20, SW-50	0.57 lb	7628	42.80



SW-20Z
Bench scale



SW-Z Bench Scale

The SW-Z features lb:oz displayed as fractions or decimals. 5 digit, 1 inch high LCD display. Keys for ON/OFF, TARE, UNIT, ZERO. Indicators for Stable, Zero, Net, Battery. Dual range technology. (6) D size batteries not included. AC adapter included. 10.2"W x 11.3"D x 5.4"H.

Part Number	Capacity	Pan	Weight	SKU	List
SW-5Z	5 x 0.002 lb	9.05" x 7.48"	10 lb	6349	\$ 249.00
SW-10Z	10 x 0.005 lb	9.05" x 7.48"	10 lb	6351	249.00
SW-20Z	20 x 0.01 lb	9.05" x 7.48"	10 lb	6352	249.00
SW-50Z	50 x 0.02 lb	9.05" x 7.48"	10 lb	6353	249.00

Service Parts

ZS25 battery	2 lb	7508	48.00
TS14 SS tray for SW-5	0.57 lb	7413	42.80
TS13 SS tray for SW-10, SW-20, SW-50	0.57 lb	7628	42.80
TS11 platter, plastic (all capacities)	0.43 lb	7668	29.00



SW Bench Scale

Digital scale, **Stainless Steel** platform, battery operated, lb/kg/g/oz switchable with front panel key. Soft touch keys for ON/OFF, ZERO, TARE, UNIT. Large 1" LCD display. Indicators for ZERO, NET, STABLE, LOW BATTERY. 1,000 hour operating time with (6) D alkaline batteries (not included). Includes A/C adapter 120 VAC, 50/60 Hz, 0.25 watts. Overall size 10.23"W x 11.29"D x 5.39"H.

NTEP Legal for Trade 99-002 III 2,500 div

Part Number	Capacity	Pan	Weight	SKU	List
SW-5	5 lb x 0.002 lb	9.05" x 7.48"	10 lb	1791	\$ 249.00
SW-10	10 lb x 0.005 lb	9.05" x 7.48"	10 lb	1792	249.00
SW-20	20 lb x 0.01 lb	9.05" x 7.48"	10 lb	1793	249.00
SW-50	50 lb x 0.02 lb	9.05" x 7.48"	10 lb	1794	249.00

Options

AC adapter 120 VAC for SW	1 lb	1731	42.85
CS11 In use cover for SW-10, SW-20, SW-50	1 lb	1740	19.00

Service Parts

LS11 load cell SW-5	2kg	1 lb	124	88.00
LS12 load cell SW-10	5kg	1 lb	125	88.00

LS13 load cell SW-20	10kg	1 lb	126	88.00
LS14 load cell SW-50	20kg	1 lb	127	88.00

KS11 keypad for SW	0.04 lb	212	15.00
ZS11 battery cover	0.25 lb	7616	11.00
PS13 main board for SW	0.26 lb	7655	97.14

TS14 SS tray for SW-5	0.57 lb	7413	42.80
TS13 SS tray for SW-10, SW-20, SW-50	0.57 lb	7628	42.80
TS11 platter, plastic (all capacities)	0.43 lb	7668	29.00



SW-20
Bench Scale



SW-1W Washdown Bench Scale

The SW-1W is protected from water, dirt and other external agents (IP66). 5 digit, 1 inch high LCD display. Weighing units in: lb, oz, kg, g. Keys for ON/OFF, TARE, UNIT, ZERO. Indicators for Stable, Zero, Net, Battery. Dual range technology. (6) D size batteries not included. AC adapter included.

NTEP Legal for Trade 99-002 III 2,500 div

Part Number	Capacity	Pan	Weight	SKU	List
SW-1W10DD	10 x 0.005 lb	9.75"x7.75"	10 lb	6340	\$ 361.00
SW-1W20DD	20 x 0.01 lb	9.75"x7.75"	10 lb	6341	361.00
SW-1W50DD	50 x 0.02 lb	9.75"x7.75"	10 lb	6342	361.00

Service Parts

ZS11 battery cover	1 lb	7616	11.00
TS13 SS tray for SW-1W (all capacities)	0.57 lb	7628	42.80
TS11 platter, plastic (all capacities)	0.43 lb	7668	29.00



SW-W
Washdown Bench Scale





**Ranger 3000
Compact Bench Scale**



OHAUS®

Ranger 3000 Compact Bench Scale

Ranger 3000 has an ABS housing and a stainless steel platform. Compact basic bench scale with large bright backlit LCD display. Checkweighing LED with 3 colors for over/under/ok. Applications for: weighing, Percent Weighing, Parts Counting, Checkweighing, Checkcounting, Checkpercent, Accumulation, Dynamic Weighing/Display Hold, Weigh below (hook included). Weighing units: lb/kg/g/oz/lb:oz. Communication port included RS232, USB or Ethernet available as an option. Powered by AC adapter and battery (included) 210 hours of battery life with continuous use.

NTEP Legal for Trade 13-022A1

Canada AM-5907C

Part Number	Capacity	Pan	Weight	SKU	List
R31P1502	3 x 0.0001 lb	8.9" x 11.8"	12 lb	8016	\$ 1,026.00
R31P3	6 x 0.0002 lb	8.9" x 11.8"	12 lb	8017	1,026.00
R31P6	15 x 0.0005 lb	8.9" x 11.8"	12 lb	8018	1,026.00

R31P15	30 x 0.001 lb	8.9" x 11.8"	12 lb	8019	1,026.00
R31P30	60 x 0.002 lb	8.9" x 11.8"	12 lb	8020	1,026.00

Options

30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30037449 USB kit	1 lb	3819	245.00

30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
80850080 WinWedge software	1 lb	2436	837.00

Service Parts

71168359 battery pack	3 lb	6506	114.00
7220232 line cord	1 lb	6507	39.00
30656204 in use cover for R31P	1 lb	6522	56.00



SPX STX Scout Portable Bench Scale

Setting new standards in laboratory and industrial weighing. Bright Backlit LCD. Keys for: ZERO/PRINT/UNITS/FUNCTION/MODE/TARE/MENU. Weighing Units for: g, kg, ct, N, oz, ozt, dwt, lb, ln:oz, grn. Application modes: Weighing, Parts Counting, Percent Weighing, Check Weighing, Totalization, Display Hold. Draft shield. Weigh below hook. Lockswitch. Security slot. Connectivity. RS232, USB host, USB device, Ethernet. AC adapter (included) or (4) AA batteries (not included). 11.8" x 9.8" x 4.1" (SPX123/SPX223) 11.8" x 9.8" x 3.4" (SPX222, 422, 622, 1202, 2202, 421, 621, 2201, 6201, 8200). 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
Push Button					
SPX123	120 x 0.001g	3.7"	4 lb	8173	\$ 1,036.00
SPX223	220 x 0.001g	3.7"	4 lb	8174	1,157.00
SPX222	220 x 0.01g	4.7"	4 lb	8175	752.00
SPX422	420 x 0.01g	4.7"	4 lb	8176	1,056.00
SPX622	620 x 0.01g	4.7"	4 lb	8177	1,238.00
SPX1202	1,200 x 0.01g	6.7" x 5.5"	4 lb	8178	1,412.00
SPX2202	2,200 x 0.01g	6.7" x 5.5"	4 lb	8179	1,588.00
SPX421	420 x 0.1g	4.7"	4 lb	8180	416.00
SPX621	620 x 0.1g	6.7" x 5.5"	4 lb	8181	615.00
SPX2201	2,200 x 0.1g	6.7" x 5.5"	4 lb	8182	788.00
SPX6201	6,200 x 0.1g	6.7" x 5.5"	4 lb	8183	1,285.00
SPX8200	8,200 x 1g	6.7" x 5.5"	4 lb	8184	643.00
Touch Screen					
STX123	120 x 0.001g	3.7"	4 lb	8185	1,176.00
STX223	220 x 0.001g	3.7"	4 lb	8186	1,318.00
STX222	220 x 0.01g	4.7"	4 lb	8187	867.00
STX422	420 x 0.01g	4.7"	4 lb	8188	1,211.00
STX622	620 x 0.01g	4.7"	4 lb	8189	1,419.00
STX1202	1,200 x 0.01g	6.7" x 5.5"	4 lb	8190	1,621.00
STX2202	2,200 x 0.01g	6.7" x 5.5"	4 lb	8191	1,809.00
STX421	420 x 0.1g	4.7"	4 lb	8192	491.00
STX621	620 x 0.1g	6.7" x 5.5"	4 lb	8193	734.00
STX2201	2,200 x 0.1g	6.7" x 5.5"	4 lb	8194	928.00
STX6201	6,200 x 0.1g	6.7" x 5.5"	4 lb	8195	1,467.00
STX8200	8,200 x 1g	6.7" x 5.5"	4 lb	8196	761.00
Options					
30269021 carry case			1 lb	1988	206.00
30268988 stacking kit storage cover			1 lb	1969	38.00
Service Parts					
30330714 AC adapter w/plug SPX/STX			1 lb	2740	42.00
30268984 USB device interface			1 lb	5325	185.00
30268982 RS232			1 lb	1675	262.00
30301950 foot adjustable, pack(4)			1 lb	1034	36.00
71160346 function label SP202			1 lb	6059	41.00
83033644 SP pan support, rect pan set of (4)			0.03 lb	6014	58.00



**SPX
Push Button
Portable Bench Scale**



**STX
Touch Screen
Portable Bench Scale**



Ranger 4000
Bench Scale



OHAUS®

Ranger 4000 Bench Scale

Portable with die-cast metal housing with slip-resistant rubber feet and a rechargable lead acid battery that can provide power for up to 100 hours. A bright LED display makes the scale usable even in dim conditions. SmartText software makes scale setup and use very simple. Standard RS232 with optional Ethernet, second RS232 and USB offers additional data transfer capabilities and allows connection to multiple peripherals.

Stabilization time of just one second. 12.4"Wx12.9"Lx4.8"H.

NTEP Legal for Trade 13-022 III 3,000 div

Part Number	Capacity	Pan	Weight	SKU	List
R41ME3	6 x 0.0002 lb	8.9 x 11.8"	17 lb	1742	\$ 1,466.00
R41ME6	15 x 0.0005 lb	8.9 x 11.8"	17 lb	1743	1,466.00
R41ME15	30 x 0.001 lb	8.9 x 11.8"	17 lb	1744	1,466.00
R41ME30	60 x 0.002 lb	8.9 x 11.8"	17 lb	1745	1,466.00

Options

30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30037449 USB kit	1 lb	3819	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
80850080 WinWedge software	1 lb	2436	837.00

OHAUS®

Ranger 7000 Compact Bench Scale

Ranger 7000 has a die-cast sealed metal indicator and housing, ensuring it's accurate and long term operation in even the most demanding industrial environments. Stainless steel platform. 4.3" TFT graphic LCD. 8 function, 5 quick, 12 alphanumeric membrane keys. SmartText 2.0 software. Advanced application modes for a variety of complex applications which minimize the need for manual calculations. Applications for: Weighing, Density Determination, Filling, Differential Weighing, Parts Counting, Dynamic Weighing, Formulation, Check Weighing/Counting, Percent Weighing. Weighing units are: kg, g, lb, oz, lb:oz. Weigh hook below. Easily export data through RS232 or USB device port.

Additional connectivity options include a second RS232 or Ethernet, and USB host port for bar code scanner or flash drive. Remote base kit, 2 in/4 out digital I/O kit. 100-240 VAC 50/60 Hz Universal Power Supply.

NTEP Legal for Trade 14-033 II and III

Canada AM 5940



7000
Compact Bench Scale



Part Number	Capacity	Pan	Weight	SKU	List
R71MD3	6 x 0.0001 lb	11" x 11" x 4.5"	28 lb	7960	\$ 2,924.00
R71MD6	15 x 0.0002 lb	11" x 11" x 4.5"	28 lb	7961	2,924.00
R71MD15	30 x 0.0005 lb	14.8" x 12.2" x 1.9"	29 lb	7962	2,924.00
R71MD35	70 x 0.001 lb	14.8" x 12.2" x 1.9"	29 lb	7963	2,924.00
R71MD60	150 x 0.002 lb	14.8" x 12.2" x 1.9"	29 lb	7343	2,924.00
R71MHD3	6 x 0.00002 lb	11" x 11" x 4.5"	28 lb	7964	4,640.00
R71MHD6	15 x 0.00005 lb	11" x 11" x 4.5"	28 lb	7965	5,152.00
R71MHD15	30 x 0.0002 lb	14.8" x 12.2" x 1.9"	29 lb	7966	6,815.00
R71MHD35	70 x 0.002 lb	14.8" x 12.2" x 1.9"	29 lb	7967	8,212.00

Options

30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30095408 Column kit painted	5 lb	7970	245.00
30097590 PCBA kit 2nd platform	1 lb	7971	246.00
30097591 Discrete I/O Kit 2in/4 out	1 lb	7972	245.00
30101495 Cable extension, 9 meter	2 lb	7973	172.00

Service Parts

30041267 AC linecord Ranger 7000	1 lb	4963	72.00
----------------------------------	------	------	-------

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



Valor 1000 Bench Scale

Service parts only.

Part Number	Capacity	Pan	Weight	SKU	List
Service Parts					
46001812 AC adapter Valor 1000			1 lb	4974	\$ 98.00
80252845 function label keypad			1 lb	4883	36.00
30035606 Feet Kit			1 lb	4838	37.00
71172939 foot(4)			1 lb	4895	49.00
71172940 pan support cap(4)			1 lb	4896	63.00



**Valor 1000
Bench Scale**



Valor 2000
Bench Scale

OHAUS®

Valor 2000 Bench Scale

Valor 2000 has a ABS housing with a stainless steel platform. Also available with a stainless steel top housing. Compact water resistant bench scale with a red LED 0.8" high dual display and a polycarbonate knife proof keypad. Applications: Weighing and checkweighing. Weighing units g, kg, lb, lb:oz. Powered by AC adapter and internal battery with 50 hours of battery life for continuous use. 10.1"W x 11.3"D x 4.9"H.

Part Number	Capacity	Pan	Weight	SKU	List
Stainless Steel w/checkweighing					
V22XWE1501T	3 x 0.0005 lb	7.5" x 9.5"	11 lb	8311	\$ 829.00
V22XWE3T	6 x 0.001 lb	7.5" x 9.5"	11 lb	8312	829.00
V22XWE6T	15 x 0.002 lb	7.5" x 9.5"	11 lb	8313	829.00
V22XWE15T	30 x 0.005 lb	7.5" x 9.5"	11 lb	8314	829.00
V22XWE30T	60 x 0.01 lb	7.5" x 9.5"	11 lb	8315	829.00
ABS housing w/stainless steel pan					
V22PWE1501T	3 x 0.0005 lb	7.5" x 9.5"	9 lb	8316	727.00
V22PWE3T	6 x 0.001 lb	7.5" x 9.5"	9 lb	8317	727.00
V22PWE6T	15 x 0.002 lb	7.5" x 9.5"	9 lb	8318	727.00
V22PWE15T	30 x 0.005 lb	7.5" x 9.5"	9 lb	8319	727.00
V22PWE30T	60 x 0.01 lb	7.5" x 9.5"	9 lb	8320	727.00



Valor 3000
Bench Scale



OHAUS®

Valor 3000 Xtreme Bench Scale

T304 stainless steel housing. Chemical resistant, durable and easy to clean, technically advanced overload protection rated at 10x capacity. Quadra stance design, adjustable rubber feet ensures firm contact with bench top. SmartText user interface, bright backlit LCD. Weighing modes are: lb, dec/oz, lb:oz, fractional oz, g, kg, fl/oz. User selectable and lockable. AC adapter included or (4) C batteries (not included), NSF listed warranty 120 VAC, USDA approved, supports HACCP systems. NEMA 4X/IP65 water resistant models. 2 year warranty. 8.5"W x 7.3"D x 3".H
NTEP Legal for Trade 08-008 III 3,000 div

Part Number	Capacity	Pan	NTEP	Weight	SKUList
V31XH202 compact	200 x 0.01g	4.7" dia	----	5 lb	4761 \$ 1,186.00
V31XH402 compact	400 x 0.01g	5.8" x 6.2"	----	5 lb	5465 1,650.00
V31X501compact	500 x 0.1g	4.7" dia	----	5 lb	5464 918.00
V31XH2 compact	2,000 x 0.1g	5.8" x 6.2"	----	5 lb	4762 1,186.00
V31X3 compact	3,000 x 1g	5.8" x 6.2"	----	5 lb	4763 806.00
V31XH4 compact	4,000 x 0.1g	5.8" x 6.2"	----	5 lb	5466 1,650.00
V31X3N compact *	3,000 x 0.5g	5.8" x 6.2"	3,000x1g	5 lb	4897 928.00
V31X6 compact	6,000 x 1g	5.8" x 6.2"	----	5 lb	4764 806.00
V31X6N compact *	6,000 x 1g	5.8" x 6.2"	6,000x2g	5 lb	4898 923.00
Washdown					
V31XW301 washdown	300 x 0.1g	5.8" x 6.2"	----	5 lb	4765 923.00
V31XW3 * washdown	3,000 x 0.5g	5.8" x 6.2"	3,000x1g	5 lb	4766 923.00
V31XW6 * washdown	6,000 x 1g	5.8" x 6.2"	6,000x2g	5 lb	4767 923.00

* NTEP Legal for Trade

Options

80250400 Stainless steel scoop	2 lb	2025	118.00
--------------------------------	------	------	--------

Service Parts

46001803 AC adapter Valor 3000	1 lb	4992	96.00
72203363 load cell 10kg V31	1 lb	4891	260.00
72203452 seal kit load cell for V31	0.23 lb	4993	36.00



Valor 4000 Bench Scale

Easy to clean, easy to transport. 6 digit, 7 segment 0.8" large dual red LED display. Keys for ON/OFF/ZERO, M+/UNITS, FUNCTION/MODE, TARE/MENU. Applications for Weighing, Percent Weighing, Checkweighing, Accumulation. Touchless sensor for Tare function. Fixed weighing pan. Overload and underload indicators. Less than 0.5s stabilization time. Low battery indicator. Level bubble. Power jack auto enclosed design. Rechargeable battery. AC adapter. IPX8. 2 year warranty. 16.1"W x 14.6"D x 8.7"H. NTEP Legal for Trade 13-056 III 3,000 div Canada AM-5906C

Part Number	Capacity	Pan	Weight	SKU	List
V41PW: ABS housing with 304 Stainless Steel platform.					
V41PWE1501T	1.5 kg x 0.5 g	7.5" x 9.5"	4 lb	7974	\$ 782.00
V41PWE3T	3 kg x 1 g	7.5" x 9.5"	4 lb	7975	782.00
V41PWE6T	6 kg x 2 g	7.5" x 9.5"	4 lb	7976	782.00
V41PWE15T	15 kg x 5 g	7.5" x 9.5"	4 lb	7977	782.00
V41XW: Stainless Steel housing and platform.					
V41XWE1501T	1.5 kg x 0.5 g	7.5" x 9.5"	10 lb	7978	918.00
V41XWE3T	3 kg x 1 g	7.5" x 9.5"	10 lb	7979	918.00
V41XWE6T	6 kg x 2 g	7.5" x 9.5"	10 lb	7980	918.00
V41XWE15T	15 kg x 5 g	7.5" x 9.5"	10 lb	7981	918.00

Service Parts

46001802 AC adapter 120 VAC w/o prong set	1 lb	716	98.00
46001780 Prong set, International	1 lb	714	36.00
46001776 Prong set, US only	1 lb	6226	36.00
30272114 SP Mech 4 way module	1 lb	7590	43.00
30028582 function label	1 lb	7153	37.00



Valor 4000
Bench Scale



Valor 7000 Bench Scale

Stainless steel, removable weighing platform. ABS housing. Touchless sensors located in the front and rear allow you to do all of your weighing without ever touching the scale. Dual backlit displays; 1.5" front and 1" rear display are both equipped with an LCD backlight for added clarity. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, M+/MENU, TARE. Weighing units for lb, oz, lb:oz, g. Application modes for Weighing, Check Weighing, Check Percent, Percent Weighing, Accumulation. Rapid stabilization. Non-slip grip. Carry handle. Rechargeable lead acid battery that can provide power for more than 210 hours between charges. IP43. 2 year warranty. 15.6"W x 17.6"D x 7.7"H. NTEP Legal for Trade 13-022 III 3,000 div Canada AM-5907C

Part Number	Capacity	Pan	Weight	SKU	List
V71P1502T	3 x 0.0001 lb	11.8" x 8.9"	12 lb	3814	\$ 1,072.00
V71P3T	6 x 0.0002 lb	11.8" x 8.9"	12 lb	3815	1,072.00
V71P6T	15 x 0.0005 lb	11.8" x 8.9"	12 lb	3816	1,072.00
V71P15T	30 x 0.001 lb	11.8" x 8.9"	12 lb	3817	1,072.00
V71P30T	60 x 0.001 lb	11.8" x 8.9"	12 lb	3818	1,072.00

Options

30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30037449 USB kit	1 lb	3819	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00

Service Parts

30037417 Platter	1 lb	7598	67.00
30037421 Foot, pack(4)	1 lb	7713	37.00



Valor 7000
Bench Scale



Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



BCS40
Portable Brief Case scale

BCS Brief Case Scale

9" x 9" cast platform with indicator in a briefcase. Weighing units: lb, kg, lb-oz, g. Large high contrast LCD display. Low battery indicator. Keys for ON/OFF, TARE, UNITS. (1) 9V battery (included). Case dimensions 11"L x 13"W x 2.5"H.

Part Number	Capacity	Weight	SKU	List
BCS-40 briefcase	40 kg x 10 g 88 lb x 0.02 lb	9 lb	6015	\$ 220.00
BCS-80 briefcase	80 kg x 20 g 176 lb x 0.05 lb	9 lb	6016	287.82



TVD Bench Multifunction Scale

Simple one touch weigh and count functions. 0.9 inch LCD display with backlight. Indicator has rugged ABS housing. Applications for Weighing, Counting, Check Weighing, Percent weighing and Accumulation. Keys for ZERO/ON/OFF, TARE, UNIT, PRINT/HOLD. Units: lb, ounce, kg, grams. 9 volt battery operated with power adapter included. Standard USB interface can be connected to computer for receiving weight data. Overall 12.6" W x 13.7" D x 3.96" H.
NTEP Legal for Trade

Part Number	Capacity	Platform	Weight	SKU	List
TVD-6	6 lb x 0.001 lb 3 kg x 0.0005 kg 96 oz x 0.02 oz	9 x 12"	11 lb	951	\$ 381.25
TVD-12	12 lb x 0.002 lb 6 kg x 0.001 kg 192 oz x 0.05 oz	9 x 12"	11 lb	952	381.25
TVD-30	30 lb x 0.005 lb 12 kg x 0.002 kg 480 oz x 0.1 oz	9 x 12"	11 lb	953	381.25
TVD-60	60 lb x 0.01 lb 30 kg x 0.005 kg 960 oz x 0.2 oz	9 x 12"	11 lb	954	381.25



TVD
Bench Scale



A&D WEIGHING DIVISION

HV Bench Scale

Waterproof and dustproof, IP-65 rating. Stainless steel construction.. Triple range on HV series. Comparator function for high and low set points with HI/OK/LO on display. GLP/GMP/ISO Compliant. CP models include built-in printer. The 10-digit alphanumeric keypad simplifies setting comparator limits.

NTEP Legal for Trade 90-064A2

Part Number	Capacity	Pan	Weight	SKU	List
-------------	----------	-----	--------	-----	------

Multi Capacity Bench Scale

HV-15KC	6 x 0.002 lb 15 x 0.005 lb 30 x 0.001 lb	9.8"x9.8"	13 lb	2571	\$ 1,190.00
---------	--	-----------	-------	------	-------------

HV-60KC	30 x 0.01 lb 60 x 0.02 lb 150 x 0.05 lb	13.0"x16.7"	24 lb	2572	1,190.00
---------	---	-------------	-------	------	----------

HV-200KC	150 x 0.05 lb 300 x 0.1 lb 500 x 0.2 lb	15.4"x20.9"	37 lb	2573	1,500.00
----------	---	-------------	-------	------	----------

Printer built into indicator

HV-15KCP	6 x 0.002 lb 15 x 0.005 lb 30 x 0.01 lb	9.8"x9.8"	13 lb	2578	1,825.00
----------	---	-----------	-------	------	----------

HV-60KCP	30 x 0.01 lb 60 x 0.02 lb 150 x 0.05 lb	13.0"x16.7"	24 lb	2579	1,905.00
----------	---	-------------	-------	------	----------

HV-200KCP	150 x 0.05 lb 300 x 0.1 lb 500 x 0.2 lb	15.4"x20.9"	37 lb	2580	2,080.00
-----------	---	-------------	-------	------	----------

High Resolution Single Range

HW-10KC	20 x 0.002 lb	9.8"x9.8"	13 lb	2574	1,305.00
HW-60KC	150 x 0.01 lb	13.0"x16.7"	24 lb	2575	1,405.00

HW-100KC	200 x 0.02 lb	15.4"x20.9"	37 lb	2576	1,475.00
HW-200KC	500 x 0.05 lb	15.4"x20.9"	37 lb	2577	1,585.00

Printer built into indicator

HW-10KCP	20 x 0.02 lb	9.8"x9.8"	13 lb	2581	1,975.00
HW-60KCP	150 x 0.01 lb	13.0"x16.7"	24 lb	2582	2,115.00

HW-100KCP	200 x 0.02 lb	15.4"x20.9"	37 lb	2583	2,235.00
HW-200KCP	500 x 0.05 lb	15.4"x20.9"	37 lb	2584	2,315.00

Service parts

ED:HT4096A-TI LCD display HVG HWG AD-4406	1 lb	1303	51.45
---	------	------	-------



HV-15KC

**LC:127 A&D**

Replacement for HV HWG

1 mv/v, 350/350 ohms, 1.5m 4 cond cable, anodized aluminum.

Part Number	Scale	Capacity	Weight	SKU	List
LC:127-60K	HV-60KWP	2 kg	2 lb	6063	\$ 276.66



LC:1271

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION

HW-10KGV
Bench/Floor**HW-G Bench Scale**

Reliable and rugged. Outstanding price performance. Indicator head tilts and rotates on the column to adjust for the best viewing angle. Standard RS232 interface. Counting and % function. M+ function for totaling weighing data. Front panel keys for ON/OFF, ZERO, TARE, F, SET, SAMPLE, MODE, PRINT. HV models have automatic triple range. VFD (Vacuum Fluorescent Display) work on AC adapter only. Sealed to IP65.

NTEP Legal for Trade 00-088 III 3,000 div (HV series)

Canadian W&M approval AM-5404 on HV-V and HV-L.

Part Number	Capacity	Platform	Weight	SKU	List
VFD Vacuum Fluorescent Display					
HW-10KGV	20 x 0.002 lb	9.8" x 9.8"	16 lb	4462	\$ 885.00

Options

TB:662 AC adapter 120 VAC 1 lb 1305 50.00

FV-06 AC adapter 220 VAC 1 lb 1306 65.00

Service Parts

PZ:2755-LCD Main board w/display for HV-GL 1 lb 3125 219.00

PZ:3414 main board HV-GV HW-GV 1 lb 5964 367.82

10:DH-26-1-AD Battery Holder for HV HW 1 lb 3128 15.90

AX:00A34062 Plastic cover for display pod HV HW 1 lb 1307 15.75



LC:4102

LC:4102 & LC:4103 A&D

Replacement for A&D Model HV & HW (FV & FW) (AP & APX)

1 mv/v, 400/350 ohms, 1.5m (4102)/2m (4103) 4 cond cable, anodized aluminum, IP67

Part Number	Scale	Capacity	Weight	SKU	List
Load cells for HV					
LC:4102-K030	HV-30KA2	30 kg	2 lb	341	\$ 320.25
LC:4102-K060	HV-60KA2	60 kg	2 lb	342	330.75
LC:4103-K060	HV-60KA1	60 kg	3 lb	343	388.50
LC:4103-K150	HV-120KA1	150 kg	4 lb	345	399.00
Load cells for HW					
LC:4102-K010	HW-10KA2	10 kg	2 lb	339	346.50
LC:4102-K015	HW-15KA2	15 kg	2 lb	340	346.50
LC:4102-K030	HW-30KA2	30 kg	2 lb	341	320.25
LC:4102-K060	HW-60KA2	60 kg	2 lb	342	330.75
LC:4103-K100	HW-100KA1	100 kg	3 lb	344	410.00
LC:4103-K150	HW-150KA1	150 kg	4 lb	345	399.00



A&D WEIGHING DIVISION

HV-WP Washdown SS Bench Scale

Waterproof and dustproof, NEMA 4 IP-65 rating. Stainless steel construction. Triple range on HV series. Preset tare values can be digitally stored. Comparator function for high and low set points with HI/OK/LO on display. Optional comparator output sounds buzzer. High visibility VFD Vacuum fluorescent Display. Displays weight in lb, kg or piece count. Front panel keys for ZERO, TARE, SET, RANGE, MODE, PRINT, ON/OFF. Drip proof design for easy cleaning with water. 120 VAC.

Canadian approval AM-5404 (HV series)

NTEP Legal for Trade 00-088 III 3,000 div (HV series)

Part Number	Capacity	Platform	Weight	SKU	List
HV-200KWP	150 x 0.05 lb 300 x 0.1 lb 500 x 0.2 lb	15.4" x 20.9"	42 lb	4497	\$ 1,695.75

Options

HVWP-03 RS232, Comp/Setpoint output(relays & audio)	1 lb	4502	199.50
HVWP-04 RS422/485, Comparator/Setpoint output(relays)	1 lb	4503	183.75

Service Parts

PZ:3414 main board HV-WD HW-WP	1 lb	5964	367.82
707:A21456 swivel head bracket	1 lb	1992	112.36
PZ:3415 power relay board	1 lb	1402	58.30



HV-15KWP
Bench/Floor



HV-G HW-G Bench/Floor Scale-Service Parts

Service Parts for HV-G HW-G

Part Number	Weight	SKU	List
Service Parts			
LC:126-15K load cell SB15K10	2 lb	4938	217.30
LC:128-220K load cell HVG HWG HVWP HWWP	2 lb	4724	322.24
03:1000077A pole base large	1.68 lb	4781	55.12
10:A46050-2 swivel head bracket cap	1 lb	4754	10.50
07:1000097A upper case	1 lb	4755	15.90
07:1000098 lower case	1 lb	4757	22.26
07:2000417 battery cover	1 lb	4758	10.60
07:1000099 battery case	1 lb	4759	10.60
07:3003185 battery holder	1 lb	4760	10.60
07:3003186 HV-G/HW-G rear cover	1 lb	1399	10.60
08:4007481-4B HV-GL Display filter	1 lb	1297	14.84
08:4007463 HV-GL keysheet	1 lb	1298	21.20
08:3003337-9 HV-60KG capacity label (Non-NTEP)	1 lb	1299	10.60
08:4007465 HV-60KGL model label	1 lb	1300	10.60
PZ:3413 HV-GL/HW-GL main board w/display	1 lb	1301	334.96



HV-200KWP
Bench/Floor

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION



FG-K
Bench/Floor
w/ column



FG-K
Bench/Floor
w/o column

FG Bench scale

Self contained, battery operated (6)AA batteries (not included) and AC adapter (included). Approximately 100 hours with alkaline type cells. Full capacity push button tare. Switch selectable pound or kilogram display. All models can be wall or tower mounted. Rugged, durable and portable. 120 VAC, 50/60 Hz, 1.5 watts. Accuracy +/-1 div. 1 Year warranty. Canadian Weights & Measures AM-4995
USDA Approved
NTEP Legal for Trade 93-063 III 3,000 div.

Part Number	Capacity	Pan	Weight	SKU	List
No Column					
FG-30KBMN	60 x 0.02 lb	11.8" x 15"	27 lb	3587	\$ 805.00
FG-60KBMN	150 x 0.05 lb	11.8" x 15"	27 lb	3588	815.00
FG-150KBMN	300 x 0.1 lb	11.8" x 15"	27 lb	3589	875.00
With Column					
FG-30KAMN	60 x 0.02 lb	11.8" x 15"	31 lb	5826	840.00
FG-60KAMN	150 x 0.05 lb	11.8" x 15"	31 lb	5827	865.00
FG-150KAMN	300 x 0.1 lb	11.8" x 15"	31 lb	5828	975.00
FG-60KALN	150 x 0.05 lb	15.4" x 20.9"	43 lb	5829	965.00
FG-150KALN	300 x 0.1 lb	15.4" x 20.9"	43 lb	5830	1,050.00
FG-200KALN	400 x 0.1 lb	15.4" x 20.9"	43 lb	932	1,125.00
Options					
FG-23 RS232 FG-N			1 lb	3592	95.00
FG-24 Comparator / Setpoints relay outputs			4 lb	3593	125.00
FG-25 Display wall mount bracket for FG-N			1 lb	3590	106.00
FG-26 Carrying handle for FG-N			1 lb	3595	145.00
Service Parts (for new style FGN)					
07:1000369A lower display case FGK			1 lb	502	25.44
07:1000368 upper display case FGK			1 lb	503	21.20
PZ:4340 main board w/ display			1 lb	504	352.98
07:3007527A plastic display cover			1 lb	505	24.38
08:2000992A keysheet			1 lb	508	21.20
07:3007273 leveling foot			1 lb	509	22.26
02:4015536 column FGKAL			2 lb	506	93.28
1024015534 column FGKAM			2 lb	507	71.02
707:A21500 swivel head bracket			1 lb	514	89.04
07:A21456 indicator support FG HV HW			5 lb	780	15.96
07:3007280A battery cover FGK			1 lb	795	10.60
LC:150-30K load cell KBM,KAM,KAL			1.04 lb	766	322.24
LC:150-60K load cell KBM,KAM,KAL			1.04 lb	764	322.24
TB:662 AC adapter 120 VAC			1 lb	1305	50.00
FV-06 AC adapter 240VAC			1 lb	1306	65.00
Service Parts (for old style w/o suffix N)					
01:B30082A keysheet for FG S/N prefix H			1 lb	2775	19.00
07:B49929 leveling foot for FG			1 lb	6180	14.84



A&D WEIGHING DIVISION

SE Washdown Scale

Washdown construction for easy cleaning. Mild steel construction. Stainless steel weighing pan. IP68 dust and water proof. Waterproof and corrosion resistant load cell. Supersized LCD of 39 mm character height. Multiple weighing units for kg, lb, oz, pcs. 4500 hours of battery life. Stabilization of 1 second. Quick USB interface or RS232C+ comparator relay output available as options. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
SE-30KAM	66 x 0.01 lb	11.8" x 15"	32 lb	5484	\$ 1,295.00
SE-60KAM	130 x 0.02 lb	11.8" x 15"	32 lb	5485	1,305.00
SE-150KAM	330 x 0.05 lb	11.8" x 15"	32 lb	5487	1,425.00
SE-60KAL	130 x 0.02 lb	15.4" x 20.9"	46 lb	5488	1,317.75
SE-150KAL	330 x 0.05 lb	15.4" x 20.9"	46 lb	5489	1,455.00

Options

SCE-02 Quick USB Interface	1 lb	3486	205.00
SCE-03 RS232C interface + comparator	1 lb	3488	245.00

Note: SCE-02 and SCE-03 cannot be used at the same time. With either options installed the scale is not IP68 compliant.



SE
Washdown Scale
Mild steel



A&D WEIGHING DIVISION

SC Washdown Scale

Washdown construction for easy cleaning. Stainless steel construction. Stainless steel weighing pan. IP68 dust and water proof. Waterproof and corrosion resistant load cell. Supersized LCD of 39 mm character height. Multiple weighing units for kg, lb, oz, pcs. 4500 hours of battery life. Stabilization of 1 second. Quick USB interface or RS232C+ comparator relay output available as options. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
SC-30KAM	66 x 0.01 lb	11.8" x 15"	34 lb	3490	\$ 1,915.00
SC-60KAM	130 x 0.02 lb	11.8" x 15"	34 lb	3491	1,990.00
SC-150KAM	330 x 0.05 lb	11.8" x 15"	34 lb	3493	2,020.00
SC-60KAL	130 x 0.02 lb	15.4" x 20.9"	45 lb	3494	2,070.00
SC-150KAL	330 x 0.05 lb	15.4" x 20.9"	45 lb	3495	2,100.00

Options

SCE-02 Quick USB Interface	1 lb	3486	205.00
SCE-03 RS232C interface + comparator	1 lb	3488	245.00

Note: SCE-02 and SCE-03 cannot be used at the same time. With either options installed the scale is not IP68 compliant.



SC
Washdown Scale
Stainless steel



A&D WEIGHING DIVISION

SW High Pressure Washdown Scale

Stainless steel. IP69k, the highest level of dust and water proofing. Streamlined construction for easy cleaning of food processing residues. Capacitive keys for light touch operation. Bright, multicolored LED display with 5 level comparator lamps. Rugged and adjustable indicator bracket. Ultimate protection against condensation.

Part Number	Capacity	Pan	Weight	SKU	List
SW-6KS	13 x 0.001 lb	9.8" x 9.8"	25 lb	7579	\$ 2,355.00
SW-15KS	33 x 0.002 lb	9.8" x 9.8"	25 lb	7580	2,380.00
SW-15KM	33 x 0.002 lb	11.8" x 15"	39 lb	7581	2,770.00
SW-30KM	66 x 0.005 lb	11.8" x 15"	39 lb	7582	2,770.00
SW-60KM	130 x 0.01 lb	11.8" x 15"	39 lb	7583	2,930.00
SW-150KM	330 x 0.02 lb	11.8" x 15"	39 lb	7584	3,045.00
SW-60KL	130 x 0.01 lb	15.4" x 20.9"	49 lb	7585	3,135.00
SW-150KL	330 x 0.02 lb	15.4" x 20.9"	49 lb	7586	3,270.00

Options

SW-03 RS232C Plus comparator relay	1 lb	7587	235.00
SW-04 RS422/485 output for SW	1 lb	7588	170.00

SW-11 Wall mount bracket	2 lb	7589	130.00
HC-06i Rechargeable battery pack	4 lb	6786	65.00

SW
Washdown Scale

**CPW plus 6 Bench Scale**

Rugged construction. The CPWplus series offers an extensive range of models and configurations to accommodate a variety of applications. Desktop or wall mountable indicator. 1 " backlit LCD display. Color coded buttons with positive click feel, and simple, quick operation. Keys are: ON/OFF, PRINT/HOLD, UNIT, TARE/ZERO. Weighing units are: lb, kg, oz, lb/oz. Bi-directional RS232 interface allows connection to printers or computers. Using standard commands users can request gross, net and tare weights be sent automatically. Optional Adam data collection software collects scale data and can produce charts and statistics, or export raw data to Microsoft Excel or Word for further analysis. Alkaline battery or AC operation. (6) AA batteries not included.

Part Number	Capacity	Platform	Weight	SKU	List
CPWplus 6	13 x 0.005 lb	11.8" x 11.8"	10 lb	7434	\$ 255.00
CPWplus 15	33 x 0.01 lb	11.8" x 11.8"	10 lb	7435	270.00
CPWplus 35	75 x 0.02 lb	11.8" x 11.8"	10 lb	7436	270.00
CPWplus 75	165 x 0.05 lb	11.8" x 11.8"	10 lb	7437	270.00
CPWplus 150	330 x 0.1lb	11.8" x 11.8"	10 lb	7438	290.00
CPWplus 200	440 x 0.1 lb	11.8" x 11.8"	10 lb	7439	315.00

Options

700100099 Hard carrying case	8 lb	7440	117.00
Quick disconnect connector cable	1 lb	6517	38.00

Service Parts

700400024 AC adapter	1 lb	7042	53.30
02409160 adapter 120 vac	1 lb	252	53.33

CPWplus 6
Bench/Floor Scale



TEI Bench/Floor Scale

The TEI is a versatile bench top scale recommended for light industrial weighing, home, office, mail room, shipping and receiving applications. 6.5 digit, 1" high LCD with backlight display. With a generous 12" x 14" stainless steel platter and aluminum subframe it is rugged and durable with adjustable feet. TEI indicator has aluminum alloy housing. Keys for: Hold/Set-up, Print/Function, Acc/Total, Unit/Data, Tare/Presel, Zero/On/Off. Weighing units for: Standard Weighing, Check Weighing, Peak Hold, Percent. Selectable Weighing units for: lb/kg/lb:oz. TEI indicator is programmable for Over/Under, Check Weighing with Sound Alarm, Digital Filtering to meet different working environments. Includes a full duplex RS232 output. Data format 8N1, 701; 7E1, . Protocol: 8 selections. Baud rate 300-19200 bps selectable. TEI scale is powered by 4 (AA) batteries (not included). USB power plug or AC adapter included. Indicator mounts on table or wall with moveable bracket. TEI indicator has a 9' long coil cord with quick disconnect from indicator to base. Indicator can be used as a remote display, using the RS232 port. AC adapter, 6VDC/500mA included.



TEI
Bench/Floor Scale

Part Number	Capacity	Pan	Weight	SKU	List
TEI-10	10kg x 0.001kg	12" x 14"	15 lb	5741	\$ 464.00
TEI-20	20kg x 0.002kg	12" x 14"	15 lb	5742	464.00

Service Parts

DHC002 conn 7 pin, indicator	1 lb	7595	19.30
DHC001 conn 7 socket, load cell	1 lb	7596	19.30
TEI-50 indicator w/ bracket	4 lb	5737	240.00
Keysheet TEI-10	1 lb	6168	17.00
Keysheet TEI-20	1 lb	6169	17.00
Keysheet TEI-50 S/N below 10070178	1 lb	6170	17.00
Keysheet TEI-50 S/N above 18120001	1 lb	6191	17.00
Keysheet TEI-100	1 lb	6171	17.00
Adapter 120 VAC	1 lb	6172	29.00



Low Profile Bench Scale

Large 1" LCD display. Lb/kg conversion. Battery power. Auto shutoff. Push button tare. Indicator mounts on table or wall. Keys for LB/KG, TARE/HOLD, ON, OFF. Painted steel construction. Powered by (6) "AA" alkaline batteries or 120 VAC adapter (included) 50/60 Hz.

Part Number	Capacity	Pan	Weight	SKU	List
DR150 low profile	150 x 0.2 lb	12" x 12"	15 lb	6002	\$ 220.00
DR400 low profile	400 x 0.5 lb	12" x 12"	15 lb	6003	240.00



DR400
Low profile
Bench/Floor Scale



C11P9
Bench/Floor Scale

Catapult 1000 Bench Scale

Reliable and precise performance in an affordable, compact design. ABS plastic housing and pan. Unparalleled Ohaus durability. Three capacities, from 20 lb to 165 lb. Reading in pounds and kilograms. Weighing and dynamic weighing modes. Overload protection for tough environments where capacity is exceeded regularly. Ultra portable design. Easy to transport and hold with it's light weight, battery operation and built in handles. Auto shut off mode. Rubber non-slip feet. Digital external calibration. AC powered (included) or (3) C batteries (not included). 1 year warranty.

Part Number	Capacity	Platform	Weight	SKU	List
C11P9	20 x 0.01 lb	12.4" x 11"	7 lb	6906	\$ 345.00

Options

80251248	Stainless steel cover	12.4" x 11"	1 lb	6909	88.00
80250400	Stainless steel scoop		2 lb	2025	118.00



ES Bench Scale

Self contained, battery operated. Low profile, rugged, durable and portable. Weighing units are kg, lb, oz, and lb:oz. Display is 1" high LCD. Unique 3-way mounting bracket allows the indicator to be mounted to the base, above the scale platform or on any vertical surface. Full capacity push button tare. **Stainless steel** platforms. Frame is painted steel. Power from 9VDC AC adapter (included) or (6) AA batteries (not included). Battery life is 120 hours or 30 hours continuous use. Battery saving auto off timer will turn unit off after 5 minutes of inactivity. Industrial weighing (not legal for trade). Accuracy +/-1 div. 1 Year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
ES30R	66 lb x 0.05 lb 30 kg x 0.01 kg	12.2"x10.8"x1.5"	10 lb	2905	\$ 1,081.00
ES100L	220 lb x 0.1 lb 100 kg x 0.05 kg	20.5"x15.7"x3"	36 lb	2908	1,175.00
ES200L	440 lb x 0.2 lb 200 kg x 0.1 kg	20.5"x15.7"x3"	37 lb	2909	1,175.00

Service Parts

46001724 AC adapter 120VAC to 12VDC, 500ma w/o prong set	1 lb	6164	80.00
46001776 Prong set, US only	1 lb	6226	36.00
46001780 Prong set, International	1 lb	714	36.00
71148237 cable w/connector ES	1 lb	6712	47.00
71138841 display ES200L	1 lb	2587	817.00



ES100L
Bench/Floor



ES30R
w/mounting bracket (included)



D31XW30VR
Bench/Floor

OHAUS®

Defender 3000 Xtreme Bench Scale

The solution to your weighing applications that require dependability within an affordable budget. Ideal for general weighing and simple counting applications in wet or damp environments. 304 stainless steel pan and frame. Simple, rugged, tubular frame base design. 6 digit, 7 segment backlit LCD display. Keys are: ZERO/ON/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Weighing units are: lb, oz, lb/oz, kg, g. Parts counting mode with selectable sample sizes, last sample size and average piece weight data. Indicator features a **stainless steel** housing with NEMA 4X / IP65 protection. Flexible mounting capabilities. Hardware configuration lockout switch. Built in bidirectional RS232C with manual/continuous/interval printing. Internal adapter with 100 hour internal rechargeable lead acid battery included. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
26.8" column					
D32XW60VL	150 x 0.02 lb	16.5" x 21.6" x 5.4"	67 lb	5495	\$ 2,308.00

Options

CBM-910 Impact printer 42 column		5 lb	7426	395.00
80250400 Stainless Steel scoop		2 lb	2025	118.00



Defender 3000 Bench Scale

Large bright backlit LCD display. In checkweighing mode display changes color (yellow/green/red). Tough industrial scale has a 304 stainless steel platform, powder coated steel tubular frame, column and aluminum load cell. Indicator has an ABS housing and powder coated steel mounting bracket. Keys are: ZERO/ON/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Weighing units are: lb, oz, lb/oz, kg, g. Auto off. Parts counting mode with selectable sample sizes, last sample size and average piece weight. Bi-directional RS 232C for manual, continuous and interval printing. 9 VDC 500mA, AC adapter. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
13.8" column					
i-D33P15B1R1	30 x 0.005 lb	12" x 14" x 4.8"	29.5 lb	956	\$ 1,175.00
i-D33P30B1R1	60 x 0.01 lb	12" x 14" x 4.8"	29.5 lb	957	1,175.00
i-D33P60B1R1	150 x 0.02 lb	12" x 14" x 4.8"	29.5 lb	958	1,175.00

26.8" column					
i-D33P75B1L2	150 x 0.02 lb	16.5" x 21.7" x 5.9"	46.2 lb	959	1,425.00
i-D33P150B1L2	300 x 0.05 lb	16.5" x 21.7" x 5.9"	46.2 lb	960	1,425.00
i-D33P150B1X2	300 x 0.05 lb	19.7" x 25.6" x 5.9"	67.3 lb	961	1,543.00
i-D33P300B1X2	600 x 0.1 lb	19.7" x 25.6" x 5.9"	67.3 lb	962	1,543.00

38.6" column					
i-D33P300B1V3	600 x 0.1 lb	23.6" x 31.5" x 6.1"	109 lb	963	1,663.00
i-D33P600B1V3	1,200 x 0.2 lb	23.6" x 31.5" x 6.1"	109 lb	964	1,663.00

Front mount indicator

i-D33P15B1R5	30 x 0.005 lb	12" x 14" x 4.8"	26.5 lb	2274	1,001.00
i-D33P30B1R5	60 x 0.01 lb	12" x 14" x 4.8"	26.5 lb	2275	1,001.00
i-D33P75B1R5	150 x 0.02 lb	12" x 14" x 4.8"	26.5 lb	2276	1,001.00
i-D33P75B1L5	150 x 0.02 lb	16.5" x 21.7" x 5.9"	43.2 lb	2277	1,156.00
i-D33P150B1L5	300 x 0.05 lb	16.5" x 21.7" x 5.9"	43.2 lb	2278	1,156.00
i-D33P150B1X5	300 x 0.05 lb	19.7" x 25.6" x 5.9"	64.3 lb	2279	1,489.00
i-D33P300B1X5	600 x 0.1 lb	19.7" x 25.6" x 5.9"	64.3 lb	2280	1,489.00

Options

30699120 USB device interface kit	1 lb	3118	148.00
30429666 ethernet interface kit	1 lb	3119	262.00
80500525 cable RS232 IBM 9 pin male to female	1 lb	3047	304.00
30064203 printer, impact SF40A, AM	2 lb	1754	1,552.00
30699122 rechargeable battery kit i-DT33P	4 lb	3121	74.00
30699121 dust cover set(5) i-DT33	1 lb	3122	74.00
30616409 wheel kit, stainless steel, up to 300 lb	12 lb	3123	262.00
30372146 wheel kit, Defender series	8 lb	3124	211.00

Service Parts

30648433 indicator i-DT33P	4 lb	3116	489.00
----------------------------	------	------	--------



D33P15B1R1
Column mount
Bench/Floor



D33P15B1R5
Front mount
Bench/Floor



D3XW15B1R1
Column mount
Bench/Floor



D33XW15B1R5
Front mount
Bench/Floor

OHAUS®

Defender 3000 Hybrid Bench Scale

Large bright backlit LCD display. In checkweighing mode display changes color (yellow/green/red). Tough industrial scale has a 304 stainless steel platform, powder coated steel tubular frame, column and aluminum load cell. Indicator has an stainless steel housing and mounting bracket. Keys are: ZERO/ON/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Weighing units are: lb, oz, lb/oz, kg, g. Auto off. Parts counting mode with selectable sample sizes, last sample size and average piece weight. Bi-directional RS 232C for manual, continuous and interval printing. 9 VDC 500mA, AC adapter. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
13.8" column					
i-D33XW15B1R1	30 x 0.005 lb	12" x 14" x 4.8"	33.4 lb	2777	\$ 1,312.00
i-D33XW30B1R1	60 x 0.01 lb	12" x 14" x 4.8"	33.4 lb	2778	1,312.00
i-D33XW60B1R1	150 x 0.02 lb	12" x 14" x 4.8"	33.4 lb	2779	1,312.00
26.8" column					
i-D33XW75B1L2	150 x 0.02 lb	16.5" x 21.7" x 5.9"	48.9 lb	2780	1,543.00
i-D33XW150B1L2	300 x 0.05 lb	16.5" x 21.7" x 5.9"	48.9 lb	2781	1,543.00
i-D33XW150B1X2	300 x 0.05 lb	19.7" x 25.6" x 5.9"	67.3 lb	2782	1,663.00
i-D33XW300B1X2	600 x 0.1 lb	19.7" x 25.6" x 5.9"	67.3 lb	2783	1,663.00
38.6" column					
i-D33XW300B1V3	1,200 x 0.1 lb	23.6" x 31.5" x 6.1"	109 lb	2784	1,782.00
i-D33XW600B1V3	1,200 x 0.2 lb	23.6" x 31.5" x 6.1"	109 lb	2785	1,782.00
Front mount indicator					
i-D33XW15B1R5	30 x 0.005 lb	12" x 14" x 4.8"	26.5 lb	3291	1,253.00
i-D33XW30B1R5	60 x 0.01 lb	12" x 14" x 4.8"	26.5 lb	3292	1,253.00
i-D33XW75B1R5	150 x 0.02 lb	12" x 14" x 4.8"	26.5 lb	3293	1,253.00
i-D33XW75B1L5	150 x 0.02 lb	16.5" x 21.7" x 5.9"	43.2 lb	3294	1,489.00
i-D33XW150B1L5	300 x 0.05 lb	16.5" x 21.7" x 5.9"	43.2 lb	3295	1,489.00
i-D33XW150B1X5	300 x 0.05 lb	19.7" x 25.6" x 5.9"	64.3 lb	3296	1,610.00
i-D33XW300B1X5	600 x 0.1 lb	19.7" x 25.6" x 5.9"	64.3 lb	3297	1,610.00
Options					
30699120 USB device interface kit			1 lb	3118	148.00
30429666 ethernet interface kit			1 lb	3119	262.00
30064203 printer, impact SF40A, AM			2 lb	1754	1,552.00
30699121 dust cover set(5) i-DT33			1 lb	3122	74.00
30616409 wheel kit, stainless steel, up to 300 lb			12 lb	3123	262.00
30372146 wheel kit, Defender series			8 lb	3124	211.00
Service Parts					
30699120 indicator i-DT33XW			9 lb	2472	627.00



Defender 3000 Washdown Bench Scale

Large bright backlit LCD display. In checkweighing mode display changes color (yellow/green/red). Tough industrial scale has a 304 stainless steel platform, frame, column and IP67 load cell. Indicator has an IP66 protected 304 stainless steel housing and mounting bracket. Keys are: ZERO/ON/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Weighing units are: lb, oz, lb/oz, kg, g. Auto off. Parts counting mode with selectable sample sizes, last sample size and average piece weight. Bi-directional RS 232C for manual, continuous and interval printing. 9 VDC 500mA, AC adapter. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
13.8" column					
i-D33XW15C1R6	30 x 0.005 lb	12" x 14" x 4.8"	33.7 lb	2892	\$ 2,139.00
i-D33XW30C1R6	60 x 0.01 lb	12" x 14" x 4.8"	33.7 lb	2893	2,139.00
i-D33XW60C1R6	150 x 0.02 lb	12" x 14" x 4.8"	33.7 lb	2894	2,139.00
26.8" column					
i-D33XW75C1L7	150 x 0.02 lb	16.5" x 21.7" x 5.9"	51.4 lb	2895	2,413.00
i-D33XW150C1L7	300 x 0.05 lb	16.5" x 21.7" x 5.9"	51.4 lb	2896	2,413.00
i-D33XW150C1X7	300 x 0.05 lb	19.7" x 25.6" x 5.9"	77.8 lb	2897	2,972.00
i-D33XW300C1X7	600 x 0.1 lb	19.7" x 25.6" x 5.9"	77.8 lb	2898	2,972.00
Front mount indicator					
i-D33XW15C1R5	30 x 0.005 lb	12" x 14" x 4.8"	31.5 lb	3002	2,056.00
i-D33XW30C1R5	60 x 0.01 lb	12" x 14" x 4.8"	31.5 lb	3003	2,085.00
i-D33XW75C1R5	150 x 0.02 lb	12" x 14" x 4.8"	31.5 lb	3004	2,085.00
i-D33XW75C1L5	150 x 0.02 lb	16.5" x 21.7" x 5.9"	48.9 lb	3005	2,353.00
i-D33XW150C1L5	300 x 0.05 lb	16.5" x 21.7" x 5.9"	48.9 lb	3006	2,353.00
i-D33XW150C1X5	300 x 0.05 lb	19.7" x 25.6" x 5.9"	75.6 lb	3007	2,919.00
i-D33XW300C1X5	600 x 0.1 lb	19.7" x 25.6" x 5.9"	75.6 lb	3008	2,919.00
Options					
30699120 USB device interface kit			1 lb	3118	148.00
30429666 ethernet interface kit			1 lb	3119	262.00
30064203 printer, impact SF40A, AM			2 lb	1754	1,552.00
30699121 dust cover set(5) i-DT33			1 lb	3122	74.00
30616409 wheel kit, stainless steel, up to 300 lb			12 lb	3123	262.00
30372146 wheel kit, Defender series			8 lb	3124	211.00
Service Parts					
30699120 indicator i-DT33XW			9 lb	2472	627.00



D3XW15C1R6
Column mount
Bench/Floor



D33XW15C1R5
Front mount
Bench/Floor

Bench

OHAUS®

Defender Digital Field Test Scale

Precise material testing in the construction industry. Portable with a durable plastic carrying case with carrying handle. Backlit LCD display allows for easy reading in low light conditions. The internal battery means that you can operate for 70 hours between recharges. Painted steel base with 150 lb capacity and 0.05 lb readability. You get high precision, high capacity and portability.

Part Number	Capacity	Platform	Weight	SKU	List
D33P75SD	150 lb x 0.05 lb	12.4"Lx11"Wx1.77"H	17.6 lb	2137	\$ 538.00



D33P75SD
Digital Field Test Scale



Defender 5000 Washdown Bench Scales

Constructed with a stainless steel platform, frame, column, IP67 load cell and IP68/NEMA4X indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty

NTEP Legal for Trade 18-065, 5,000d, Indicator IP68

NTEP Legal for Trade 18-077, Platform IP67

Canada Indicator AM-6093, Platform AM-6107

Part Number	Platform	Column	Capacity	Weight	SKU	List
D52XW2WQS6	10" x 10"	13.8"	5 x 0.001 lb	24.3 lb	4380	\$ 2,413.00
D52XW5WQS6	10" x 10"	13.8"	10 x 0.002 lb	24.3 lb	4381	2,413.00
D52XW12WQS6	10" x 10"	13.8"	25 x 0.005 lb	24.3 lb	4382	2,413.00
D52XW12WQR6	12" x 12"	13.8"	25 x 0.005 lb	26.5 lb	4383	2,610.00
D52XW25WQR6	12" x 12"	13.8"	50 x 0.01 lb	26.5 lb	4384	2,610.00
D52XW50WQR6	12" x 12"	13.8"	100 x 0.02 lb	26.5 lb	4385	2,610.00
D52XW25WQL7	18" x 18"	26.8"	50 x 0.01 lb	46.3 lb	4386	3,681.00
D52XW50WQL7	18" x 18"	26.8"	100 x 0.02 lb	46.3 lb	4387	3,681.00
D52XW125WQL7	18" x 18"	26.8"	250 x 0.05 lb	72.8 lb	4388	3,681.00
D52XW50WTX7	18" x 24"	26.8"	100 x 0.02 lb	72.8 lb	4389	4,056.00
D52XW125WTX7	18" x 24"	26.8"	250 x 0.05 lb	72.8 lb	4390	4,056.00
D52XW250WTX7	18" x 24"	26.8"	500 x 0.1 lb	72.8 lb	4391	4,056.00
D52XW50WQV8	24" x 24"	38.6"	100 x 0.02 lb	99.2 lb	4392	4,698.00
D52XW125WQV8	24" x 24"	38.6"	250 x 0.05 lb	99.2 lb	4393	4,758.00
D52XW250WQV8	24" x 24"	38.6"	500 x 0.1 lb	99.2 lb	4394	4,878.00
D52XW500WQV8	24" x 24"	38.6"	1,000 x 0.2 lb	99.2 lb	4395	4,878.00

Service Parts

30097591 Discrete I/O Kit 2in/4 out	1 lb	7972	245.00
30064203 printer, impact SF40A, AM	2 lb	1754	1,552.00
80850080 WinWedge software	1 lb	2436	837.00
30424079 indicator TD52XW IP68/NEMA 4X stainless steel	5.5 lb	7016	1,294.00



**D52XW
Washdown**



Defender 5000 Washdown Low Profile no column Bench Scales

Constructed with a stainless steel platform, frame, IP67 load cell and IP68/NEMA4X indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty. NTEP Legal for Trade 18-065, 5,000d, Indicator IP68
NTEP Legal for Trade 18-077, Platform IP67
Canada Indicator AM-6093, Platform AM-6107



**D52XW
Washdown
No column**

Part Number	Capacity	Platform	Weight	SKU	List
D52XW2WQS5	5 x 0.001 lb	10" x 10"	24.3 lb	3717	\$ 2,472.00
D52XW5WQS5	10 x 0.002 lb	10" x 10"	24.3 lb	3718	2,472.00
D52XW12WQS5	25 x 0.005 lb	10" x 10"	24.3 lb	3719	2,472.00
D52XW12WQR5	25 x 0.005 lb	12" x 12"	26.5 lb	3720	2,675.00
D52XW25WQR5	50 x 0.01 lb	12" x 12"	26.5 lb	3721	2,675.00
D52XW50WQR5	100 x 0.02 lb	12" x 12"	26.5 lb	3722	2,675.00
D52XW25WQL5	50 x 0.01 lb	18" x 18"	26.5 lb	3723	3,376.00
D52XW50WQL5	100 x 0.02 lb	18" x 18"	26.5 lb	3724	3,376.00
D52XW125WQL5	250 x 0.05 lb	18" x 18"	41.9 lb	3725	3,376.00
D52XW50WTX5	100 x 0.02 lb	18" x 24"	68.4 lb	3726	3,948.00
D52XW125WTX5	250 x 0.05 lb	18" x 24"	68.4 lb	3727	3,948.00
D52XW250WTX5	500 x 0.1 lb	18" x 24"	68.4 lb	3728	3,948.00
D52XW50WQV5	100 x 0.02 lb	24" x 24"	68.4 lb	3729	4,520.00
D52XW125WQV5	250 x 0.05 lb	24" x 24"	68.4 lb	3730	4,520.00

Service Parts

30097591 Discrete I/O Kit 2in/4 out	1 lb	7972	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80850080 WinWedge software	1 lb	2436	837.00
30424079 indicator TD52XW IP68/NEMA 4X stainless steel	5.5 lb	7016	1,294.00



Defender 5000 Standard w/column w/SS indicator

Constructed with a stainless steel platform, powder coated steel frame, column, IP67 load cell and IP68/NEMA4X indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty

NTEP Legal for Trade 18-065, 5,000d, Indicator IP68

NTEP Legal for Trade 18-077, Platform IP67

Canada Indicator AM-6093, Platform AM-6107

Part Number	Platform	Column	Capacity	Weight	SKU	List
D52XW12RQR1	12" x 12"	13.8"	25 x 0.005 lb	26.5 lb	7368	\$ 2,472.00
D52XW25RQR1	12" x 12"	13.8"	50 x 0.01 lb	26.5 lb	7369	2,472.00
D52XW50RQR1	12" x 12"	13.8"	100 x 0.02 lb	26.5 lb	7370	2,472.00
D52XW12RTR1	12" x 14"	13.8"	25 x 0.005 lb	28.7 lb	7371	2,472.00
D52XW25RTR1	12" x 14"	13.8"	50 x 0.01 lb	28.7 lb	7372	2,472.00
D52XW50RTR1	12" x 14"	13.8"	100 x 0.02 lb	28.7 lb	7373	2,472.00
D52XW50RQL1	18" x 18"	26.8"	100 x 0.02 lb	44.1 lb	7374	2,966.00
D52XW125RQL1	18" x 18"	26.8"	250 x 0.05 lb	44.1 lb	7375	2,966.00
D52XW50RTX2	18" x 24"	26.8"	100 x 0.02 lb	68.3 lb	7376	3,127.00
D52XW125RTX2	18" x 24"	26.8"	250 x 0.05 lb	68.3 lb	7377	3,127.00
D52XW250RTX2	18" x 24"	26.8"	500 x 0.1 lb	68.3 lb	7378	3,127.00
D52XW50RQV3	24" x 24"	38.6"	100 x 0.02 lb	94.8 lb	7379	3,376.00
D52XW125RQV3	24" x 24"	38.6"	250 x 0.05 lb	94.8 lb	7380	3,376.00
D52XW250RQV3	24" x 24"	38.6"	500 x 0.1 lb	94.8 lb	7381	3,376.00
D52XW500RQV3	24" x 24"	38.6"	1,000 x 0.2 lb	94.8 lb	7382	3,376.00
D52XW125RTV3	23.6" x 31.5"	38.6"	250 x 0.05 lb	114.6 lb	7383	4,199.00
D52XW250RTV3	23.6" x 31.5"	38.6"	500 x 0.1 lb	114.6 lb	7384	4,199.00
D52XW500RTV3	23.6" x 31.5"	38.6"	1,000 x 0.2 lb	114.6 lb	7385	4,199.00

Service Parts

30097591 Discrete I/O Kit 2in/4 out	1 lb	7972	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80850080 WinWedge software	1 lb	2436	837.00
30424079 indicator TD52XW IP68/NEMA 4X stainless steel	5.5 lb	7016	1,294.00



**D52XW
Standard
w/column
w/SS indicator**

OHAUS®**Defender 5000 Standard w/column w/ABS indicator**

Constructed with a stainless steel platform, powder coated steel frame, column, IP67 load cell and IP68/NEMA4X indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty

NTEP Legal for Trade 18-065, 5,000d, Indicator IP68

NTEP Legal for Trade 18-077, Platform IP67

Canada Indicator AM-6093, Platform AM-6107



D52P
w/column
ABS indicator

Part Number	Platform	Column	Capacity	Weight	SKU	List
D52P12RQR1	12" x 12"	13.8"	25 x 0.005 lb	24.3 lb	3231	\$ 2,216.00
D52P25RQR1	12" x 12"	13.8"	50 x 0.01 lb	24.3 lb	3232	2,216.00
D52P50RQR1	12" x 12"	13.8"	100 x 0.02 lb	24.3 lb	3233	2,216.00
D52P12RTR1	12" x 14"	13.8"	25 x 0.005 lb	26.5 lb	3234	2,216.00
D52P25RTR1	12" x 14"	13.8"	50 x 0.01 lb	26.5 lb	3235	2,216.00
D52P50RTR1	12" x 14"	13.8"	100 x 0.02 lb	26.5 lb	3236	2,216.00
D52P50RQL2	18" x 18"	26.8"	100 x 0.02 lb	41.9 lb	3237	2,704.00
D52P125RQL2	18" x 18"	26.8"	250 x 0.05 lb	41.9 lb	3238	2,704.00
D52P50RTX2	18" x 24"	26.8"	100 x 0.02 lb	26.5 lb	3239	2,854.00
D52P125RTX2	18" x 24"	26.8"	250 x 0.05 lb	26.5 lb	3240	2,854.00
D52P250RTX2	18" x 24"	26.8"	500 x 0.1 lb	26.5 lb	3241	2,854.00
D52P50RQV3	24" x 24"	38.6"	100 x 0.02 lb	92.6 lb	3242	3,277.00
D52P125RQV3	24" x 24"	38.6"	250 x 0.05 lb	92.6 lb	3243	3,277.00
D52P250RQV3	24" x 24"	38.6"	500 x 0.1 lb	92.6 lb	3244	3,277.00
D52P500RQV3	24" x 24"	38.6"	1,000 x 0.2 lb	92.6 lb	3245	3,277.00
D52P125RTV3	23.6" x 31.5"	38.6"	250 x 0.05 lb	112.4 lb	3246	3,926.00
D52P250RTV3	23.6" x 31.5"	38.6"	500 x 0.1 lb	112.4 lb	3247	3,926.00
D52P500RTV3	23.6" x 31.5"	38.6"	1,000 x 0.2 lb	112.4 lb	3248	3,926.00

Service Parts

30424078 indicator TD52P plastic case	3.75 lb	7132	1,056.00
---------------------------------------	---------	------	----------



Defender 5000 Standard no column w/SS indicator

Constructed with a stainless steel platform, powder coated steel frame, IP67 aluminum load cell and IP68/NEMA4X indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty

NTEP Legal for Trade 18-065, 5,000d, Indicator IP68

NTEP Legal for Trade 18-077, Platform IP67

Canada Indicator AM-6093, Platform AM-6107



**D52XW
w/SS indicator**

Part Number	Capacity	Platform	Weight	SKU	List
D52XW12RQR5	25 x 0.005 lb	12" x 12"	24.3 lb	4263	\$ 2,347.00
D52XW25RQR5	50 x 0.01 lb	12" x 12"	24.3 lb	4264	2,347.00
D52XW50RQR5	100 x 0.02 lb	12" x 12"	24.3 lb	4265	2,347.00
D52XW12RTR5	25 x 0.005 lb	12" x 14"	26.5 lb	4266	2,435.00
D52XW25RTR5	50 x 0.01 lb	12" x 14"	26.5 lb	4267	2,435.00
D52XW50RTR5	100 x 0.02 lb	12" x 14"	26.5 lb	4268	2,435.00
D52XW50RQL5	100 x 0.02 lb	18" x 18"	39.7 lb	4269	2,800.00
D52XW125RQL5	250 x 0.05 lb	18" x 18"	39.7 lb	4270	2,800.00
D52XW50RTX5	100 x 0.02 lb	18" x 24"	61.7 lb	4271	2,966.00
D52XW125RTX5	250 x 0.05 lb	18" x 24"	61.7 lb	4272	2,966.00
D52XW250RTX5	500 x 0.1 lb	18" x 24"	61.7 lb	4273	2,966.00
D52XW50RQV5	100 x 0.02 lb	24" x 24"	83.8 lb	4274	3,122.00
D52XW125RQV5	250 x 0.05 lb	24" x 24"	83.8 lb	4275	3,122.00
D52XW250RQV5	500 x 0.1 lb	24" x 24"	83.8 lb	4276	3,122.00
D52XW125RTV5	250 x 0.05 lb	23.6" x 31.5"	103.6 lb	4277	3,700.00

Service Parts

30424079 indicator TD52XW IP68/NEMA 4X stainless steel	5.5 lb	7016	1,294.00
--	--------	------	----------



D52P
ABS indicator

OHAUS®

Defender 5000 Standard no column w/ABS indicator

Constructed with a stainless steel platform, powder coated steel frame, aluminum IP67 load cell and ABS plastic indicator. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU. Backlit LCD. Units for lb, oz, lb:oz, kg, g, metric ton, short ton, custom unit. Application modes: Weighing, Parts Counting, Checkweighing, Percent Weighing, Dynamic Weighing and Display hold. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty
NTEP Legal for Trade 18-065, 5,000d, Indicator IP68
NTEP Legal for Trade 18-077, Platform IP67
Canada Indicator AM-6093, Platform AM-6107

Part Number	Capacity	Platform	Weight	SKU	List
D52P12RQR5	25 x 0.005 lb	12" x 12"	22.0 lb	5307	\$ 2,042.00
D52P25RQR5	50 x 0.01 lb	12" x 12"	22.0 lb	5308	2,042.00
D52P50RQR5	100 x 0.02 lb	12" x 12"	22.0 lb	5309	2,042.00
D52P12RTR5	25 x 0.005 lb	12" x 14"	24.3 lb	5310	2,127.00
D52P25RTR5	50 x 0.01 lb	12" x 14"	24.3 lb	5311	2,127.00
D52P50RTR5	100 x 0.02 lb	12" x 14"	24.3 lb	5312	2,127.00
D52P50RQL5	100 x 0.02 lb	18" x 18"	37.5 lb	5313	2,501.00
D52P125RQL5	250 x 0.05 lb	18" x 18"	37.5 lb	5314	2,501.00
D52P50RTX5	100 x 0.02 lb	18" x 24"	59.5 lb	5315	2,615.00
D52P125RTX5	250 x 0.05 lb	18" x 24"	59.5 lb	5316	2,615.00
D52P250RTX5	500 x 0.1 lb	18" x 24"	59.5 lb	5317	2,615.00
D52P50RQV5	100 x 0.02 lb	24" x 24"	81.6 lb	5318	2,793.00
D52P125RQV5	250 x 0.05 lb	24" x 24"	81.6 lb	5319	2,793.00
D52P250RQV5	500 x 0.1 lb	24" x 24"	81.6 lb	5320	2,793.00
D52P125RTV5	250 x 0.05 lb	23.6" x 31.5"	101.4 lb	5321	3,686.00

Options

30412537 WiFi/BT dongle requires 30424406	1.00 lb	5337	362.00
30424406 USB Host for dongle TD52	1.00 lb	5338	222.00

Service Parts

30424078 indicator TD52P plastic case	3.75 lb	7132	1,056.00
---------------------------------------	---------	------	----------

OHAUS®

Defender 7000 Rectangular base

Numeric keypad with alphanumeric text entry. Keys for ON/ZERO/OFF, PRINT/UNITS, FUNCTION/MODE, TARE/MENU, LIBRARY/EXIT. Three color LED's for over/under. Dual line backlit LCD with multi-language support. Units for lb, lb:oz, kg, g, T & Custom. Weighing modes: Static with single or dual resolution and up to 50,000 display divisions plus 10X temporary resolution increase, Dynamic Weighing, 500,000 div Counting Resolution with second scale connection, Checkweighing, Percent, Display Hold & Accumulation. Library storage for up to 255 records. Supports GMP/GLP data output with Date, Statistics, Time, User ID, Project ID, Scale ID. Optional interfaces include DC relay control kit, AC relay kit, 2nd RS232 and RS422/485. Integral 100-240 VAC, 50-60Hz power supply. 2 year warranty.

NTEP Legal for Trade 09-102, 10,000 III Indicator

NTEP Legal for Trade 99-203A3, 3,000 III Base

Plastic indicator with bracket & painted base (6C Cells)

Part Number	Platform	Capacity	Weight	SKU	List
D71P15HR5	12" x 14"	30 x 0.005 lb	36 lb	7879	\$ 1,095.00

Service Parts

30126959 indicator T72XW SS	9 lb	7618	1,371.00
30132164 USB I/O kit T72RW	1 lb	7619	274.00



D71P15HR5
Indicator ABS plastic
Base, painted



Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



CQ31 Multi Functional Bench Scale

Complete scale composed of the Ohaus CD-31 indicator, Ohaus base and 9 ft of load cell cable. Base has **stainless steel** platform with painted steel frame. Weighing units: lb, g, kg, user programmable custom unit. Application modes: % weighing, checkweighing, parts counting, dynamic weighing. Front panel switches are ENTER, PRINT, TARE, >0<, MODE, SETUP, GTN, UNITS. RS232 bidirectional interface. Digital calibration for zero and span. 2 Year warranty. 120 VAC adapter(included), 50/60 Hz.

Canadian AM-5422 & AM-5339

NTEP Legal for Trade 01-049 III/IIIL 5,000 div. Recalibration is required for NTEP use.

Part Number	Factory	NTEP	Weight	SKU	List
24" x 24" Platform, 6.4"H					
CQ250XL31	500 x 0.05 lb	500 x 0.1 lb	83 lb	4255	\$ 1,390.00

Service Parts

46001802 AC adapter 120 VAC w/o prong set	1 lb	716	98.00
46001780 Prong set, International	1 lb	714	36.00
46001776 Prong set, US only	1 lb	6226	36.00



CQ50L31
Bench/Floor



TB Bench Scale
w/ optional column

TB 1212/1214

TB Bench scale
TRWS Indicator
TBT Base
Stainless Steel
w/ optional column

TB 1616/2424

**TB All Stainless Steel**

All **stainless steel** base and heavy gauge **stainless steel** pan. Has TRWS indicator with **Stainless steel** load cell. Integral overload protection is provided for both static and dynamic overloads.

Adjustable rubber feet. Bubble level.

2 mv/v, 0.02% total error, 385/350 ohms, 9 ft 6 conductor cable.

NTEP Legal for Trade 13-090 Class III 6,000 div (Indicator)

NTEP Legal for Trade 14-050 Class III 5,000 div (Platform)

Part Number	Capacity	Weight	SKU	List
12" x 12" Platform x 4.25" High				
TB-1212-15-SS	15 x 0.005 lb	34 lb	7773	\$ 692.00
TB-1212-30-SS	30 x 0.01 lb	34 lb	7774	692.00
TB-1212-50-SS	50 x 0.01 lb	34 lb	7775	692.00
TB-1212-100-SS	100 x 0.02 lb	34 lb	7776	692.00
TB-1212-200-SS	200 x 0.05 lb	34 lb	7777	692.00

12" x 14" Platform x 4.25" High				
TB-1214-15-SS	15 x 0.005 lb	37 lb	7778	709.00
TB-1214-30-SS	30 x 0.01 lb	37 lb	7779	709.00
TB-1214-50-SS	50 x 0.01 lb	37 lb	7780	709.00
TB-1214-100-SS	100 x 0.02 lb	37 lb	7781	709.00
TB-1214-200-SS	200 x 0.05 lb	37 lb	7782	709.00

16" x 16" Platform x 4.25" High				
TB-1616-15-SS	15 x 0.005 lb	39 lb	7783	725.00
TB-1616-30-SS	30 x 0.01 lb	39 lb	7784	725.00
TB-1616-50-SS	50 x 0.01 lb	39 lb	7785	725.00
TB-1616-100-SS	100 x 0.02 lb	39 lb	7786	725.00
TB-1616-300-SS	300 x 0.05 lb	39 lb	7787	725.00

24" x 24" Platform x 4.25" High				
TB-2424-100-SS	100 x 0.02 lb	94 lb	7788	1,121.00
TB-2424-200-SS	200 x 0.05 lb	94 lb	7789	1,121.00
TB-2424-250-SS	250 x 0.05 lb	94 lb	7790	1,121.00
TB-2424-500-SS	500 x 0.1 lb	94 lb	7791	1,121.00
TB-2424-1000-SS	1,000 x 0.2 lb	94 lb	7792	1,121.00

Options

TBT-1212/1214 SS square column 8" high	4 lb	7661	56.27
TBT-1616/2424-SS column 13" high	4 lb	6885	68.53
TBT-1616/2424 SS column 23" high	4 lb	7662	77.20
TBT-1616/2424 SS column 26" high	4 lb	7663	82.75

Service Parts**Foot for 12" x 12" + 12" x 14"**

TB-M10-SPB-SS foot M10, 2 1/8" dia	1 lb	7673	6.88
------------------------------------	------	------	------

Foot for 16" x 16" + 24" x 24"

TB-M12-SPB-SS foot M12, 2 3/4" dia	1 lb	7660	7.02
TB-M12-PB-MS foot M12, 2 3/4" dia	1 lb	7666	7.16

TBP Painted Mild Steel

Painted mild steel base and heavy gauge stainless steel pan. has TWP indicator with ABS plastic enclosure, Aluminum or nickel plated steel load cell. Integral overload protection is provided for both static and dynamic overloads. Adjustable rubber feet. Bubble level. 2 mv/v, 0.02% total error, 405/350 ohms, 9 ft 6 conductor cable.

NTEP Legal for Trade 13-091 Class III 6,000 div (Indicator)

NTEP Legal for Trade 14-050 Class III 5,000 div (Platform)

Part Number	Capacity	Weight	SKU	List
16" x 16" Platform x 4.75" High w/ aluminum load cell				
TBP-1616-50-CS	50 x 0.005 lb	33 lb	7793	\$ 373.00
TBP-1616-100-CS	100 x 0.01 lb	33 lb	7794	373.00
TBP-1616-200-CS	200 x 0.02 lb	33 lb	7795	373.00
TBP-1616-400-CS	400 x 0.05 lb	33 lb	7796	373.00
24" x 24" Platform x 5.5" High w/ nickel plated steel load cell				
TBP-2424-100-CS	100 x 0.01 lb	85 lb	7797	685.00
TBP-2424-200-CS	200 x 0.02 lb	85 lb	7798	685.00
TBP-2424-250-CS	250 x 0.05 lb	85 lb	7799	685.00
TBP-2424-500-CS	500 x 0.05 lb	85 lb	7800	685.00
TBP-2424-1000-CS	1,000 x 0.1 lb	85 lb	7801	685.00

Options

TBT-1616/2424-SS pole and bracket 13" high	4 lb	6885	68.53
TBT-1616/2424 SS pole and bracket 23" high	4 lb	7662	77.20
TBT-1616/2424 SS pole and bracket 26" high	4 lb	7663	82.76

Service Parts

Foot for 16" x 16" + 24" x 24"

TBT-M12-SPB-SS foot M12, 2 3/4" dia	1 lb	7660	7.02
TBT-M12-PB-MS foot M12, 2 3/4" dia	1 lb	7666	7.16



TB 1616/2424
TBP Bench scale
TWP Indicator, plastic
TBT Base, painted
w/ optional column



TBL-1212/1214
TBL Bench Scale
w/ optional column



TBL Bench scale
TLI Indicator
TBT Base
Stainless Steel
w/ optional column



TBL 1616/2424

TBL All Stainless Steel

All **stainless steel** base and heavy guage **stainless steel** pan. Has TLI indicator with stainless steel enclosure and rechargeable battery **Stainless steel** load cell. Integral overload protection is provided for both static and dynamic overloads.

Adjustable rubber feet. Bubble level.

2 mv/v, 0.02% total error, 385/350 ohms, 9 ft 6 conductor cable.

NTEP Legal for Trade 13-091 Class III 6,000 div (Indicator)

NTEP Legal for Trade 14-050 Class III 5,000 div (Platform)

Part Number	Capacity	Weight	SKU	List
12" x 12" Platform x 4.25" High				
TBL-1212-15-SS	15 x 0.002 lb	34 lb	8197	\$ 730.00
TBL-1212-30-SS	30 x 0.005 lb	34 lb	8198	730.00
TBL-1212-50-SS	50 x 0.005 lb	34 lb	8199	730.00
TBL-1212-100-SS	100 x 0.01 lb	34 lb	8200	730.00
TBL-1212-200-SS	200 x 0.02 lb	34 lb	8201	730.00

12" x 14" Platform x 4.25" High

TBL-1214-50-SS	50 x 0.005 lb	37 lb	8204	746.00
TBL-1214-100-SS	100 x 0.01 lb	37 lb	8205	746.00
TBL-1214-200-SS	200 x 0.02 lb	37 lb	8206	746.00

16" x 16" Platform x 4.25" High

TBL-1616-15-SS	15 x 0.002 lb	39 lb	8207	756.00
TBL-1616-30-SS	30 x 0.005 lb	39 lb	8208	756.00
TBL-1616-50-SS	50 x 0.005 lb	39 lb	8209	756.00
TBL-1616-100-SS	100 x 0.01 lb	39 lb	8210	756.00
TBL-1616-300-SS	300 x 0.02 lb	39 lb	8211	756.00

24" x 24" Platform x 4.25" High

TBL-2424-100-SS	100 x 0.01 lb	94 lb	8212	1,195.00
TBL-2424-250-SS	250 x 0.05 lb	94 lb	8213	1,195.00
TBL-2424-500-SS	500 x 0.05 lb	94 lb	8214	1,195.00
TBL-2424-1000-SS	1,000 x 0.1 lb	94 lb	8215	1,195.00

Options

TBT-1212/1214-SS square column 8" high	4 lb	7661	56.27
TBT-1616/2424-SS column 13" high	4 lb	6885	68.53
TBT-1616/2424-SS column 23" high	4 lb	7662	77.20
TBT-1616/2424-SS column 26" high	4 lb	7663	82.76

Service Parts

Foot for 12" x 12" + 12" x 14"

TB-M10-SPB-SS foot M10, 2 1/8" dia	1 lb	7673	6.88
------------------------------------	------	------	------

Foot for 16" x 16" + 24" x 24"

TB-M12-SPB-SS foot M12, 2 3/4" dia	1 lb	7660	7.02
TB-M12-PB-MS foot M12, 2 3/4" dia	1 lb	7666	7.16



7400 Stainless Steel Digital Bench Scale

Advanced features. One button, easy to operate. Quad spring base, 1000% overload protection. Checkweigh indicators. Zero band checkweighing is an included feature with OVER/ACCEPT/UNDER. LB, KG, OZ, LB & OZ weight display. IP69K/NEMA 4X washdown safe 304 stainless steel construction. 115 VAC, 60 Hz, 10 watts.

NTEP Legal for Trade 99-129A2 Class III 5,000 div (7400M)

NTEP Legal for Trade 97-097A1 Class III 5,000 div (15 x 15)

NTEP Legal for Trade TEP 97-097A Class III 5,000 div

NTEP Legal for Trade 02-086 Class III 3,000 div (18 x 18)

NTEP Legal for Trade 05-062 Class III 3,000 div (18 x 24, 24 x 24)

Canadian approval AM-5241, AM-5347

Canadian approval AM-5188, AM-5241, AM-5475



**7400 Stainless Steel
Digital Bench Scale**

Part Number	Capacity	Platform	Weight	SKU	List
10" x 10" Platform w/U bracket					
7402*	2 x 0.0005 lb	10" x 10"	21 lb	6827	\$ 1,585.00
7405*	5 x 0.001 lb	10" x 10"	21 lb	6828	1,585.00
7410*	10 x 0.002 lb	10" x 10"	21 lb	6829	1,585.00

* Includes up overload stop

7425	25 x 0.005 lb	10" x 10"	21 lb	6830	1,585.00
7450	50 x 0.01 lb	10" x 10"	21 lb	6831	1,585.00

12" x 12" Platform w/U bracket

7450/12	50 x 0.01 lb	12" x 12"	26 lb	6832	1,695.00
74100/12	100 x 0.02 lb	12" x 12"	26 lb	6833	1,695.00

15" x 15" Platform w/U bracket

7450/15	50 x 0.01 lb	15" x 15"	41 lb	6834	2,015.00
74100/15	100 x 0.02 lb	15" x 15"	41 lb	6835	2,015.00
74200/15	200 x 0.05 lb	15" x 15"	41 lb	6836	2,015.00

15" x 15" Platform w/20" column

7450/15-C20	50 x 0.01 lb	15" x 15"	71 lb	6837	2,310.00
74100/15-C20	100 x 0.02 lb	15" x 15"	71 lb	6838	2,310.00
74200/15-C20	200 x 0.05 lb	15" x 15"	71 lb	6839	2,310.00

Shipped in 2 cartons 19" x 19" x 16" and 14" x 15" x 28", 41 lb and 30 lb.

18" x 18" Platform w/20" column

74100/18S-C20	100 x 0.02 lb	18" x 18"	87 lb	6841	2,585.00
74250/18S-C20	250 x 0.02 lb	18" x 18"	87 lb	6842	2,585.00
74500/18S-C20	500 x 0.05 lb	18" x 18"	87 lb	6843	2,585.00

Shipped in 2 cartons 21" x 21" x 17" and 14" x 15" x 28", 69 lb and 30 lb.

18" x 24" Platform w/20" column

74250/1824-C20	250 x 0.05 lb	18" x 24"	105 lb	6844	2,805.00
74500/1824-C20	500 x 0.1 lb	18" x 24"	105 lb	6845	2,805.00

Shipped in 2 cartons 28" x 28" x 9" and 14" x 15" x 28", 75 lb and 30 lb.

24" x 24" Platform w/20" column

74250/2424-C20	250 x 0.05 lb	24" x 24"	116 lb	6847	3,165.00
74500/2424-C20	500 x 0.1 lb	24" x 24"	116 lb	6848	3,165.00
741000/2424-C20	1,000 x 0.2 lb	24" x 24"	116 lb	6849	3,165.00

Shipped in 2 cartons 30" x 28" x 16" and 14" x 15" x 28", 86 lb and 30 lb.

* Includes up overload stop.

Service Parts

7400M Digital Weight Indicator	10 lb	6563	895.00
--------------------------------	-------	------	--------



7010XL
Bench/Floor



doran

7000XL Stainless Steel Bench/Floor Scale

Rugged 304 Washdown Safe **Stainless Steel** construction. Displays Weight In lb, kg, oz, g or lb & oz. Front panel keys: ZERO, PRINT, UNITS. Shockproof base with Quad Spring design that protects against shock and overload damage. 120 VAC, 60 Hz. Indicator 6" x 10" x 3"D 10 lb.

Canadian approval AM-5188, AM-5241

NTEP Legal for Trade 91-106 III 5,000 div (5 lb to 200 lb only)

Part Number	Capacity	Platform	Weight	SKU	List
10" x 10" Platform					
7002XL	2 lb x 0.0005 lb	10" x 10"	21 lb	6193	\$ 1,485.00
7005XL	5 lb x 0.001 lb	10" x 10"	21 lb	3626	1,485.00
7010XL	10 lb x 0.002 lb	10" x 10"	21 lb	3627	1,485.00

7025XL	25 lb x 0.005 lb	10" x 10"	21 lb	3628	1,485.00
7050XL	50 lb x 0.01 lb	10" x 10"	21 lb	3629	1,485.00

12" x 12" Platform

7050XL/12	50 lb x 0.01 lb	12" x 12"	26 lb	3630	1,595.00
70100XL/12	100 lb x 0.02 lb	12" x 12"	26 lb	3631	1,595.00

15" x 15" Platform

7050XL/15	50 lb x 0.01 lb	15" x 15"	42 lb	2128	1,915.00
	22.7kg x 5g				
7100XL/15	100 lb x 0.02 lb	15" x 15"	42 lb	2129	1,915.00
	45kg x 10g				
7200XL/15	200 lb x 0.05 lb	15" x 15"	42 lb	2130	1,915.00
	91kg x 20g				

15" x 15" Platform

7050XL/15-C20	50 x 0.01 lb	15" x 15"	54 lb	3633	2,210.00
7100XL/15-C20	100 x 0.02 lb	15" x 15"	54 lb	3634	2,210.00
7200XL/15-C20 *	200 x 0.05 lb	15" x 15"	54 lb	3635	2,210.00

Shipped in 2 cartons 19" x 19" x 16" and 14" x 15" x 28", 41 lb and 30 lb.

18" x 18" Platform

7100XL/18S-C20	100 x 0.02 lb	18" x 18"	60 lb	3636	2,485.00
7250XL/18S-C20 *	250 x 0.05 lb	18" x 18"	60 lb	3637	2,485.00
7500XL/18S-C20	500 x 0.1 lb	18" x 18"	60 lb	3638	2,485.00

Shipped in 2 cartons 21" x 21" x 17" and 14" x 15" x 28", 69 lb and 30 lb.

18" x 24" Platform

7250XL/1824-C20	250 x 0.05 lb	18" x 24"	75 lb	3641	2,705.00
7500XL/1824 -C20*	500 x 0.1 lb	18" x 24"	75 lb	3642	2,705.00

Shipped in 2 cartons 28" x 28" x 9" and 14" x 15" x 28", 75 lb and 30 lb.

24" x 24" Platform

7250XL/2424-C20	250 x 0.05 lb	24" x 24"	84 lb	3646	3,065.00
7500XL/2424-C20 *	500 x 0.1 lb	24" x 24"	84 lb	3647	3,065.00
71000XL/2424-C20*	1,000 x 0.2 lb	24" x 24"	84 lb	3648	3,065.00

Shipped in 2 cartons 30" x 28" x 16" and 14" x 15" x 28", 86 lb and 30 lb.

* This model does not have lb & oz weight display capability.

* Not NTEP

Service Parts

7000XLM Digital Indicator	10 lb	3632	795.00
SUB0427 Touch Panel for 7000XLS (4) screws	1 lb	4106	240.00
SUB0846 Touch Panel for 7000XL (12) screws	0.47 lb	4107	131.43

ENC 0148 platter 10" x 10"	3 lb	3671	135.00
SUB0210-1 large knob kit (1) knob (1)washer	0.07 lb	4049	14.30
SUB0210-2 small knob kit (2) knobs (2)washers	0.07 lb	4050	23.90



2200 Bench Scale

Washdown safe 304 stainless steel construction. Displays weight in lb, oz, kg, g, lb & oz. 6 digit, red LED 0.56" high. Keys are: TARE, GROSS/NET, ZERO, PRINT, UNITS, ACCUM, ID, CLEAR, ENTER, SET POINT, DECIMAL POINT, KEYPAD 0-9. Indicators are: Net, zero, batt, mot. Bi-directional RS232 serial ports. Eight digital outputs. Internal rechargeable battery. 115VAC, 50/60 Hz. 2 year warranty

Indicator size 6"H x 10"W x 3"D

NTEP Legal for Trade Indicator 06-101A1 Base 05-062

Part Number	Capacity	Weight	SKU	List
10" x 10" platform				
22002-C14	2 x 0.0005 lb	21 lb	7208	\$ 1,760.00
22005-C14	5 x 0.001 lb	21 lb	7209	1,760.00
22010-C14	10 x 0.002 lb	21 lb	7210	1,760.00
22025-C14	25 x 0.005 lb	21 lb	7211	1,760.00
22050-C14	50 x 0.01 lb	21 lb	7212	1,760.00
12" x 12" platform				
22050/12-C14	50 x 0.01 lb	26 lb	7213	1,870.00
22100/12-C14	100 x 0.02 lb	26 lb	7214	1,870.00
15" x 15" platform				
22050/15-C14	50 x 0.01 lb	41 lb	7215	2,190.00
22100/15-C14	100 x 0.02 lb	41 lb	7216	2,190.00
22200/15-C14	200 x 0.05 lb	41 lb	7217	2,190.00
15" x 15"				
22050/15-C20	50 x 0.01 lb	71 lb	7218	2,265.00
22100/15-C20	100 x 0.02 lb	71 lb	7219	2,265.00
22200/15-C20	200 x 0.05 lb	71 lb	7220	2,265.00
18" x 18"				
22100/18S-C20	100 x 0.02 lb	87 lb	7222	2,540.00
22250/18S-C20	250 x 0.05 lb	87 lb	7223	2,540.00
22500/18S-C20	500 x 0.1 lb	87 lb	7224	2,540.00
18" x 24"				
22250/1824-C20	250 x 0.05 lb	105 lb	7225	2,760.00
22500/1824-C20	500 x 0.1 lb	105 lb	7226	2,760.00
24" x 24"				
22250/2424-C20	250 x 0.05 lb	116 lb	7227	3,120.00
22500/2424-C20	500 x 0.1 lb	116 lb	7228	3,120.00
221000/2424-C20	1,000 x 0.2 lb	116 lb	7229	3,120.00
Service Parts				
ENC 0148 platter	10" x 10"	3 lb	3671	135.00



APS 2200P
w/ column



7000 Stainless Steel Bench/Floor Scale

Service parts only for Doran 7000.

Part Number	Weight	SKU	List
Service Parts			
SWI0007 Rubber boot for switch	1 lb	1311	\$ 8.00
SUB0004-3 foot 10-24 thread pk(6)	1 lb	1915	30.00
SUB00040-4 foot M6 thread pk(6)	1 lb	4994	35.00



7050 Stainless Steel
Bench/Floor

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

Bench

Bench



**8025XL/12
Bench Scale
w/ optional 14" column**



**MVP Bench Scale
W/36" column**



doran

8000XL Bench/Floor Scale

Service parts only for 8000XL

NTEP Legal for Trade (indicator) CC #99-129 Class III 10,000 div

Part Number	Capacity	Platform	Weight	SKU	List
Service Parts					
SUB0853 Battery with cables			2 lb	6657	\$ 121.00
PCA415 Main Board 4300M/8000XL			1 lb	6219	660.00
SUB0210-1 large knob kit (1) knob (1)washer			0.07 lb	4049	14.30
SUB0210-2 small knob kit (2) knobs (2)washers			0.07 lb	4050	23.90
SUB0397 front enclosure 8000XL			1 lb	4061	576.00

doran

MVP Bench/Floor Scale

Simple, intuitive, designed to withstand the use and abuse of extreme industrial applications. Seven overload stops provide outstanding load cell protection. Two part polyurethane paint provides excellent wear and abrasion protection. 6 digit, 0.56" red LED. Keys are: ZERO, GROSS/NET, TARE, UNITS, PRINT, ON/OFF. Weighing units are: g, lb, kg, oz, lb:oz. Bi-directional RS232. 115 VAC 60Hz, adapter, UL (230 VAC optional) Indicator 7.5"W x 1.75"D x 3.5"H

NTEP Legal for Trade 05-061 Class III 5,000 div (Indicator)

NTEP Legal for Trade 05-062 Class III 5,000 div (Base)

Canada pending

Part Number	Capacity	Platform	Weight	SKU	List
MVP3100	100 x 0.02 lb	18" x 18"	67 lb	6084	\$ 1,251.00
MVP3250	250 x 0.05 lb	18" x 18"	67 lb	6085	1,251.00
MVP5250	250 x 0.05 lb	24" x 24"	85 lb	6089	1,476.00
MVP5500	500 x 0.1 lb	24" x 24"	85 lb	6091	1,476.00
MVP51000	1,000 x 0.2 lb	24" x 24"	85 lb	6092	1,476.00
36" Column					
MVP3100-36	100 x 0.02 lb	18" x 18"	97 lb	6249	1,451.00
MVP3250-36	250 x 0.05 lb	18" x 18"	97 lb	6250	1,451.00
MVP5250-36	250 x 0.05 lb	24" x 24"	115 lb	6254	1,676.00
MVP5500-36	500 x 0.1 lb	24" x 24"	115 lb	6255	1,676.00
MVP51000-36 *	1,000 x 0.2 lb	24" x 24"	115 lb	6256	1,676.00

* No lb:oz weight display

Options

DSOPT-001 RS232 Serial Data Output w/ 4 wire shielded cable, 10 ft female 9 pin D connector	1 lb	6093	75.00
DSOPT-002 RS232 Serial Data Output w/ 4 wire shielded cable, 10 ft male 25 pin D connector	1 lb	6094	35.00
DSOPT-003 230 VAC operation	2 lb	6095	25.00
MVPOPT-001 Mobility kit w/ (4) 3" dia locking swivel casters	20 lb	6096	90.00
MVPOPT-002 24" x 24" Stainless steel platter	30 lb	6097	300.00
MVPOPT-003 18" x 18" Stainless steel platter	25 lb	6098	250.00
DMSOPT04 24" x 24" Roller conveyor w/ galvanized rollers 1-7/8" dia	45 lb	6099	425.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



DP-6900 Bench Scale

Bench and receiving scales. Applications for checkweighing, gross/net weighing and basic weighing. Rechargeable battery 240 hours of continuous operation with charging time of 12 hours and AC operation. Programable auto-off. Weighing units are: lb, kg, oz, lb:oz. 115 VAC 60Hz, adapter. Platform 13.8" x 19.7" x 30.8"H.

NTEP Legal for Trade 17-019

Part Number	Capacity	Weight	SKU	List
DP-6900-60	60 x 0.02 lb	39 lb	1480	\$ 924.00
DP-6900-150	150 x 0.05 lb	39 lb	1481	924.00
DP-6900-3000	300 x 0.1 lb	39 lb	1482	924.00

Service Parts

LHV-5000-690640 AC adapter for 6900	0.27 lb	1493	52.00
-------------------------------------	---------	------	-------



DP-6900-150

Bench



BW
Bench/Floor



BW Battery Powered Bench/Floor Scale

Rechargeable or dry battery operation. Environmentally sealed (washdown IP65). Full 5 digit weight display (LCD) with backlight. Counting function. Standard RS232 output. Low battery indicator. Fast battery recharge. Battery life without use of backlight: Rechargeable batteries 100 hrs., Manganese 200 hrs., Alkaline 300 hrs Auto zero tracking. Comparator function (High, OK, Low). Automatic print function. Tactile keypad. Keys for ON, OFF, LIGHT, ZERO, TARE, NET/GROSS, kg/lb. Full tilt swivel indicator head. 120 VAC adapter included.

BW-60 & BW150 Platform 15-1/2" x 20-1/2" Height 31"

NTEP Legal for Trade 98-085 Class III 3,000 div

Part Number	Capacity	Weight	SKU	List
BW-60DB scale	150 lb x 0.05 lb	39 lb	3890	\$ 931.00
BW-150DB scale	300 lb x 0.1 lb	39 lb	3891	931.00

Options

HB1A wall mount bracket for BW indicator	1 lb	3892	45.00
In use cover for BW indicator	1 lb	3893	30.00

Service Parts

7504-A00-0080 AC adapter 120 VAC	1 lb	3894	42.80
----------------------------------	------	------	-------



DL-150
Bench/Floor



DL Bench/Floor Scale

Battery operated scale that is easy to operate. Keys for ON/OFF, ZERO, TARE, SET, MODE. Kg/Lb switchable. Large liquid crystal display(LCD). Auto power off after inactive period. Auto span calibration and auto zero tracking. Self contained, battery operated (6) 1.5 VDC batteries (Not included). Includes AC adapter 120 VAC, 50/60 Hz, 1 watt.

Overall size 16.5" x 25" x 31"H. 2 year warranty.

NTEP Legal for Trade 08-016 III 3,000 div,

Part Number	Capacity	Platform	Weight	SKU	List
DL-150 scale	150 x 0.05 lb	15.8" x 20.6"	33 lb	2155	\$ 531.00
DL-300 scale	300 x 0.1 lb	15.8" x 20.6"	47 lb	2156	531.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



PB Portable Bench Scale

Portable. Easy to carry. Rechargeable or dry cell battery. 6 digit, detachable LCD display with backlight. Keys for: ZERO, TARE, UNIT/PRINT, POWER. Auto power off, Weighing Hold, Backlight ON/OFF, Bright Control, Print Out functions. Auto zero tracking. Symbols for: Stable, Zero, Tare, kg, lb, Low Battery. RS232C interface. Wall mounting bracket. Rechargeable battery (included), 60 hours or (4) C cell batteries (not included). Overall dimensions 14"W x 24.2"D x 3.3"H. NTEP Legal for Trade 11-056

Part Number	Capacity	Platform	Weight	SKU	List
PB-150	150 lb x 0.02 lb	14" x 17.5"	19 lb	1262	\$ 531.00
PB-300	300 lb x 0.05 lb	14" x 17.5"	19 lb	1263	531.00
PB-500	300 lb x 0.1 lb 500 lb x 0.2 lb	14" x 17.5"	19 lb	1264	531.00

Service Parts

PPB1 main board for PB	1 lb	1266	240.00
YPB1 AC adapter for PB	1 lb	2370	36.00
ZPB1 battery for PB	3 lb	2371	48.00
ZPB2 battery cover for PB	1 lb	2372	12.00
HPB6 display head for PB	5 lb	2373	120.00



PB
Portable Bench Scale
w/ detachable LCD display



MVS1 Bench/Floor/Shipping/Postal Scale

Heavy duty digital shipping and postal scale. LCD display with backlight. Indicator has rugged ABS housing and a 3m coil cord for wall mounting. Keys for ZERO/ON/OFF, TARE, UNIT, PRINT/HOLD. Units: lb, lb:oz, kg. 9 volt battery operated with power adapter included. Standard USB interface can be connected to computer for receiving weight data. Low profile design with checkered steel nonslip platform. Has shipping screw which protects the load cell against damage during shipping. Base has adjustable non slip feet for easy leveling during installation. Overall 12.0" W x 12.0" D x 2.4" H.

Part Number	Capacity	Platform	Weight	SKU	List
MVS1	165 lb x 0.1 lb 75 kg x 0.05 kg	12" x 12"	9.7 lb	6743	\$ 218.75



MVS1
Shipping
Postal



GL Bench Scale

Portable, Read the weight either forward or reverse, ergonomic with convenient carry handle, back light and wide LCD display. High and low limit and alarm settings. Keys for: Zero, Tare, Print, Unit, On/Off. Display for: Zero, Net, Print, LB, Kg, Battery (3 stage). 100-240VAC adapter (4) C batteries (not included). Overall 13.9"W x 23.1" D x 3.4"H. 2 year warranty.

NTEP Legal for Trade

Part Number	Capacity	Platform	Weight	SKU	List
GL-6060L	30/60x0.01/0.02lb	13.9" x 16.8"	16 lb	1579	\$ 440.00
GL-6150L	30/150x0.02/0.05lb	13.9" x 16.8"	16 lb	1580	440.00
GL-6300L	150/300x0.05/0.1lb	13.9" x 16.8"	16 lb	1581	440.00
GL-6500L	250/500x0.1/0.2lb	13.9" x 16.8"	16 lb	1582	462.00



GL-6060L

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

Bench



TBWS bench scale


VISIONTECH
SHOP

TBW Bench/Floor Scale

Large easy to read 2 inch (52mm) large LCD display with backlight. Stainless steel pan. ABS plastic indicator. Battery provides up to 70 hours of continuous use (without backlight). Standard RS232 interface for use with a computer or printer. Internal battery and AC adapter included. Weighing units: lb, kg, oz. Application modes: Weighing, Counting, Check Weighing, Accumulation. Keys for: UNIT, PCS, G/N, ACC/TTL/PRINT, TARE, ZERO, ON/OFF. Display for: Zero, Net, Print, lb, kg, Battery. 100-240 VAC adapter and rechargeable battery are included. Overall 15.7"W x 25.1"D x 32.6"H. 2 year warranty. IP65

NTEP Legal for Trade

Part Number	Capacity	Platform	Weight	SKU	List
TBW-100	100 lb x 0.02 lb	15.7" x 19.6"	46 lb	7323	\$ 885.00
TBW-200	200 lb x 0.05 lb	15.7" x 19.6"	46 lb	7324	885.00
TBW-500	500 lb x 0.1 lb	15.7" x 19.6"	46 lb	7325	953.75

Service Parts

GH645 Rechargeable battery	4 lb	6114	31.90
----------------------------	------	------	-------

TBWS Washdown
Bench scale
VISIONTECH
SHOP

TBWS Bench/Floor Scale Washdown

Washdown IP65 protection against dust and liquids. Stainless steel construction. Easy to read 2 inch (52mm) large LCD display with backlight. Battery provides up to 70 hours of continuous use (without backlight). Standard RS232 interface for use with a computer or printer. Internal battery and AC adapter included. Weighing units: lb, kg, oz. Application modes: Weighing, Counting, Check Weighing, Accumulation. Keys for: UNIT, PCS, G/N, ACC/TTL/PRINT, TARE, ZERO, ON/OFF. Display for: Zero, Net, Print, lb, kg, Battery. 100-240 VAC adapter and rechargeable battery are included. Overall 15.7"W x 25.1"D x 32.6"H. 2 year warranty. IP65

NTEP Legal for Trade

Part Number	Capacity	Platform	Weight	SKU	List
TBWS-100	100 lb x 0.02 lb	15.7" x 19.6"	46 lb	7239	\$ 1,071.25
TBWS-200	200 lb x 0.05 lb	15.7" x 19.6"	46 lb	7240	1,071.25
TBWS-500	500 lb x 0.1 lb	15.7" x 19.6"	46 lb	7241	1,121.25

Service Parts

GH645 Rechargeable battery	4 lb	6114	35.09
----------------------------	------	------	-------



**T4x4-5K
Floor Scale**



Package Heavy Duty Floor Scale Base and Indicator

Package includes:

(1)Base rugged with sturdy deck and channel construction, checkered safety tread deck, painted steel construction.

(1)Indicator TRWS LCD

(1)Calibration of base and indicator

NTEP Legal for Trade 16-016 III, 5,000 div Base

NTEP Legal for Trade 13-091 III, 5,000 div Indicator

Part Number	Size	Capacity	Weight	SKU	List
T4x4-5K package	4'x4'x3.75"	5,000 x 1 lb	260 lb	4737	\$ 1,276.30
T4x4-10K package	4'x4'x3.75"	10,000 x 2 lb	260 lb	4738	1,353.30
T5x5-5K package	5'x5'x3.75"	5,000 x 1 lb	345 lb	4768	1,401.30
T5x5-10K package	5'x5'x3.75"	10,000 x 2 lb	345 lb	4769	1,401.30

Options

4' x 3' Ramp steel safety tread	150 lb	5712	485.00
4' x 4' Ramp steel safety tread	102 lb	5704	895.00
5' x 4' Ramp steel safety tread	218 lb	5726	995.00

Service Parts

TRWS Indicator	7 lb	7667	281.93
IDS950-4 Summing Junction Box	1 lb	3942	100.00
TSB-2.5K load cell for 5K base	2,500 lb	3 lb	2253 168.00
TSB-5K-SE load cell for 10K base	5,000 lb	3 lb	2255 168.00
DBF 1/2-20 beam foot	1 lb	2522	28.00

Prices for Floor scale bases and packages are FOB Factory



**TRWS Indicator
Included with package**



PFS7000 Portable Floor Scale Stainless Steel

24" x 24" platform. 7000XLM indicator for fast, accurate digital weights. Pushbutton Zero for fast tare. Indicator height is 40" above the platform and 51" above the floor. 2 handles for easy moving. USDA approved. Washdown safe 304 **stainless steel**. LB, KG, OZ, LB & OZ weight display. 1 year warranty. 115 VAC, 60 Hz, 8 watts.

NTEP Legal for Trade 91-106, 89-113, III, 3,000 div

Canadian approval AM-5188, S.WA-4398, 3,000 div

Part Number	Capacity	Platform	Weight	SKU	List
7250XL-PFS	250 x 0.1 lb	24" x 24"	200 lb	6496	\$ 4,670.00
7500XL-PFS *	500 x 0.2 lb	24" x 24"	200 lb	6497	4,670.00
71000XL-PFS	1,000 x 0.5 lb	24" x 24"	200 lb	6498	4,670.00

* This model does not have lb & oz weight display capability.



PFS7500XLP
Portable Floor Scale
w/ 7000XLM indicator





TDS Portable Drum Scale

TDS platform is made out of industrial weight heavy duty 1/4" checkered thread steel plate baked powder painted. Two built in folding ramps are low enough to get a hand truck on with ease. Lifting handle and built in wheels for easy moving. Platform uses standard (4) 3 mv/v, 350 ohm load cells and stainless steel signal trim summing junction box. For easy leveling, top bubble level is included. Live rail makes the weighing surface even larger than 36". Select an indicator from our line of indicators and we will calibrate for you. Platform 36" x 36", ramps are 10", overall w/ ramps 44" x 56" x 3"H.

TRWS is Stainless steel, digital weight indicator with backlit LCD display. 6 mechanical switch keys. Applications for: Check Weighing, Accumulation, Over/Under, Animal Weighing. Units for: lb, kg, g, oz, tj, hj. Internal counts: 600,000. Rechargeable battery provide up to 35 hours of continuous use. IP65 housing. RS232 serial port. AC adapter included.

Max div 30,000.

NTEP Legal for Trade 13-091 III 6,000 div

Part Number	Min Height	Capacity	Cell(s)	Weight	SKU	List
TDS-2.5K	2.00"	2,500 x 1 lb	1,000 lb	150 lb	5248	\$ 1,364.00
TDS-5K	2.00"	5,000 x 1 lb	2,500 lb	158 lb	5249	1,508.10


TRWS Indicator				5 lb	7667	281.93
----------------	--	--	--	------	------	--------

Service Parts

Load cell connector, 5 pin				1 lb	6359	42.46
Main board for TRWS				1 lb	6361	187.54
AC adapter for TRWS/TWP/TLI 100-240 VAC to 12 VDC				1 lb	6362	34.84
Battery for TRWS				1 lb	6363	62.66
TRWS front overlay				1 lb	7327	29.28

Option

Tripod for TRWS indicator				3 lb	6287	143.48
---------------------------	--	--	--	------	------	--------



Built in wheels

TDS



Tripod



**CW250
Floor Scale**



CW250 Portable Floor Scale

Portable and compact scale designed for weighing 55 gallon drums, chlorine cylinders, propane tanks, Freon tanks and other heavy containers. This rugged all aluminum self contained scale has an accuracy of 0.1%. Includes (4)AA 1.2 volt nickel cadmium batteries, charger cable and adapter for charging from 12 VDC or 120 VAC. Batteries will give 200 hours use with full charge. Charging time is 8 hours max. Liquid Crystal weight display has Back Light for use at night. Optional data output is RS232 or 20ma current loop.

Canadian AM-5532

NTEP Legal for Trade 95-024 III 2,000 div

Part Number	Capacity	Weight	SKU	List
15" x 15" x 4" Platform				
CW250-150-1S	150 x 0.05 lb	38 lb	3036	\$ 1,845.00
CW250-300-1S	300 x 0.1 lb	38 lb	2237	1,845.00
CW250-500-2S	500 x 0.2 lb	38 lb	2238	1,845.00
CW250-1000-5S	1,000 x 0.5 lb	42 lb	2239	1,845.00
CW250-1500-5S	1,500 x 0.5 lb	42 lb	2457	1,845.00
CW250-2000-1S	2,000 x 1 lb	42 lb	2240	1,845.00

24" x 24" x 4" Platform

CW250-1000-5	1,000 x 0.5 lb	95 lb	2243	1,695.00
CW250-1500-5	1,500 x 0.5 lb	95 lb	2570	1,695.00

Options

100480 Charger & cable (1) scale	2 lb	1508	160.00
100449 Cast aluminum ramp 15"x15"	21 lb	2749	395.00
100183 CW-TW Transport Wheels(2 per platform)	12 lb	2311	175.00
RFX Handheld wireless Indicator	4 lb	6177	995.00

Service Parts

330010 battery pack w/(6) AA NiCad batteries, old style	1 lb	1960	49.00
330158 battery pack w/ (4)AA NiCad batteries	1 lb	2316	39.00
601504 foot for CW250	1 lb	2317	4.25
603091 Load Cell CW250-150/300	6 lb	2318	426.00
603162 Load Cell CW250-500	6 lb	2319	543.00
603048 Load Cell CW250-1000/2000	6 lb	2320	543.00



**RFX
Handheld Wireless Indicator**





RW Portable Floor Scale

Portable low profile floor scale. Platform is made of heavy steel checkered plate with baked powder paint. Two built in ramps. Lifting handles and built in wheels for easy moving. Model 204 Indicator for desk or wall mounting. Standard RS232 output. Overall imensions 32.5"L x 40.5"W x 3.5"H. (6) "C" cells or NiCad batteries or 120 VAC adapter (included) 50/60 Hz.

Part Number	Capacity	Platform	Weight	SKU	List
RW-500	500 x 0.2 lb	32.5" x 30"	105 lb	6004	\$ 2,250.00
RW-1000	1,000 x 0.5 lb	32.5" x 30"	105 lb	6006	2,490.00
Service Parts					
0067-B044-0A cable, load cell connection			1 lb	5993	81.00



**RW-1000
204 Indicator**



Built-in wheels



Integral handles

Portable



SRP-300
w/ Optional Transfer ball top



SRP Bench/Floor Scale

Shipping, Receiving, Manifest Systems, Portion Control. RS232 full duplex serial port. Front panel keys: lb/kg, Zero, Net/Gross, Tare, Print. 120 VAC, 50/60 Hz adapter 6 watt. Overall size (SRP) 18" x 18" x 4.8"H. NTEP Legal for Trade 95-034

Part Number	Capacity	Weight	SKU	List
Bright LED display				
SRP-300	300 x 0.1 lb	49 lb	2712	\$ 1,125.00

Options

12" Swivel post for SPL/SRP	2 lb	2713	52.50
18" Swivel post for SPL/SRP	2 lb	2714	62.00
TBT1818 Transfer ball top for SRP	14 lb	2715	410.00



PC-150
Bench Scale



PC Bench Scale

Shipping, Receiving, Manifest Systems, Portion Control, Filling, Packing, Parcel, Letter. Bright LED display. RS232 full duplex serial port. Front panel keys: lb/kg, Zero, Net/Gross, Tare, Print. Compatible with FedEx Ship Manager Software. 120 VAC adapter 9 V, 2 A. Overall size 13" x 13" x 4.4"H. NTEP Legal for Trade 96-000

Part Number	Capacity	Weight	SKU	List
PC-150 scale	0-5 x 0.01 lb	31 lb	1662	\$ 750.00
	5-70 x 0.02 lb			
	70-150 x 0.05 lb			

Options

TBT1313 Transfer ball top	15 lb	1663	350.00
Null modem cable	1 lb	1547	25.00

Service Parts

AD008002 AC adapter for PC-150 9V 2A	1 lb	1630	50.00
--------------------------------------	------	------	-------



PD-2Z POS Check Stand Scale

Interface with register or computer. Stainless steel tray. Use as a bench scale. LED display, USB port. Easy to read tilt display. Auto zero tracking. Dual range. AC 120v, 60Hz. Platter size 14.9" x 11". Overall size 15"W x 11"D x 3.1"H
NTEP Legal for Trade 92-174

Part Number	Capacity	Weight	SKU	List
PD-2Z(15lb)	6 x 0.002 lb 15 x 0.005 lb	15 lb	6979	\$ 529.00
PD-2Z(30lb)	15 x 0.005 lb 30 x 0.01 lb	15 lb	6980	529.00
PD-2Z(60lb)	30 x 0.01 lb 60 x 0.02 lb	15 lb	6981	529.00
PD-2Z(150lb)	60 x 0.02 lb 150 x 0.05 lb	15 lb	6982	559.00
Options				
Remote display		5 lb	1502	195.00
7880-PDO-4128 cable 9 pin to RS232 25 pin		1 lb	949	33.00
JPD5 IBM/PC cable 9 pin to RS232 25 pin		1 lb	979	30.00



PD-2Z

POS



7300 Bench Scale

Heavy duty cast construction. UPS Online 6.0 compatible. Stainless steel platform. Bright green LED display. Weight displayed in two units of measure. Front panel keys: ON/OFF, ZERO, UNITS, PRINT. RS232 bidirectional interface. Optional remote display. Optional battery operation. 120 VAC, 50/60 Hz, 8 watts. 14.25"W x 12.25"D x 4"H
NTEP Legal for Trade 91-149, III, 10,000 div 10 lb and higher
Canadian AM-4869

Part Number	Capacity	Platform	Weight	SKU	List
-------------	----------	----------	--------	-----	------



7300
Bench scale
UPS



PC400
Portion Control Scale
Shockproof "Quad Spring" platform
with rechargeable battery



doran

PC400 Portion Control Scale

304 **stainless steel** construction for wipedown cleaning not washdown. It can go anywhere with the internal rechargeable battery(included). It will also work on 120VAC power. "Quad Spring" shockproof platform. The electronics are environmentally sealed. Units are lb, kg, g, oz, lb/oz. Modular, replaceable components. Full digital calibration. Keys for ZERO, ON/OFF, UNITS. 4 digit, 0.66" high LCD. RS232 standard. 120 VAC, plug mount transformer with 6 ft. cord (UL/CSA listed) and rechargeable battery, included. Overall dimensions 6.5" W x 8.75" L x 2" H.

NSF Certification National Sanitary Foundation for sanitary food service equipment.
NTEP Legal for Trade 04-039

Part Number	Capacity	Platform	Weight	SKU	List
PC400-02LFT	2.2 x 0.001 lb	6.5" x 6.5"	6 lb	6289	\$ 375.00
PC400-05	5 x 0.002 lb	6.5" x 6.5"	6 lb	6290	375.00
PC400-10	10 x 0.005 lb	6.5" x 6.5"	6 lb	6291	375.00
PC400-20	20 x .01 lb	6.5" x 6.5"	6 lb	2850	375.00

Options

PCOPT06 230 VAC operation	1 lb	6292	60.00
WCB-149 RS232 cable w/9 pin connector	1 lb	6293	21.40

Service Parts

SWI0211 Touch panel	1 lb	8353	89.00
BAT0013 Replacement battery pack for PC400	2 lb	6294	50.00

PCOPT04 carry case PC400	3 lb	6298	100.00
ENC0804 Platter 6.5" x 6.5" for PC400	1 lb	6296	64.20
SUB0531 Foot assembly set of (4) for PC400	1 lb	6297	28.50

XFR0035 AC adapter 115VAC negative center 6' cord for PC400	1 lb	6295	63.60
XFR0039 AC adapter 115VAC positive center 6' cord for PC400*	1 lb	6221	60.00

*Note: PC400 with s/n NPC403000 and higher use the adapter with positive center, stock 6221.

OHAUS®

FD Food Portion Control Scale

All stainless steel, dishwasher safe removable pan. Rugged, multi-use portioning scale. Bright backlit LCD display. Weighing units: lb, decimal and fractional oz, kg, g, lb:oz. Keys are: ON/OFF/ZERO, G/N/T/UNITS, TARGET/MENU, TARE. Indicators for: center of zero, net, tare. Checkweighing mode with 3 LED indicator and audible alarm. Text displays of weigh units. Audible buzzer alerts user when limits are reached. Manual or auto tare. 120VAC adapter included. Internal sealed lead-acid battery with 120 hours charge life. 1 year warranty. 8.8"W X 11.8"D X 2.8"H. Platform size 8.2" x 8.2".

NSF listed/certified
USDA accepted
NTEP Legal for Trade 05-072

Part Number	Capacity	NTEP	Weight	SKU	List
NTEP Legal for Trade					
FD6	15 x 0.002 lb	15 x 0.005 lb	11 lb	5296	\$ 848.00

High accuracy

FD6H	15 x 0.001 lb		11 lb	6418	951.00
------	---------------	--	-------	------	--------

Service Parts

71158350 main board for FD	1 lb	6421	651.00
71169710 keypad function label for FD	0.04 lb	5297	94.00



FD
Portion Control





PC500 Portion Control Scale WASHDOWN

Stainless steel. IP66 washdown safe. The PC500 features a soft silicone seal that protects against washdown spray and allows a high level of accuracy. Tackles harsh environments of washdown, food service and industrial applications. 1000% overload "Quad Spring" design. 6 digit, 0.66" high LCD display. Keys for: ON/OFF, Zero, Units. Units are lb, kg, g, oz, or lb:oz. Five way weight display show the same weight in 5 different units. Indicators for motion, low battery, weighing units, and center of zero. 1,000 hour battery life. Battery operated, optional 115V AC adapter with 8' cable. Bi-directional RS-232. Overall dimensions 12.75"L x 9.75"W x 5.26"H. Platter size 8.5" x 8.5"

NSF Certification National Sanitary Foundation for sanitary food service equipment
NTEP Legal for Trade 09-032

Part number	Capacity	Weight	SKU	List
PC500-25	25 x 0.01 lb	13 lb	7453	\$ 455.00

Options

PC5OPT03 RS-232 Cable w/ 9 pin female	1 lb	7461	50.00
---------------------------------------	------	------	-------

Service Parts

XFR0035 AC Adapter 115 V negative center	1 lb	6295	63.60
PCA0374 main board	0.23 lb	2474	150.00
SWI0212 keysheet	1 lb	2499	48.00

LCP22003 load cell PC500-03	3kg	0.89 lb	2496	159.00
LCP22005 load cell PC500-05	5kg	0.89 lb	2516	159.00
LCP22010 load cell PC500-10	8kg	0.89 lb	2517	159.00

LCP22015 load cell PC500-15	15kg	0.89 lb	2518	159.00
LCP22030 load cell PC500-30	30kg	0.89 lb	2519	159.00



PC500-05
Portion control scale



PPC-300-II Portion Control Scale

ABS with stainless steel platform cover. Large 1.2" LCD display. Checkweighing under/accept/over display. Weighing units: lb, oz, lb-oz, kg. Keys are: ON/OFF, UNITS, TARE, ZERO. Battery (4D) or 120VAC adapter included. Programmable auto off. 1 year warranty. 9.5"W X 11.5 X 4.9"H. Platform size 9.8" x 8".

Part Number	Capacity	Weight	SKU	List
PPC-300-II-4.4	4.4 lb x 0.002 lb	11 lb	2558	\$ 527.00
PPC-300-II-10	10 lb x 0.005 lb	11 lb	2559	527.00
PPC-300-II-22	22 lb x 0.01 lb	11 lb	2560	527.00
PPC-300-II-44	44 lb x 0.02 lb	11 lb	2561	527.00
PPC-300-II-60	60 lb x 0.02 lb	11 lb	2562	527.00



PPC-300-II
Portion Control



PPC-300WP-II Washdown Portion Control Scale

Waterproof IP68. Stainless steel with stainless steel platform cover. Large 1.2" LCD display. Checkweighing under/accept/over display. Weighing units: lb, oz, lb-oz, kg. Keys are: ON/OFF, UNITS, TARE, ZERO. Battery (4D) or 120VAC adapter included. Programmable auto off. 1 year warranty. 9.5"W X 11.5 X 4.9"H. Platform size 9.8" x 8".

Part Number	Capacity	Weight	SKU	List
PPC-300WP-II-4.4	4.4 lb x 0.002 lb	11 lb	1634	\$ 789.00
PPC-300WP-II-10	10 lb x 0.005 lb	11 lb	1635	789.00
PPC-300WP-II-22	22 lb x 0.01 lb	11 lb	1636	789.00
PPC-300WP-II-44	44 lb x 0.02 lb	11 lb	1637	789.00



PPC-300WP-II
Portion Control

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



AW-WLG
Portion Control

Yamato

AW-WLG Washdown Portion Control Scale

Waterproof IP67. ABS with stainless steel platform cover. Large LCD display. Weighing units: lb, oz, lb:oz. Keys are: ON/OFF, UNITS, TARE, HOLD. Battery(4AA) or 120VAC to 15V adapter included. 1 year warranty. 9.4"W X 11.8"D X 2.8"H. Platform size 9.4" x 7.3".

Part Number	Capacity	Weight	SKU	List
AW-WLG-15	0-15 x 0.005 lb	11 lb	30	\$ 539.00
	15-30 x 0.01 lb			
AW-WLG-30	0-30 x 0.01 lb	11 lb	31	539.00
	30-60 x 0.02 lb			



AW-WSM
Portion Control

Yamato

AW-WSM Washdown Portion Control Scale

Waterproof IP67. Stainless steel with stainless steel platform cover. Large 1" LCD display. Weighing units: lb, oz, g. Keys are: ON/OFF, UNITS, TARE/ZERO. 9V battery or 120VAC adapter included. Programable auto off. 1 year warranty. 6"W X 6.8"D X 1.9"H. Platform size 6" x 4.8".

Part Number	Capacity	Weight	SKU	List
AW-WSM-5KG	12 lb x 0.002 lb	11 lb	35	\$ 225.00
	12 lb x 0.05 oz			
	192 oz x 0.05 oz			
	5,500 g x 1 g			



PPC-200W-II
Portion Control

Yamato

PPC-200W-II Washdown Portion Control Scale

Washdown in battery mode. IP65. ABS with stainless steel platform cover. Large 1" LCD display. Checkweighing under/accept/over display. Weighing units: lb, oz, lb-oz, kg. Keys are: ON/OFF, UNITS, TARE, ZERO. Battery (6D) or 120VAC adapter included. Programable auto off. 1 year warranty. 9.1"W X 10.6"D X 6.9"H. Platform size 9.1" x 9.1".

Part Number	Capacity	Weight	SKU	List
PPC-200W-II-4	4 lb x 0.002 lb	11 lb	7045	\$ 693.00
PPC-200W-II-10	10 lb x 0.005 lb	11 lb	7046	693.00
PPC-200W-II-20	20 lb x 0.01 lb	11 lb	7047	693.00
PPC-200W-II-40	40 lb x 0.02 lb	11 lb	7048	693.00

TVS Portion Control Scale WASHDOWN

NTEP Legal for Trade portion control scale featuring **stainless steel** removable platter, IP65 washdown technology. Hand breathable knob design. Weighing units: lb, oz, kg, g, lb-oz. AC or battery. 70 hours of continuous use without backlight. Perfect for any food service in restaurants, bakery, deli, specialty stores, produce stand and farmer's markets. 'D' units have additional rear display for customer use. 9.2"x7.6" platter. 9.6"W x 11.8"D x 5"H. IP65

NTEP Legal for Trade

Part Number	Capacity	Weight	SKU	List
Single display				
TVS-6	6 x 0.001 lb	10 lb	7199	\$ 345.00
TVS-12	12 x 0.002 lb	10 lb	7200	345.00
TVS-30	30 x 0.005 lb	10 lb	7201	345.00
TVS-60	60 x 0.01 lb	10 lb	7202	345.00
Dual Display				
TVS-D-6	6 x 0.001 lb	10 lb	7203	381.25
TVS-D-12	12 x 0.002 lb	10 lb	7204	381.25
TVS-D-30	30 x 0.005 lb	10 lb	7205	381.25
TVS-D-60	60 x 0.01 lb	10 lb	7206	381.25
Service Parts				
YVP1 AC adapter 120VAC		0.21 lb	7347	30.00



TVS



TVS
Dual display

PW-200 ACOM

The ACOM PW-200 Portion Control Scale is a NTEP Legal for Trade portion control scale featuring **stainless steel** removable platter, compact in design and easy to use portion control scale for use in a variety of applications. Weighing units: lbs, oz, kg, g. AC or battery. The PW-200 is perfect for any food service in restaurants, bakery, deli, specialty stores, produce stand and farmer's markets.

NTEP Legal for Trade

Part Number	Capacity	Weight	SKU	List
PW-200(6)	6 x 0.002 lb	6 lb	2538	\$ 199.00
PW-200(15)	15 x 0.005 lb	6 lb	2539	199.00
PW-200(30)	30 x 0.01 lb	6 lb	2540	199.00
PW-200(60)	60 x 0.02 lb	6 lb	2541	199.00
Service Parts				
YPW1 AC adapter 120VAC		0.21 lb	2498	31.42



PW-200





RLP-S
Portion Control Scale



RLP-S Portion Control Scale

Stainless steel. Compact and easy to use. Removable weigh pan for quick and easy cleaning. 6 digit, LED display. Keys for: RE-ZERO, TARE, ON/OFF. Indicators for: Ounces, Grams, Pounds, NET, Center of Zero, Battery Usage. HAACP compliant. AC adapter included. IP68 water and dust resistant. Overall dimensions 9.9"W x 11.4"D x 5.3"H. One year warranty.

NTEP Legal for Trade CC 10-068

Canada AM-5794

Part Number	Capacity	Platform	Weight	SKU	List
RLP-6S	6 x 0.002 lb	9.3" x 7.8"	14 lb	3458	\$ 400.00
RLP-15S	15 x 0.005 lb	9.3" x 7.8"	14 lb	3460	400.00
RLP-30S	30 x 0.01 lb	9.3" x 7.8"	14 lb	3462	400.00
RLP-60S	60 x 0.02 lb	9.3" x 7.8"	14 lb	3467	400.00



PS10
Portion Control Scale

PS Portion Control Scale

PS-10: Multi-Purpose. Easy to clean stainless steel platform. 0.75" LCD, 6 digits with backlight display. Keys for: UNIT, ZERO, TARE/C, ON/OFF. Weighing units are: lb;oz, lb, oz, g. Battery operation for portable weighing. AC adapter (included) or (6) AA Alkaline batteries (not included). Overall dimensions 6.7" x 6.7" x 2.5". Platter size 6.3" x 6.3". 1 year warranty.

PS-20: Multi-purpose. Easy to clean stainless steel platform. 1.2" LCD, 6 digits with backlight. Keys for: ZERO/SET, ON/OFF, TARE/MODE, UNIT. Weighing units are: kg, lb, lb;oz. Battery operation for portable weighing. AC adapter (included) or (6) AA Alkaline batteries (not included). Overall dimensions 12.7" x 10.5" x 3.4". Platter size 10" x 9". 1 year warranty.

Part number	Capacity	Weight	SKU	List
PS10	10 x 0.001 lb	4 lb	7664	\$ 85.42
PS20	20 x 0.01 lb	7 lb	7665	142.92



AP-1 Price Computing Scale

Preset prices are retained in memory for 28 items. Each item has its own separate key for easy entry by pressing a single button. Easy to read bright green tower mounted display has three readouts for Total Price, Weight and Unit Price. Keyboard for entry of values. Keys for ON/OFF, ZERO, TARE, MEM, SAVE, MODE, ADD, *, 1/2, 1/4, TTP CALL, TTP CLP. Auto span calibration with auto zero tracking. Number of transactions display. Optional large tray 17.3" x 10" x 2"H for produce. **Stainless steel** platform size 8.8" x 13.5". Overall size 13.8" x 16.5" x 20"H. 120 VAC, 10 watt. NTEP Legal for Trade 90-007.

Part Number	Capacity	Weight	SKU	List
AP-1-15 Scale	15 lb x 0.005 lb	15 lb	2930	\$ 481.00
AP-1-60 Scale	30 lb x 0.01 lb	15 lb	2625	481.00
Dual range	60 lb x 0.02 lb			
KG version				
AP1-15KG Scale	15kg x 5g	14 lb	1175	385.00

Options

Produce platter for AP-1	6 lb	5728	90.00
Wet cover for AP-1 for keyboard	3 lb	1142	16.00

Service Parts

KAPS keypad for AP-1	1 lb	1143	56.00
----------------------	------	------	-------



AP1
Computing Scale



CL7200 Price Computing Scale

Touch screen 10.2" display
7" display for customers
Label printing scale
High speed thermal printer
Quick change label cartridge
45 standard label formats
4,000 PLU Price look ups
USB program backup and restore
Multiple barcode formats
Ethernet and wireless network
English or Spanish characters
Editors for PLU, Label, keypad
Stainless steel platform 20.25" x 15.5".
Overall 16.14" x 19.68" x 14.57"H.
120 VAC, 10 watt.
NTEP Legal for Trade 17-096.
Measurement Canada AM-6087

Part Number	Capacity	Weight	SKU	List
CL7200-30(W)	0-15 lb x 0.005 lb 15-30 lb x 0.01 lb	33 lb	2103	\$ 3,069.00
CL7200-60(W)	0-30 lb x 0.01 lb 30-60 lb x 0.02 lb	33 lb	2104	3,069.00



CL7300
Computing Scale



**LP-1000
Computing Scale**



**LP-1000 w/Pole
Computing Scale**

LP-1000 Label Printing Price Computing Scale

Programmable scale and Auto printing and "Save" for pre-pack. 54 preset keys. 4,000 PLU(Price Look Up). Each PLU can have 5 lines with 80 characters each for 400 characters per PLU. Easy to read bright green display has three readouts for Total Price, Weight and Unit Price. Keyboard for entry of values. Keys for ZERO, TARE, PLU, SAVE, FOR, X, PRT, 1/2, 1/4. PLU data items: Commodity name, message, Item no., tare weight, unit price. Printing items: Commodity name, message, sell by data, unit price, weight, total price, store name & address. Smudge proof thermal label. Optional platter for fish. **Stainless steel** platform size 10" x 15". 16" x 17" x 7.7"H. 120 VAC, 140 watt. NTEP Legal for Trade 92-169

Part Number	Capacity	Memory	Weight	SKU	List
LP-1000-N	30 lb x 0.01 lb	400 Char/4000 PLU	33 lb	7140	\$ 1,479.00

Pole mount display

LP-1000-NP	30 lb x 0.01 lb	400 Char/4000 PLU	34 lb	7142	1,585.00
------------	-----------------	-------------------	-------	------	----------

Options

JCD2 USB to RS232 converter dongle	0.08 lb	2978	60.00
RS232 Interface cable	1 lb	2980	30.00

Service Parts

LST8000 Labels 58 x 30mm 1000/roll 12/case	9 lb	2981	86.25
LST8010 Labels 58 x 40mm 700/roll 12/case	9 lb	2982	86.25
LST8020 Labels 58 x 60mm 500/roll 12/case *	9 lb	2983	86.25
* For Models B & C only.			
LST8030 Labels 58 x 50mm 500/roll 12/case	9 lb	2984	86.25
LST8040 Labels 58 x 60mm 500/roll 12/case	9 lb	2985	86.25

LP-1000 Printhead	49 lb	2711	288.00
2100-LPO-1000 key pad numeric	1 lb	2282	61.60
KL18 keypad for LP-1000	1 lb	2772	80.00
1006-A00-0483 label pickup pin	1 lb	2248	10.00
EL1S gap sensor for LP-1000	0.06 lb	2244	71.00
EL1H orange round belt for LP-1000	1 lb	2764	24.50





CL5500 Price Computing Scale

30 lb and 60 lb Capacities Available Dual Range 4,000 PLU's w/Direct Ingredient Messages - Max 2,100 Characters LCD Displays 96 Speed Keys (48 keys x 2) High Speed Thermal Printer Ethernet Included/Wireless Optional Same Menu Code System as the CL5000 Multiple Barcode Formats 45 Standard Label Formats Up to 20 Custom Labels Compatible with CL Works Pro Bench: 16(W) x 17(D) x 6.8(H) NTEP Legal for Trade 90-007.

Part Number	Capacity	Weight	SKU	List
CL5500B-60NE bench Dual range	30 lb x 0.01 lb 60 lb x 0.02 lb	36 lb	2089	\$ 2,380.00
CL5500R-60NE w/pole Dual range	30 lb x 0.01 lb 60 lb x 0.02 lb	36 lb	2090	2,486.00
CL5500B-30NE bench Dual range	15 lb x 0.005 lb 30 lb x 0.01 lb	36 lb	2091	2,380.00
CL5500R-30NE w/pole Dual range	15 lb x 0.005 lb 30 lb x 0.01 lb	36 lb	2092	2,486.00



CL5500
Computing Scale

Computing



CL5000 Label Printing Scale

Service parts only for CL5000.

Part Number	Capacity	Weight	SKU	List
Service Parts				
LST-8051 58mm wide x 100' continuous strip, 12 rolls/case		9 lb	2809	\$ 91.00



CL5000B
Label Printing Scale

Computing



S2000JR
Price Computing Scale



S2000JR
Price Computing Scale w/pole



S2000JR Price Computing Scale

Soft touch silicon rubber key pad. Backlight LCD display for Weight, Unit Price, Total Price. Auto power off. Keypad 0-9. Lb/kg/oz switchable. Function keys for: POWER, ZERO, TARE, LOW BATTERY, B/L. 3 Direct PLU & 199 indirect PLU's. Rechargeable battery (6V, 3.6Ah). 120V, 60Hz 7 watt. 12hr charging time. 120hr operating time. Platform size 12"W x 8.7"D. Standard type: 12.9"W x 13.6"D x 4.2"H. Pole type: 12.9"W x 15.2"D x 16.2"H.

NTEP Legal for Trade 06-013

Part Number	Capacity	Weight	SKU	List
S2000JR-15L	15 x 0.005 lb	12 lb	7126	\$ 374.00
S2000JR-30L	30 x 0.01 lb	12 lb	7127	374.00
S2000JR-60L	60 x 0.02 lb	12 lb	7128	374.00
S2000JR-15LP w/ pole	15 x 0.005 lb	12 lb	7129	436.00
S2000JR-30LP w/ pole	30 x 0.01 lb	12 lb	7130	436.00
S2000JR-60LP w/ pole	60 x 0.02 lb	12 lb	7131	436.00

Options

Fish platter for S2000JR	2 lb	7138	90.00
KS21 Full body protective cover for S2000JR	1 lb	7237	20.00

Service Parts

LST-8060 67 x 50mm Hi-Speed	9 lb	3421	66.25
Blue Beacon 570/roll, 12 rolls/case			
OT11 Foot	1 lb	3762	13.20
ZS25 Battery S2000JR	1 lb	7508	48.00
KS22 keypad S2000JR	1 lb	3780	26.78
YED2 adapter jack	0.05 lb	3420	24.00
YS21 AC adapter 120 VAC	1 lb	7141	36.00

Laundry Scale

S2000JR-60-LCD	30 x 0.01 lb	22 lb	6038	575.00
dual range & basket	60 x 0.02 lb			

Options

Laundry basket 26.75" x 22" x 11"	14 lb	4901	170.00
-----------------------------------	-------	------	--------



Laundry basket
23" x 26" top, 18" x 22" base
8" high front, 15" high rear



DLP-50
Label printer



DEP-50
Receipt printer

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



S-2000 Price Computing Scale

Low profile price computing scale. Conductive silicone rubber switch with soft touch. Easy to read bright green vacuum fluorescent display for Weight, Unit Price and Total price. Three displays are on the operators side of the scale as well as three displays on the customers side. Keypad 0-9 for entering prices. Function keys for ZERO, TARE, 1/2, 1/4, PREPACK, MW, MR, TARE SAVE, ADD, RECALL. Auto span adjustment and auto zero tracking. Indirect memory backup of up to 800 items. RS232 interface for computerized cash registers only. Not for use with printer or cash register alone. Optional large tray 17" x 11.25" for fish. **Stainless steel** platform size 14.6" x 11". Overall size 15.3" x 14.4" x 5.9"H. 120 VAC, 10 watt. NTEP Legal for Trade 91-141

Part Number	Capacity	Weight	SKU	List
S-2000 scale	30 lb x 0.01 lb	19 lb	2628	\$ 635.00
Dual range	60 lb x 0.02 lb			

Options

Fish platter for S-2000	3 lb	2630	90.00
Wet cover for keyboard for S-2000	1 lb	1569	20.00

Service Parts

PS0C Cas keyboard PBC S-2000	1 lb	2678	48.00
YED1 CAS AC adapter 120VAC/12V/1.25A	1 lb	2728	36.00



S2000
Computing Scale

Computing



EB Price Computing Scale

Tilt keyboard and display. Customer side display. Lb/kg switchable. 60 to 300 lb capacity dual range. 24 direct PLU's/176 indirect PLU's. Programmable tare. Auto power off function. Rechargeable battery included. RS232C interface, connect with PC or printer. Large platform for bulk weighing. Optional label and receipt printing. For use with Laundry, Farmers Markets, Retail and Recycling. NTEP Legal for Trade 09-095

Part Number	Capacity	Pan	Weight	SKU	List
EB-60	60 x 0.02 lb	11" x 11"	33 lb	3477	\$ 781.00
EB-150	150 x 0.05 lb	15.75" x 20.3"	46 lb	3478	844.00
EB-300	300 x 0.1 lb	15.75" x 20.3"	46 lb	3479	844.00

Options

Laundry basket 26.75" x 22" x 11"	14 lb	4901	170.00
-----------------------------------	-------	------	--------



Laundry basket
23" x 26" top, 18" x 22" base
8"high front, 15"high rear



EB-150
Computing scale

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

TOR * REY

PC-40L Price Computing Scale

More precise with 0.005 lb resolution. Highly sanitary stainless steel construction. Alphanumeric Liquid Crystal display for Weight, Price per pound and Total price. Three displays are on the operators side of the scale as well as three displays on the customers side. Keypad 0-9 for entering prices. Keys for ON/OFF. (15) direct access memory keys. (100) price memories. 1/2 lb and 1/4 lb price multiplier feature. Includes RS232 serial interface. Rechargeable battery, 200 hrs approx, included. **Stainless Steel** platform size 14"W x 11"D. Overall size 13-15/16"W x 14-3/16"D x 5-5/8"H. 120 VAC. NTEP Legal for Trade 95-041.



PC-40L
Computing Scale



Part Number	Capacity	Weight	SKU	List
PC-40L	40 lb x 0.01 lb	19 lb	1269	\$ 414.00
PC-40LT w/ Tower	40 lb x 0.01 lb	26 lb	1270	438.00

Options

Z-21900706 AC adapter for PC40L	1 lb	1540	19.00
---------------------------------	------	------	-------

Service Parts

Z-21900003 rechargeable battery	2 lb	1272	30.00
---------------------------------	------	------	-------

VISIONTECH SHOP

TVP Price Computing Scale

Standard stainless pan, weigh in pounds, kilogram or ounce. 10 PLU for selection. 15 mm LCD display with white LED backlight standard RS232 interface. overall 12" x 10.5" x 4"H. Pan 8" x 10.5". Rechargeable battery included. 60 ohms of use without backlight. 120 VAC adapter included. One year warranty.
NTEP Legal for Trade 19-038.

Part Number	Capacity	Weight	SKU	List
TVP-12B	12 lb x 0.002 lb	8.96 lb	1959	\$ 398.75
TVP-30B	30 lb x 0.005 lb	8.96 lb	2017	398.75
TVP-60B	60 lb x 0.01 lb	8.96 lb	2018	398.75

With Pole

TVP-30P	30 lb x 0.005 lb	12 lb	2020	451.25
TVP-60P	60 lb x 0.01 lb	12 lb	2021	451.25

Options

DLP-50 label printer	2.5 lb	993	361.00
----------------------	--------	-----	--------



TVP-B
Computing Scale



TVP-P
Computing Scale w/pole



VISIONTECH SHOP

DLP-300 Label Printing Scale

Price computing scale with label printer. 30 lb and 60 lb capacity. 20,000 PLU'S, 56 speed keys. 32 standard label formats and 67 custom labels. High speed thermal printer. USB and network for easy firmware updates. Multiple barcode formats. PLU editor, label editor, keypad editor. USB, Ethernet, wireless, Rs-232C. 120 VAC 50/60HZ overall 15.4"x17.3"x16.5"H. One year warranty
NTEP Legal for Trade 17-054.

Part Number	Capacity	Platform	Weight	SKU	List
DLP-300	30 lb x 0.01 lb 60 lb x 0.02 lb	14.3" x 11.1"	29 lb	2087	\$ 1,368.75

Options

DLP-50 label printer	2.5 lb	993	361.00
----------------------	--------	-----	--------



DLP-300
Label Printing Scale



Over/Under



CIM-100
Over/Under



CIM In Motion Checkweigher

Mild steel construction, epoxy paint. In-motion conveyor scale. Anti-static polyester fabric conveyor belt. Up to 200 ft. per minute belt speed. Package weight up to 200 lb. 1/2 horsepower AC fixed speed motor 230/460 VAC 3 PH, 50/60 Hz. Must add indicator. Suggest Cardinal 225 or Cardinal 825. Custom software is available. \$ 200/hr minimum (4) hours. 48"L x 24"W x 32"H

Part Number	Capacity	Weight	SKU	List
CIM-100	100 lb x 0.01 lb	200 lb	5251	\$ 15,290.00
CIM-200	200 lb x 0.02 lb	200 lb	5252	15,290.00



TLC Over/Under Scale

Weighing scale with electronic strain gauge load cell. Over/Under (Hi-Lo) function. Push button TARE. Large(5/8") liquid crystal display(LCD) can be selected to lb or kg. Over/Under mode will give an audible tone above the low set point and below the high set point weight. This means that the tone will only sound when the item on the scale platform is at the correct weight. Self contained, battery operated with (6) size "C" batteries(not included) or AC adapter 9VDC, 300ma output (included). Splash proof construction with **stainless steel** platform size 8-3/4" x 8-3/4". Overall size 9-1/2" x 12-3/8" x 3-1/4"H.

USDA Approved.

NTEP Legal for Trade 93-078 III 3,000 div.

Part Number	Capacity	Weight	SKU	List
TLC-060A	6,000 x 2g 12 x 0.005 lb	9 lb	2444	\$ 295.00

Service Parts

Adapter 120VAC to 9VDC, 200ma	1 lb	2446	97.70
-------------------------------	------	------	-------



TLC
Over/Under





A&D WEIGHING DIVISION

FS-Ki Over/Under Scale

Stainless steel construction. Three resolution levels. Large bright comparator lights. 4 function analog sweep display. 99 item data memory. Programmable Tare. Easy to read backlight LCD display. Weighing units are: lb, kg, lb-oz, oz. RS 232/comparator output option. Optional rechargeable battery. 2 year warranty.

NSF certified

Part Number	Capacity	Pan Size	Weight	SKU	List
FS-6Ki	15 x 0.005 lb	9.8" x 9.8"	24 lb	3574	\$ 1,550.00
FS-15Ki	35 x 0.01 lb	9.8" x 9.8"	24 lb	3575	1,550.00
FS-30Ki	70 x 0.02 lb	15" x 11.8"	24 lb	3576	1,805.00

Options

HC-06i Rechargeable battery pack	1 lb	6786	65.00
FS-C 21.5" Extension column (Only for FE-30Ki)	1 lb	3582	200.00
FS-01i Wall mount bracket	1 lb	3583	215.00
FS-03i RS 232C & Comparator output	1 lb	3584	170.00

Service Parts

FS-D Indicator	1 lb	4005	1,135.00
07:3008855 leveling foot for FSi	0.06 lb	4006	15.90

Load Cells

For use in

LC:156-6K	FS-6Ki	0.57 lb	3369	318.00
LC:156-15K	FS-15Ki	0.57 lb	3370	318.00
LC:156-30K	FS-30Ki	0.57 lb	3371	318.00

Service parts for old version FS-K

Load Cells

For use in

LC:FS6K	FS-6K	3 lb	1144	519.75
LC:FS15K	FS-15K	3 lb	1145	519.75
LC:FS30K	FS-30K	3 lb	1146	519.75



FS-15Ki
Over/Under



FS-30Ki
Over/Under

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



2200CW Over/Under Scale

Expansive 250 product ID database, versatile communications, powerful control options and outstanding PC support software in a simple to use, technologically advanced and extremely rugged package. Quad spring base. Heavy duty 304 stainless steel construction and NEMA 4X classification for washdown protection. 6 digit red LED. Keys for: TARE, GROSS/NET, ZERO, PRINT, UNITS, ACCUM, CLEAR, PROD ID, SET POINT, OVER, UNDER, ENTER, DECIMAL POINT, NUMERIC KEYPAD 0-9. Indicators for net, zero, batt, mot, over, under, accept. Units are lb, oz, kg, g/lb/oz. Two programmable inputs. Two configurable bidirectional RS232 serial ports. Eight digital outputs. 2 year warranty.

NTEP Legal for Trade 06-101 (Indicator)

NTEP Legal for Trade 97-097 (15" x 15")

NTEP Legal for Trade 05-062 (18" x 18", 18" x 24", 24" x 24")

Part Number	Capacity	Platform	Weight	SKU	List
14" column					
2202CW-C14	2 x 0.0005 lb	10" x 10"	21 lb	7301	\$ 1,820.00
2205CW-C14	5 x 0.001 lb	10" x 10"	21 lb	7302	1,820.00
2210CW-C14	10 x 0.002 lb	10" x 10"	21 lb	7303	1,820.00
2225CW-C14	25 x 0.005 lb	10" x 10"	21 lb	7304	1,820.00
2250CW-C14	50 x 0.01 lb	10" x 10"	21 lb	7305	1,820.00
2250CW/12-C14	50 x 0.01 lb	12" x 12"	26 lb	7306	1,930.00
22100CW/12-C14	100 x 0.02 lb	12" x 12"	26 lb	7307	1,930.00
2250CW/15-C14	50 x 0.01 lb	15" x 15"	45 lb	7308	2,250.00
22100CW/15-C14	100 x 0.02 lb	15" x 15"	45 lb	7309	2,250.00
22200CW/15-C14	200 x 0.05 lb	15" x 15"	45 lb	7310	2,250.00
20" column					
2250CW/15-C20*	50 x 0.01 lb	15" x 15"	30/41 lb	7311	2,325.00
22100CW/15-C20*	100 x 0.02 lb	15" x 15"	30/41 lb	7312	2,325.00
22200CW/15-C20*	200 x 0.05 lb	15" x 15"	30/41 lb	7313	2,325.00
22100CW/18S-C20*	100 x 0.02 lb	18" x 18"	11/67 lb	7314	2,600.00
22250CW/18S-C20*	250 x 0.05 lb	18" x 18"	11/67 lb	7315	2,600.00
22500CW/18S-C20*	500 x 0.1 lb	18" x 18"	11/67 lb	7316	2,600.00
22250CW/1824-C20*	250 x 0.05 lb	18" x 24"	30/75 lb	7317	2,820.00
22500CW/1824-C20*	500 x 0.1 lb	18" x 24"	30/75 lb	7318	2,820.00
22250CW/2424-C20*	250 x 0.05 lb	24" x 24"	30/86 lb	7319	3,180.00
22500CW/2424-C20*	500 x 0.1 lb	24" x 24"	30/86 lb	7320	3,180.00
22100CW/2424-C20*	1000 x 0.2 lb	24" x 24"	30/86 lb	7321	3,180.00

*sent in (2) boxes.

Service Parts

2200CW Digital weight indicator	6 lb	7322	910.00
SUB0869 keypad (12)screws 2200CW	1 lb	7018	120.00
SUB0663 keypad (4)screws 2200CW	1 lb	7019	240.00

Options

EXOPT118 RS232 10' cable w/ pigtails	1 lb	6100	100.00
EXOPT148 RS232 10' cable 25 pin D female	1 lb	6228	100.00
EXOPT119 RS232 10' cable 9 pin D female	1 lb	6175	100.00
EXOPT147 External DC power 12VDC	3 lb	6306	266.00
EXOPT136 Stainless steel load cell for 10" base	2 lb	6270	399.00
EXOPT137 Stainless steel load cell for 12" base	2 lb	6283	399.00
EXOPT138 Stainless steel load cell for 15" base	2 lb	6284	399.00
EXOPT115 Remote ZERO switch	1 lb	6260	120.00
EXOPT116 Remote PRINT switch	1 lb	6261	120.00
EXOPT117 Remote UNITS switch	1 lb	6262	120.00

2200CW
Over/Under



Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



4300 Excel Checkweigher Scale

Stainless steel construction. Unique "Quad Spring" base design eliminates most common load cell damage. 6 digit, 0.56" red LED. Keys are: ZERO, PRINT, UNITS, OVER, UNDER. Weighing Units are: g, lb, kg, oz, lb:oz. Indicators are: g, lb, kg, oz, over, accept, under, neg, zero, mot. 3 or 5 zone checkweighing operations. Shock and overload are protected up to 10 times capacity. Rugged touch panel resists moisture and puncture damage. RS232 bi-directional interface. 115 VAC, 50/60 Hz. 2 year warranty.

Canadian approved AM-5201 & AM-5241

NTEP Legal for Trade (indicator) 97-038

NTEP Legal for Trade (base) 97-097

Part Number	Capacity	Platform	Weight	SKU	List
4302-C14	2 x 0.0005 lb	10" x 10"	26 lb	6190	\$ 1,720.00
4305-C14	5 x 0.001 lb	10" x 10"	26 lb	3680	1,720.00
4310-C14	10 x 0.002 lb	10" x 10"	26 lb	3681	1,720.00
4325-C14	25 x 0.005 lb	10" x 10"	26 lb	3682	1,720.00
4350-C14	50 x 0.01 lb	10" x 10"	26 lb	3683	1,720.00
4350/12S-C14	50 x 0.01 lb	12" x 12"	30 lb	3684	1,830.00
43100/12S-C14	100 x 0.02 lb	12" x 12"	30 lb	3685	1,830.00
4350/15-C14	50 x 0.01 lb	15" x 15"	45 lb	5412	2,150.00
43100/15-C14	100 x 0.02 lb	15" x 15"	45 lb	5413	2,150.00
43200/15-C14	200 x 0.05 lb	15" x 15"	45 lb	5414	2,150.00

Options

EXOPT118 RS232 Serial Data Output w/ 4 wire shielded cable, 10 ft, pigtail ends	1 lb	6100	100.00
EXOPT119 RS232 Serial Data Output w/ 4 wire shielded cable, 10 ft, 9 pin female D connector	1 lb	6175	100.00
EXOPT148 RS232 Serial Data Output w/ 4 wire shielded cable, 10 ft, 25 pin female connector	1 lb	6228	100.00
EXOPT115 Remote switch for ZERO, non washdown	1 lb	6260	120.00
EXOPT116 Remote switch for PRINT, non washdown	1 lb	6261	120.00
EXOPT117 Remote switch for UNITS, non washdown	1 lb	6262	120.00
EXOPT136 Stainless steel load cell for 10" x 10" base	2 lb	6270	399.00
EXOPT137 Stainless steel load cell for 12" x 12" base	2 lb	6283	399.00
EXOPT138 Stainless steel load cell for 15" x 15" base	2 lb	6284	399.00
EXOPT147 External DC power (12VDC)	3 lb	6306	266.00

Service parts

4300M Digital Weight Indicator only	9 lb	6216	810.00
SUB0438 gasket set(4) holes	1 lb	6263	41.50
SUB0847 gasket set(12) holes	1 lb	6264	41.50
SUB0823 footswitch w/quick disconnect	1 lb	6227	242.85



4300 Checkweigher
Over/Under



Over/Under



TCM2 Series
Counting Scale



Optional Printer

Optional second Base

TCM2 Counting Scale

Your perfect solution for your everyday high accuracy counting. The TCM2 is a single platform counting scale and includes a free connection for a second platform. The second platform can be added at any time and have either a larger or smaller capacity. This is important if you are counting large amounts such as on a pallet which cannot be placed on the main platter. Large 0.7" LCD blue back lighted display. TCM2 has 256 items memory locations for individual piece weight, tare weight and units (lb or kg). Three displays for WEIGHT, PIECE WEIGHT, COUNT. Front panel audible and tactile feedback keys for: ON/OFF, 0-9 KEYPAD, NET/GROSS, SCALE 1-2, UNIT, PCS, PcWt, ST.UTP, RC.UTP, PRINT, TARE, CLEAR, ENTER, EXIT. Annunciators for: Zero, Stable, Tare, Gross, Net, Print, Kg, Lb, Scale, 1-2, CHG, AC. Stainless steel platter 9" x 13" with spill guard. Front bubble level and adjustable rubber feet for easy leveling. Rechargeable battery included. Battery operating time is 60 hours. Time and date, RS232 output. 110 VAC power supply.

Part Number	Capacity	Pan	Weight	SKU	List
TCM2-15	15 x 0.0005 lb	9" x 13"	14 lb	5902	\$ 448.00
TCM2-30	30 x 0.001 lb	9" x 13"	14 lb	5903	448.00
TCM2-60	60 x 0.002 lb	9" x 13"	14 lb	5904	448.00

Service Parts

Keypad board for TCM2	1 lb	4375	107.00
Keypad overlay for TCM2	1 lb	4376	47.60
Display board for TCM2	1 lb	4422	142.00
Display overlay for TCM2	1 lb	4423	41.70
Main board for TCM2	1 lb	4432	261.00
AC adapter 12 VDC/600mA For TCM2	1 lb	4433	57.00
Battery lead acid	4 lb	6114	35.09
Stainless steel platter for TCM2	3 lb	4439	97.30
Plastic platter for TCM2	2 lb	4440	50.00
Leveling foot, each set of (4) for TCM2	1 lb	4518	17.40



A&D WEIGHING DIVISION

Counting

HCi Counting Scale

Simple and easy operation with high performance counting function. Keys are: ON OFF, ZERO, KEYBOARD TARE, TARE, ID, KEYBOARD, SAMPLE, STORE UNIT WEIGHT, ENTER, PRINT, TOTAL, M+, *, RESET, 0-9, C. 7 segment LCD. Navigation system with LED for easy and simple operation. Up to 99 unit weights ID memory function. Auto power OFF function. Automatic Counting Accuracy Improvement (ACAI). Audible Weighing Assist (AWA) beeping function. Detachable display unit. Comparator function with "HI", "OK", "LO" display. Accumulation function. Universal Flex Coms function. Full digital calibration function. 120 VAC AC adapter. Platform size 11.8" x 8.3". Overall size 12.4"W x 13"D x 5"H.

Part Number	Capacity	Weight	SKU	List
HC-3KA	6 x 0.001 lb	11 lb	3212	\$ 560.00
HC-3Ki	6 x 0.001 lb	11 lb	6780	930.00
HC-6Ki	15 x 0.002 lb	11 lb	6781	930.00
HC-15Ki	30 x 0.005 lb	11 lb	6782	930.00
HC-12KA	30 x 0.005 lb	11 lb	3214	560.00
HC-30Ki	60 x 0.01 lb	11 lb	6783	930.00

Options

HC-03i RS 232C	1 lb	6784	105.00
HC-04i RS 232C Relay output	1 lb	6785	130.00
HC-06i Rechargeable Battery Pack	1 lb	6786	65.00
HC-08i Extension cable	1 lb	6787	80.00

Service Parts

07:1000409 platform support HCi	1 lb	6742	23.32
07:4011266A adjustable foot	0.05 lb	2986	10.60



HC-6Ki
Counting Scale

Counting



A&D WEIGHING DIVISION

HD Counting Scale

High performance, affordable, great features. A version is for simple operation w/one LCD display. B version has 10-key pad for entry of tare weight, piece weight and sample size w/three LCD displays for WEIGHT, UNIT-WEIGHT, COUNT. Key functions are /TOTAL, SAMPLE, ENTER/M+PRT, MODE/RESET, ZERO, TARE. Counting resolution 1/240,000 max count 120,000. Automatic Counting Accuracy Improvement. Optional rechargeable battery pack. Standard with 120 VAC AC adapter and (6) 'C' batteries. Platform size 8.5" x 11.57"(HC), 11.81" x 14.96"(HD). Overall size is 12.6" x 13" x 4.65"H(HC), 16.18" x 18.5" x 4.72"H(HD).

Part Number	Capacity	Weight	SKU	List
Detachable display head				
HD-12KA	30 x 0.005 lb	26 lb	3221	\$ 1,350.00
HD-30KA	60 x 0.01 lb	26 lb	3222	1,350.00
HD-60KA	120 x 0.02 lb	26 lb	3223	1,350.00
HD-12KB w/keypad	30 x 0.005 lb	26 lb	3224	1,515.00
HD-30KB w/keypad	60 x 0.01 lb	26 lb	3225	1,500.00
HD-60KB w/keypad	120 x 0.02 lb	26 lb	3226	1,500.00

Options

HD-03 RS232 output for HD Series	1 lb	3227	159.00
HD-04 Comparator output for HD Series	1 lb	3228	235.00
HD-05 20ma current loop output for HD Series	1 lb	3229	160.00
HD-06 Carrying handle for HD Series	2 lb	3230	120.00

Service Parts

TB:662 AC adapter 120VAC	1 lb	1305	50.00
TB:164 AC adapter 220VAC	1 lb	4612	75.00



HD-12KA
Counting Scale

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION



FCi
Counting Scale

FCi Counting Scale

High resolution: FC-Si has 1/5,000,000 internal and 1/20,000 display. FC-i has, 1/1,000,000 internal and 1/10,000 display. Four bright easy to read fluorescent displays for weight, average piece weight, piece count, item code, tare weight and accumulator. Durability for use in industrial environments. 500 Memories (with 6 digit ID) for unit weights, tare weights, alphanumeric names/codes (12 digits), accumulators & comparator limits. Standard RS232 interface with optional 2nd and 3rd RS232. Optional remote scale connector. Optional NiMH battery packs runs for up to 10 hours between charges. 120VAC. 12.5"W x 17"D x 3.66"H

Part Number	Capacity	Pan	Weight	SKU	List
FC-500Si	1 x 0.00005 lb	5" x 5"	19 lb	6129	\$ 2,315.00
FC-5000Si	10 x 0.0005 lb	6.5" x 6.5"	19 lb	6130	2,315.00
FC-500i	1 x 0.0001 lb	6" x 8"	19 lb	6523	1,680.00
FC-1000i	2 x 0.0002 lb	6" x 8"	19 lb	6524	1,680.00
FC-2000i	5 x 0.0005 lb	11" x 11.8"	19 lb	6525	1,680.00
FC-5000i	10 x 0.001 lb	11" x 11.8"	19 lb	6131	1,680.00
FC-10Ki	20 x 0.002 lb	11" x 11.8"	19 lb	6132	1,680.00
FC-20Ki	50 x 0.005 lb	11" x 11.8"	19 lb	6133	1,680.00
FC-50Ki	100 x 0.01 lb	11" x 11.8"	21 lb	6134	1,680.00

Options

FC-02i Rechargeable NiMH battery pack for FCi	5 lb	6135	545.00
FC-03i Second & third RS232 for FCi	1 lb	6136	310.00
FC-04i RS232/Comparator/relays/Buzzer for FCi Can install either FC-03i or FC-04i	1 lb	6137	360.00
FC-05i Remote scale connection for FCi	1 lb	6138	200.00
CC:110 Carrying & storage case for FCi	5 lb	6526	165.00

Service parts

08:200776A keysheet	1 lb	6140	31.80
PZ:3822A display board	1 lb	6078	610.56
07:3005802A display filter	1 lb	6079	14.84
TB:636 Adapter 120VAC	2 lb	1304	50.00
TB:137 Adapter 220VAC	1 lb	3001	75.00




CCT Counting Scale

Ideal for use in warehouses, manufacturing processes, and production facilities, the CCT bench counting scale is practical for any counting application. Quickly check the number of pieces in a carton or container, helps reduce waste when filling orders or packaging shipments. Optional USB interface simplifies data communication. Rechargeable battery included for operation almost everywhere. Programmable auto power-off to save energy. Parts counting optimization automatically refines piece weight as parts are added. Built in memory for storing products and settings. Intuitive software is user-friendly and keeps track of the count, automatically optimizing the unit weight for greater accuracy. The programmable backlit display can be customized to be "always on", "always off" or to light only weighing. Platform 8.3" x 11.8".

Part Number	Capacity	Nominal	Weight	SKU	List
CCT 4	8 x 0.0002 lb	4 kg x 0.1 g	11 lb	2506	\$ 755.00
CCT 8	16 x 0.0005 lb	8 kg x 0.2 g	11 lb	2507	755.00
CCT 16	35 x 0.001 lb	16 kg x 0.5 g	11 lb	2508	755.00
CCT 32	70 x 0.002 lb	32 kg x 1 g	11 lb	2509	755.00
CCT 48	100 x 0.005 lb	48 kg x 2 g	11 lb	2510	755.00

Ultra High Resolution

CCT 8UH	16 x 0.0001 lb	8 kg x 0.05 g	11 lb	2511	910.00
CCT 16UH	35 x 0.0002 lb	16 kg x 0.1 g	11 lb	2512	910.00
CCT 32UH	70 x 0.0005 lb	32 kg x 0.2 g	11 lb	2513	910.00
CCT 48UH	100 x 0.001 lb	48 kg x 0.5 g	11 lb	2514	910.00



CCT
Counting Scale

Counting



GFC Floor Counting Scale

GFC counting scales simplify complex counting applications involving heavier loads. The GFC indicator can be mounted on the enclosed pillar or used on the bench depending on your viewing needs. Splash proof keypad, backlit 3 x 6 inch LCD. Keys for: SAMPLE, MEMORY PLUS, UNIT/WEIGHT/UNIT, PST/ZERO, ON, OFF. Auto calibration through keypad, overload indicator, preset count with alarm, low battery indicator, auto power off. Platform size 15.7" x 19.7". Overall size 16" x 24" x 34". 9 VDC rechargeable battery, 70 hours of operation. 120VAC Power supply adapter supplied as standard. Two year warranty.

Part Number	Capacity	Weight	SKU	List
GFC165a	165 lb x 0.01 lb	34 lb	6965	\$ 1,280.00
GFC330a	330 lb x 0.02 lb	34 lb	6966	1,280.00
GFC660a	660 lb x 0.05 lb	34 lb	6967	1,440.00

Service Parts

302409160 adapter 120 VAC	1 lb	252	53.33
---------------------------	------	-----	-------



GFC Series
Floor Counting Scale

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

Counting



SC10P
Counting Scale



SC Counting Scale

Counting scale with precise 5 digit unit weight calculation. 1,000 items of unit weight memory. Kilogram/pound conversion. Built in count comparator. Bright and easy to read green fluorescent displays for Weight, Unit Weight and Count. Three methods for entry of piece weight; with the keyboard, by weighing the actual sample or with internal memory and tare values. High internal counting resolution 1/100,000. Count comparator function. Count add up function. Keys for ENTRY, SAMPLE, CALL, STORE, M+, TOTAL, ZERO, TARE, g/lb, MODE, SET, PRINT, and 0-9 numeric. Platform size 14.6" x 11". Overall size is 15.3" x 14.4" x 5.9"H. 120 VAC, 10 watt.

Part Number	Capacity	Weight	SKU	List
SC-05P	10 lb x 0.002 lb	19 lb	2632	\$ 567.00
SC-10P	25 lb x 0.005 lb	19 lb	2633	567.00
SC-25P	50 lb x 0.01 lb	19 lb	2634	567.00

Service Parts

KSC2 keypad SC series, bottom cable, old version	0.27 lb	2642	57.14
KSC1 keypad SC series, top cable, new version	0.27 lb	2643	57.14



EC Counting Scale

Counting scale with accurate count and high resolution. Easy to read LCD display and blue backlight. Soft tact keyboard. Function keys for ON/OFF. Units of measure displays kg, g, or lb. 100 unit weight memory and accumulation functions. RS232C interface. Rechargeable battery with 80 hours continuous use, 12 hour recharge time. AC adapter included. Platter size 12"W x 8.74"D. Overall size 13"W x 13.6"D x 4.2"H

Part Number	Capacity	Weight	SKU	List
EC-6	6 x 0.0002 lb	12 lb	7441	\$ 395.00

Options

YEC1 adapter 12VDC 800 ma must be programmed for EC	1 lb	7476	33.00
--	------	------	-------



EC Series
Counting Scale



EC2 Counting Scale Dual Channel

Designed with CAS reliability, the EC-2 Series Counting Scale stands alone its field. High accuracy and simple to use. Optional label or receipt printer. Great for use in manufacturing, parts shops, hardware stores, etc. Easily Connects Second Platform to Expand Capacity. Save Up to 200 Presets. Up to 4 External Devices can be used simultaneously. Lb/kg or Lb/g Switchable

Part Number	Capacity	Weight	SKU	List
EC2-6	6 x 0.0002 lb	10 lb	297	\$ 519.00
EC2-15	15 x 0.0005 lb	10 lb	298	519.00
EC2-30	30 x 0.001 lb	10 lb	299	519.00
EC2-60	60 x 0.002 lb	10 lb	300	519.00



EC-2 Series

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



7600 Counting Scale

Heavy duty cast construction. Full numeric keyboard for entry of Tare weight, 6 digit ID, Sample quantity and Average piece weight. Easy one button counting. Auto sample update for improved accuracy. 1 part in 1 million internal resolution. Bright green LED display with time and date. Weight is displayed in two different units of measure and count. Keys for ZERO, SAMPLE SET, GROSS/NETT, TARE, PIECE WEIGHT, KEYPAD TARE, 0-9 KEYPAD, BASE, UNITS, PRINT, CLEAR, %, CHECK, ON/OFF, ENT. RS232 base for larger or smaller loads. Optional battery for portable operation. 120VAC, 15.5"W x 14"D x 5.25"H. NTEP Legal for Trade 91-149

Part Number	Capacity	Pan	Weight	SKU	List
7600-2	2 x 0.0002 lb	8" x 8"	17 lb	6554	\$ 1,315.00
7600-5	5 x 0.0005 lb	8" x 8"	17 lb	6555	1,315.00
7600-10	10 x 0.001 lb	12" x 14"	17 lb	6556	1,315.00
7600-20	20 x 0.002 lb	12" x 14"	17 lb	6557	1,315.00
7600-50	50 x 0.005 lb	12" x 14"	17 lb	6558	1,315.00
7600-100	100 x 0.01 lb	12" x 14"	17 lb	6559	1,315.00
7600-150	150 x 0.02 lb	12" x 14"	17 lb	6560	1,315.00
7600-200	200 x 0.02 lb	12" x 14"	17 lb	6561	1,315.00

Options

57834 Remote base option Dual scale counting	1 lb	6562	275.00
48445 Base connector kit*	1 lb	6581	33.00

Service Parts

57520 12VDC Battery pack	4 lb	6553	105.00
57512-3 display board	1 lb	6659	154.00

*Needed w/ Remote base option when connecting to a base that is not a PA model.



7600
Counting Scale

Counting



7500 Counting Scale

Easy one button counting. Auto sample update for improved accuracy. 1 prt in 1 million internal resolution. Bright green LED display Weight is displayed in two different units of measure and count. Keys for: ZERO, SAMPLE SET, UNITS, PRINT. Optional battery for portable operation. RS232 bidirectional interface for printers, data collection or manifest systems. 120VAC, 15.5"W x 14"D x 5.25"H. NTEP Legal for Trade 91-149

Part Number	Capacity	Pan	Weight	SKU	List
7500-2	2 x 0.0002 lb	8" x 8"	17 lb	6543	\$ 1,215.00
7500-5	5 x 0.0005 lb	8" x 8"	17 lb	6544	1,215.00
7500-10	10 x 0.001 lb	12" x 14"	17 lb	6545	1,215.00
7500-20	20 x 0.002 lb	12" x 14"	17 lb	6546	1,215.00
7500-50	50 x 0.005 lb	12" x 14"	17 lb	6547	1,215.00
7500-100	100 x 0.01 lb	12" x 14"	17 lb	6548	1,215.00
7500-150	150 x 0.02 lb	12" x 14"	17 lb	6549	1,215.00
7500-200	200 x 0.02 lb	12" x 14"	17 lb	6550	1,215.00

Service Parts

57520 12VDC Battery pack	4 lb	6553	105.00
57512-3 display board	1 lb	6659	154.00



7500
Counting Scale

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



Ranger 3000 Counting Scale

ABS housing, **stainless steel** platform, numeric keypad, upfront level indicator, 30 item library. Weighing modes: weighing and parts counting with auto optimization. 3 color LED checkweighing lights, Accumulation, 120VAC power or rechargeable battery(included) 210 hour. RS232 output, auto print setting, auto shut-off.



Ranger 3000

Part Number	Capacity	Pan	Weight	SKU	List
RC31P1502	3 x 0.0001 lb	8.9" x 11.8"	12 lb	8011	\$ 1,281.00
RC31P3	6 x 0.0002 lb	8.9" x 11.8"	12 lb	8012	1,281.00
RC31P6	15 x 0.0005 lb	8.9" x 11.8"	12 lb	8013	1,281.00
RC31P15	30 x 0.001 lb	8.9" x 11.8"	12 lb	8014	1,281.00
RC31P30	60 x 0.002 lb	8.9" x 11.8"	12 lb	8015	1,281.00

Options

30037446 PCBA kit, Second Platform	1 lb	3010	245.00
30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30037449 USB kit	1 lb	3819	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80500525 cable RS232 IBM 9 pin male to female	1 lb	3047	304.00
80850080 WinWedge software	1 lb	2436	837.00



Ranger 4000 Counting Scale

Sturdy cast aluminum housing for tough industrial weighing. 1,500,000 internal count, 30 item library. Weighing modes: weighing, part counting with optimization, check weighing and accumulation. LCD display, 3 color check weighing LEDS. 120 VAC power or rechargeable battery (included). RS232 output, **stainless steel** platform, up front level indicator, adjustable leveling feet, auto-print settings. Indicators for: stability, overload, underload and low battery. Auto tare, Auto shut-off.

Part Number	Capacity	Pan	Weight	SKU	List
RC41M3	6 x 0.0002 lb	8.9" x 11.8"	16 lb	8007	\$ 1,543.00
RC41M6	15 x 0.0005 lb	8.9" x 11.8"	16 lb	8008	1,543.00
RC41M15	30 x 0.001 lb	8.9" x 11.8"	16 lb	8009	1,543.00
RC41M30	60 x 0.002 lb	8.9" x 11.8"	16 lb	8010	1,543.00

Options

30037446 PCBA kit Second Platform	1 lb	3010	245.00
30037447 Ethernet kit	1 lb	7968	245.00
30037448 RS232 kit	1 lb	7969	245.00
30037449 USB kit	1 lb	3819	245.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
80850080 WinWedge software	1 lb	2436	837.00



Range 4000

Counting



**C-30
Counting Scale**



C Counting Scale

1/300,000 resolution. Portable, with built-in battery pack. Includes second scale input port for remote base. Sleep mode for extended battery life. Preset count and weight limits, LCD display with backlight. 0.75" high. Units: lb, kg. 15,000 weight divisions. Color-coded key pad and vinyl dust cover. Memory accumulators, weight and piece weight up to 5 digits, count up to 6 digits. 115 VAC 50/60Hz, 11.75"W x 12.63"D x 4.25".

Part Number	Capacity	Platform	Weight	SKU	List
C30	30 x 0.002 lb	8.25" x 11.38"	13 lb	5245	\$ 640.00
C65	65 x 0.005 lb	8.25" x 11.38"	13 lb	5246	640.00
C100	100 x 0.01 lb	8.25" x 11.38"	13 lb	5243	640.00

Service Parts

6540-1123 Foot leveling 3/8-16x1-1/4"	0.07 lb	5250	24.00
---------------------------------------	---------	------	-------



Supercount

Service parts only for supercount

Part Number	Weight	SKU	List
Service Parts			
404611 keypad, SC	1 lb	6056	\$ 927.84
409250-02 keypad, Supercount II	1 lb	6081	467.80



TBS-300 w/ 24" x 24" base
Baggage Scale



Baggage Scale Kit

This baggage scale indicator kit consists of

- (2) Remote digital weight displays, panel mountable.
- (1) Electronic control unit, high impact plastic, contains power supply and A/D.
- (2) Switches for LB/KG and ZERO/ON/OFF for remote mounting, includes cables for switches.

The remote displays have 0.56" high LEDs, bezels for panel mounting, and 10 ft of heavy duty data cable that connects to the control unit. The indicator kit is factory set up for use with a 300kg 2mv/v load cell. The scale base offered below is set up for the indicator kit.



TBS Indicator

Part Number	Capacity	Weight	SKU	List
TBS-300 Indicator kit	300 x 0.5 lb	10 lb	537	\$ 819.00

Bases Select the base below for use with the indicator kit above

24" x 24" Platform x 5.25" High

TPB-2424-500-SS	500 lb	120 lb	3947	1,905.00
-----------------	--------	--------	------	----------

Baggage



64 Baggage scale
24"x24" base
Displays for both agent
and passenger



64 Baggage Scale

This baggage scale consists of
 (1) 24" x 24" x 5"H Stainless steel platform with black painted steel base.
 (2) Digital weight displays, panel mounted, with 10' cable each.
 Agent display is weight readout and pushbuttons for ZERO, LB/KG, and PRINT.
 Passenger display is weight readout only.

Both displays have 0.56" high LEDs, stainless steel bezels for panel mounting, and 10 ft of heavy duty data cable that connects to the scale base. Bezels are 7.25"W x 5.25"H and have (4) mounting holes. Cutout necessary is 5.75"W x 3.5"H. RS232 interface using DB-9 connector. 110VAC 50/60 Hz. Two year warranty.

NTEP Legal for Trade 98-013

Part Number	Capacity	Weight	SKU	List
64-2424 Baggage scale	500 x 0.1 lb	90 lb	3298	\$ 2,445.00

Service Parts

57409-8 Overlay w/button for 64		1 lb	2688	50.00
49737-6 Level foot 2" dia x 1/2-20		1 lb	310	32.00



DBS Baggage Indicator

Stainless steel face plate. Outstanding durability and reliability. 6 digit, 0.56" high red LED display. Damage to the electronics from electrostatic discharge generated by the dry airport environment is prevented through advanced electronics design, backed up with extensive testing and decades of field proven reliability. Baggage weight is easily read from up to 20 ft on the large and bright LED display. When baggage is placed on the scale base, the displayed weight quickly stabilizes on the main and remote display to support fast passenger check in. The entire scale electronics is contained in the panel mount Main Display. No additional electronics control box to install inside the counter. Simply install the Main and Remote Displays into counter cutouts and connect the foolproof, keyed and locking cables through the counter, strain reliefs ensure that once the cables are connected, they stay connected. For use with scale base ordered separately. Load cell in base should be 2 or 3 mv/v output. Keys for: ZERO (ON/OFF), UNITS. Units are lb or kg. Indicators for: lb, kg, NEG, ZERO, MOT. Bi-directional RS-232. Panel mount display cut out size is 6.5" x 3.3" x 1.75" deep. 115 VAC 60Hz wall mount transformer. UL/ULc (230 VAC optional). 1 year parts and labor. NTEP Legal for Trade 05-061

Part Number	Capacity	Weight	SKU	List
DS100BMR Indicator Baggage Kit	300 x 0.5 lb	8 lb	302	\$ 600.00

Service Parts

PCA0325 main board for DS100		1 lb	117	256.00
SWI0147 touch panel DS100-BM main		0.03 lb	3796	71.42
SWI0148 touch panel DS100-BR remote		0.03 lb	3779	71.42



DS100
Baggage Indicator
Main display



DS100
Baggage Indicator
Remote display

Select one base for use with indicator kit above.



DMS Series Mild Steel Scale Bases

Heavy gauge steel construction. All square tube construction. Seven overload stops provide 250% protection shielding the load cell from damaging shock. Royal blue Epoxy paint. Four adjustable feet and a bubble level to allow precise leveling in your work area. Two year warranty. NTEP Legal for Trade 05-062

Part Number	Capacity	Load Cell	Weight	SKU	List
24 x 24 Platform x 5.25" high					
DMS5250	250 lb	1260-150kg	83 lb	6861	\$ 1,150.00
DMS5500	500 lb	1260-300kg	83 lb	6862	1,150.00
DMS51000	1000 lb	1260-500kg	83 lb	6863	1,150.00



DMS Series
Mild Steel Scale Bases





**Hazardous
Floor Base**

Hazardous

Hazardous Floor Base

High performance powder coated heavy duty floor scale for hazardous environment. Already configured with FM Approved summing box, load cells and hazardous home run cable. Standard features include: Top access FM Approved signal trim junction box. 20ft blue jacket hostile environment load cell cable. 4 NTEP FM Approved alloy steel shear beam load cells. Heavy powder coated diamond safety deck. 4 adjustable mild steel foot. Threaded eye bolt holes for easy lifting. Top holes for easy leveling.
NTEP Legal for Trade 16-016

Part Number	Weight	SKU	List
T3x3-2.5K	240 lb	8142	\$ 1,956.57
T3x3-5K	240 lb	8143	1,956.57
T3x3-10K	245 lb	8144	2,315.94
T3x4-2.5K	280 lb	8145	2,077.57
T3x4-5K	280 lb	8146	2,077.57
T3x4-10K	285 lb	8147	2,495.02
T4x4-2.5K	370 lb	8148	2,107.82
T4x4-5K	370 lb	8149	2,107.82
T4x4-10K	375 lb	8150	2,647.48
T4x5-2.5K	430 lb	8151	2,284.48
T4x5-5K	430 lb	8152	2,284.48
T4x5-10K	435 lb	8153	2,824.14
T5x5-2.5K	540 lb	8154	2,377.65
T5x5-5K	540 lb	8155	2,377.65
T5x5-10K	545 lb	8156	3,062.51

Service Parts

(1) FM J Box & (20)ft FM cable blue	1 lb	7114	272.00
Both items shipped in same box			



HW-CEP



A&D WEIGHING DIVISION

HW-CEP Intrinsically Safe For Hazardous Enviroments

Bench Scale for use in hazardous locaions that required intrinsically safe equipment. Certified safe for use in FM class 1, Division 1, groups C+D hazardous areas. Stainless steel weighing pan. resists chemicals., scratches and rust. IP65 base is easy to clean. Long battery life with (4) D approval batteries. Indicator for weight, stable,net, zero, PT, hold, MT. keys for: SET, HOLD, COMP, MT, MODE, ON/OFF, Zero, TARE, 0-9, C, ENTER. Overall 9.84" x 17.28" x 15.53" H on hw-10kCEP
12.89" x 23.03" x 30.55" H on HW-60kCEP. 15.35" x 27.2" x 30.55" H on HW-100kCEP and HW-200kCEP.

Part Number	Capacity	Pan	Weight	SKU	List
HW-10KCEP	20 x 0.002 lb	9.8" x 9.8"	18 lb	1464	\$ 2,725.00
HW-60KCEP	150 x 0.002 lb	13" x 16.7"	27 lb	1465	3,065.00
HW-100KCEP	200 x 0.02 lb	15.4" x 20.9"	40 lb	1466	3,545.00
HW-200KCEP	500 x 0.05 lb	15.4" x 20.9"	40 lb	1467	3,815.00



PS500 Animal Scale

All stainless steel construction. Rubber slip mat included with each unit. Animals enjoy the slip free surface and are weighed easily. Compact, light weight, accurate and reliable. Weighing modes: lbs, kg. 0.675" 7 segment LCD display. Hold feature, internal rechargeable batteries, auto power shut off. 8 hours continuous use with full charge. A display bracket is included for desk or wall mounting of indicator. 7VDC NI-MH battery, 15VDC 300mA AC adapter included. Indicator 6.5"W x 1.2"D x 3.2"H

Part Number	Capacity	Platform	Weight	SKU	List
PS500-22S	550 x 0.2 lb	22" x 22" x 2"	35 lb	3414	\$ 727.00
PS500-36S	550 x 0.2 lb	22" x 36" x 2"	55 lb	3415	785.00
PS500-42S	550 x 0.2 lb	22" x 42" x 2"	65 lb	3416	848.00

Service Parts

AWT05-501533 adapter 9V	1 lb	3409	60.19
-------------------------	------	------	-------



**PS500-22S
Animal Scale**



TM901 Animal Scale

Veterinary animal scale. Powder coated steel base with stainless steel removable platform cover. 2' large LCD display with blue back light. Rubber mat included for non-slip weighing surface. Compact with handle and transportation wheels. Easy to level with adjustable rubber feet. 300 lb/150 kg capacity. Weighing units: lb, kg, oz. Function keys: Hold, Tare, Zero, ON/Off. Hold function will take measurement even if the animal is moving on the platform. Indicator has ABS enclosure with quick disconnect for load cell and AC adapter. 6' cable from indicator to base. Built in rechargeable battery with 30 hours running time without backlight. Low battery symbol on display will remind you to recharge indicator. Desk or wall mountable. 1 year warranty.

Part Number	Capacity	Platform	Weight	SKU	List
TM901-150	150kg x 50g	38" x 20" x 2"	64.7 lb	4924	\$ 703.01

Service Parts

111700067 indicator bracket TM901	2 lb	4920	31.46
111800245 rubber mat 38"x20" TM901	2 lb	4847	107.21



**TM901
Animal Scale
W/ Rubber Mat**



TM902 Animal Scale

Light weight, easy to use small animal Veterinary scale. 0.75" LCD display with blue back light. Keys for Tare, Zero, Hold, On/Off. Unit is changeable between kg/lb by pressing the "O" button and holding for 2 seconds. Hold feature for animal weighing while the animal is on the weighing pan the indicator will hold the weight even if the animal is moving on the platform. Stainless steel removable platter. Adjustable feet with front bubble level. Coil cord between indicator and base is 10' in length. In-use cover included. Powered by internal rechargeable battery. AC adapter for charging included.

Part Number	Capacity	Platform	Weight	SKU	List
TM902	30 x 0.01 kg	12" x 10"	11 lb	3960	\$ 302.50



**TM902
Animal Scale**

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A520BT
Body fat

VISIONTECH
SHOP

A520BT Vision Tech Body Fat

Body fat scale 396 lb capacity. 12" x 12" with large LED display. Bluetooth connection to your smart phone. Weight units: lb or kg. Measurements are body weight, BMI(Body mass index), Body Fat, water Skeletal Muscle, Bone Mass, Protein, Calorie and Body age. (4) AAA batteries included. Auto turn on with sense technology. Auto off after 30 seconds at Zero or 35 seconds after weighing data is removed. One year Warranty.

Part Number	Capacity	Platform	Weight	SKU	List
A520BT	396 x 0.2 lb 180kg x 0.1kg	12" x 12 x 1"	5 lb	6090	\$ 73.75

VISIONTECH
SHOP

520B Vision Tech Bath

Bath scale 396 lb capacity. 12" x 12" with large LED display. Bluetooth connection to your smart phone. Weight units: lb or kg. (4) AAA batteries included. Auto turn on with sense technology. Auto off after 30 seconds at Zero or 35 seconds after weighing data is removed. One year Warranty.

Part Number	Capacity	Platform	Weight	SKU	List
520BW White	396 x 0.2 lb 180kg x 0.1kg	12" x 12 x 1"	4 lb	6266	\$ 60.00
520BP Pink	396 x 0.2 lb 180kg x 0.1kg	12" x 12 x 1"	4 lb	6267	60.00



520BP Bath



TM301 Personal Body Scale

Digital scale with 550 lb maximum capacity. Resolution of 0.1 lbs is best in class. LCD weight display with blue LED backlight. LCD BMI bar graph for Slim; Normal; Fat. Height rod with dual measurements, inches and mm's. Indicator has 7 function keys Tare, Zero, Unit, Print, BMI, Lock (hold function), on/off. Platform size 14" x 14" with bubble level for easy adjustment. Painted white steel construction can be assembled in minutes with included Allen wrenches. ABS indicator with rechargeable battery pack 2000mAh Ni-MH and 12VDC, 500mA adapter is included.

Part Number	Capacity	Weight	SKU	List
TM301 Body scale	550 x 0.1 lb	34 lb	6325	\$ 719.95

Service Parts

Ni-MH battery pack	2 lb	4844	55.64
AC adapter 100-240VAC to 12VDC	1 lb	6362	34.84
Indicator for TM301	1 lb	6327	172.00



TM301
Personal Body Scale

Health



TM302 Precision Health Scale

Painted steel construction. Foot switch for ON/OFF, UNIT in LBS. ABS indicator has LCD display with blue backlight. Bubble level and adjustable feet makes it easy to level in seconds. Platform is 3.1" high. AC adapter 110VAC to 12VDC and 2000mAh Ni-MH battery included.

Part Number	Capacity	Platform	Weight	SKU	List
TM302	500 x 0.2 lb	14.5" x 14.5"	22 lb	4820	\$ 450.12

Service Parts

TB-M10-SPB-SS foot M10, 2 1/8" dia	1 lb	7673	6.88
Ni-MH battery pack	2 lb	4844	55.64
AC adapter 100-240VAC to 12VDC	1 lb	6362	34.84



TM302
Precision Health Scale



**TM101
Baby Scale**

TM101 Baby Scale

Light weight, digital scale with unique feeding function for weighing before and after baby feeding. Dual capacity 13/33 lbs x 0.005/0.01 lbs. LCD weight display with blue LED backlight. Units of measure lbs/kg. Horizontal measuring rod with dual measurements, inches and mm's. Indicator has 7 function keys Tare, Zero, Unit, Lock (hold function), on/off and two dedicated keys for before and after feeding. Pan size 23.5"L x 9"W. Bubble level for easy adjustment. ABS indicator with rechargeable battery pack; 2000mAh Ni-MH and 12VDC, 500mA. Adapter included.

Part Number	Capacity	Weight	SKU	List
TM101 Baby scale	33 x 0.01 lb	15 lb	6299	\$ 441.65

Service Parts

Ni-MH battery pack	2 lb	4844	55.64
--------------------	------	------	-------



**MBS-2010
Baby Scale**

MBS Baby Scale

Low profile design for maximum weighing security. Auto dampening feature ensures accurate readings even when baby is moving. Water resistant construction. Large easy to read wide angle 1" LCD display. Keys for ON/OFF, KG/LB, HOLD. Auto power saving function. Low battery indication. (1) 9V battery (not included) or 120V adapter (included). Base unit 10.8" x 9.8" x 3.4"H. Overall height 6.9"H.

Part Number	Capacity	Tray	Weight	SKU	List
MBSCU2 baby	44 lb x 0.5 oz 20 kg x 10 g	20.5" x 11.75"	9 lb	6017	\$ 84.00



TM501 Portable Wheelchair scale

Painted steel frame with bolted ABS high strength plastic chair. ABS indicator with LCD display. 7 function keys for ON/OFF, ZERO, TARE, BMI, F, UNITS, LB/KG selectable. Body Mass Index (BMI) function with bar graph, just press BMI and enter patient height and weight, display will show BMI value on LCD screen. Arm rests and handles are standard material made for all wheelchair scales. Foldable foot rest, transport wheels (4), back wheels with brakes. Removable cushion and storage bag included. AC adapter 110VAC to 12VDC and 1800mAh Ni-MH rechargeable battery included.

Part Number	Capacity	Weight	SKU	List
TM501	550 x 0.1 lb	92 lb	4826	\$ 1,161.60

Service Parts

Ni-MH battery pack	2 lb	4844	55.64
130504300006 indicator M101	4 lb	4842	248.05



TM501
Portable
Wheelchair Scale



TM501
Portable
Wheelchair Scale
w/ Indicator



**6550
Portable
Wheelchair Scale**

6550 Portable Wheelchair Scale

Lightweight digital foldup scale for heavyweight tasks. Used for wheelchairs, straight legged chairs and walk up traffic. Two sloped ramps allow loading from either side. Nonslip rubber mats cover deck and ramps. Will fold up for easy rolling to a new location or to storage. Vertical fold up feature takes up less storage space when not in use. Switchable to either pounds or kilograms. Indicator has easy to read LCD with auto power off, automatic zero, motion detect, weight lock-in. Keypad for ZERO, UNITS, HOLD/RELEASE. Power is from (6) "C" batteries (included). Platform size is 38"L x 36"W. Size 45"L x 10"W x 38"H when closed for storage.

Part Number	Capacity	Weight	SKU	List
6550	800 lb x 0.2 lb	94 lb	5978	\$ 3,960.00

Service Parts

0067-B044-0A cable, load cell connection	1 lb	5993	86.00
--	------	------	-------



**6855
Portable
Personal Scale**



6855 Portable Personal Scale

High capacity portable digital scale. 600 lb capacity. LCD weight display. Indicator has keys for ON/OFF, LB/KG, HOLD/RELEASE, ZERO. Auto power off to save batteries. Hold/release of display. Automatic zero. Motion detection. Non-slip rubber mat for comfort and safety. Painted white with stainless steel handrail. (6) "C" alkaline batteries (included). Platform size 14"W x 18"D

Part Number	Capacity	Weight	SKU	List
6855 Digital scale	600 lb x 0.2 lb	70 lb	5977	\$ 3,090.00



TM701 Portable Handrail Scale

Accurate, fast and versatile. ABS indicator has front and rear LCD display, also settable to blue backlight. Hand rails on 3 sides. Indicator has 7 function keys for: ON/OFF, ZERO, TARE, HOLD, BMI, F, UNITS, LB/KG selectable. Body Mass Index (BMI) function with bar graph, just press BMI and enter patient weight and display will show BMI value on LCD screen live make it convenient for patient to hold rail while weighing. Painted steel construction can be assembled in minutes. Allen wrenches included. Indicator pole is 48" high. Platform size is 23.5" x 23.5". AC adapter 110VAC to 12VDC and 2000mAh Ni-MH battery included.

Part Number	Capacity	Weight	SKU	List
TM701	550 lb x 0.1 lb	94 lb	4860	\$ 1,376.98

Service Parts

Ni-MH battery pack	2 lb	4844	55.64
122528096 indicator M301	4 lb	4836	277.09



TM701
Portable
Handrail Scale



TM503 Ramp Wheelchair Scale

Accurate, fast and versatile. ABS indicator w/ 25mm LCD display and blue backlight. Hand rails on 3 sides. Indicator has 7 function keys for: ON/OFF, ZERO, TARE, HOLD, BMI, F, UNITS, LB/KG selectable. Non slip rubber mat, on and off ramps foldable up to 165 degrees. Handle and wheels for easy transportation around the facility. Live rails make it convenient for patient to hold rail while weighing. Hand rail and indicator pole are foldable for easy storage. Painted steel construction can be assembled in minutes. Allen wrenches included. Indicator pole is 46" high, adjustable indicator angle up to 25 degrees. AC adapter 110VAC to 12VDC and 2000mAh Ni-MH battery included.

Part Number	Capacity	Platform	Weight	SKU	List
TM503	550 x 0.1 lb	33" x 33"	104 lb	4831	\$ 1,580.26

Service Parts

Ni-MH battery pack	2 lb	4844	55.64
130504300006 indicator M101	4 lb	4842	248.05



TM503
Portable Wheelchair Scale



339
Physician Scale

Physician Scale

Pound and kilogram readings on both front and back of the graduated beam. 350 lb capacity and 160 kg capacity. Model 339 has a height rod 30" to 78" and 76cm to 198cm. Model 338 has both a height rod and wheels for easy transport. Platform size 10.5" x 14.5". Overall size 10.5"W x 14.5"D x 59"H.

Part Number	Capacity	Weight	SKU	List
337 Physician	350 lb x 0.25 lb	34 lb	5974	\$ 440.00
338 Physician w/wheels	350 lb x 0.25 lb	39 lb	5975	550.00
339 Physician w/rod	350 lb x 0.25 lb	37 lb	5976	450.00



400 Physician Scale

Portable physician scale. Rotating poise bars for dual reading of pounds and kilograms. Rugged zinc die cast beam construction with copper, nickel, chrome plating. Beam graduations are engraved in die casting, paint filled with baked enamel finish. Maximum strength unitized steel base. Precision heavy duty unitized steel lever system with heat treated pivots and vee bearings. Vacuum formed ABS high impact plastic platform cover. Model 402KL has measuring rod 24" to 84" and includes 100 lb and 40kg counterweights to increase capacity to 450 lbs and 200kg. Platform size 10.4" x 14" x 3.4"H. Overall size 18-3/8" x 20-1/4" x 57-3/4"H.

Part Number	Capacity	Weight	SKU	List
400KL Physician scale	350 x 0.25 lb	37 lb	907	\$ 340.00
	160kg x 100g			
402KL Scale w/measuring rod	450 x 0.25 lb	40 lb	4324	363.00
	200kg x 100g			

Option for 400KL only

55070 counterweight to increase capacity to 450 lb	1 lb	1826	87.70
500KLROD height rod for 500KL	2.29 lb	1838	64.00

Service Parts for electronic scales

ADPT31 AC adapter 120VAC	0.24 lb	1840	80.58
--------------------------	---------	------	-------



400KL
Physician Beam Scale

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



DS2100 Mechanical Physician Scale

Fast and easy to obtain the weight and height of a patient. Slide the poises on the weighbeam to obtain the weight. Scale can be converted from lb to kg by twisting the weighbeam. Powder coated painted steel construction. Overall 10.5"W x 22"L x 58"H. Platform size is 10.5" x 14.5" with a removable slip resistant cover.

Part Number	Capacity	Weight	SKU	List
DS2100	450 lb x 0.25 lb	42 lb	781	\$ 308.00



**DS2100
Mechanical
Physician Scale**



DS5250
Physician Scale

doran

DS5250 Eye Level Physician Scale

Digital display at eye level makes this the fastest and easiest way to weigh a patient. Display is 1.25" high LED. Units are lb, kg and Units lock feature. Controls for Zero, Reweigh, Units, BMI. Height rod adjustment from 2' 0"(61cm) to 6' 6.7"(200cm). Battery operated 5,500 weighments per charge. Internal rechargeable battery uses the USB port to any wall mount charger and be fully charged in six hours. Platform size 14"W x 18"D. Overall size 14"W x 20.5"D x 49.75"H.

Part Number	Capacity	Weight	SKU	List
DS5250 Physician	600 lb x 0.2 lb	22.05 lb	782	\$ 476.00



SPS Postal Rate Computing Scale

Postal rate computing scale. Rates include: 1st Class/Priority mail, Express Mail, Canada letter Airmail, Mexico letter airmail, Other International letter Air mail. Keys for ZERO, 1st, Express, Canada, Mexico, International. Liquid crystal display(LCD). Auto shut off after 5 minutes. AC adapter included 120 VAC, 50/60 Hz, 9 VDC, 100ma. 9.2" x 12.4" x 2.9" H
NTEP Legal for Trade 97-088 (SPS-30)
NTEP Legal for Trade 10-015 (SPS-70DL)

Part Number	Capacity	Platform	Weight	SKU	List
SPS-30	0-4 lb x 0.1 oz 4-30 lb x 0.5 oz	8.9" x 8.3"	12 lb	220	\$ 369.00
SPS-70DL	0-4 lb x 0.1 oz	10" x 9"	15 lb	3311	1,125.00



SPS-30
Postal Computing Scale



SPS-70DL
Postal Computing Scale





**SJX323N/E
Jewelry Balance**



**SJX622N/E
Jewelry Balance**



**SJX6201N/E
Jewelry Balance**



OHAUS®

SJX Jewelry Balance

Legal for Trade portable jewelry balances, Class II and Class III certified Carat and Gold balances. For jewelry, precious metals and gemstones. Superior overload protection, large backlit high contrast LCD display, fast stabilization time, multiple weighing units, stainless steel pan, ABS housing, adjustable feet and level bubble. Application modes include weighing, parts counting, display hold, automatic sample recalibration. Integral weigh below hook. AC adapter (included) or 4 AA batteries (not included). USB and RS232 output option.

NTEP Legal for Trade 16-015 II & III

Part Number	Class	Capacity	Pan	Weight	SKU	List
SJX323N/E	II	320 x 0.01 ct	3.7" dia	3.3 lb	8332	\$ 1,036.00
SJX622N/E	III	620 x 0.1 g	4.7" dia	3.3 lb	8333	1,297.00
SJX1502N/E	II	1,500 x 0.01 g	6.7" x 5.5"	3.3 lb	8334	1,507.00
SJX6201N/E	III	6,200 x 1 g	6.7" x 5.5"	3.3 lb	8335	1,330.00

Options

80252042 CBM-910 Dot matrix printer	2 lb	7426	395.00
83032107 RS232 interface w/ cable scout	2 lb	6162	262.00
83032108 USB interface w/ cable	1 lb	6163	262.00
80251930 Adapter for Scout Pro	1 lb	7425	64.00
80251934 Adapter	1 lb	7433	64.00
30268986 Ethernet cable	1 lb	6357	284.00

OHAUS®

YA Gold Series

The ultimate in portability. Durable, high quality answer to precision weighing. Perfect for weighing gold and other fine jewelry. Bright blue backlit display. Hinged draftshield cover. SoftTouch outer case. Stainless weighing pan.

Part Number	Capacity	Weight	SKU	List
YA102	100 g x 0.01 g	2 lb	6412	\$ 171.00
YA302	300 g x 0.05 g	2 lb	6413	149.00
YA501	500 g x 0.1 g	2 lb	6414	107.00



**YA
Gold Series**



JS Sapphire Jewelry Scale

Based on the successful Scout II. This model is made for jewelers. Easy to use two button operation and a large, high contrast LCD display. With jewelry weighing modes that include g, ct, oz t, dwt and grains, jewelers have the versatility that is needed for appraisals, bench, showcase and inventory applications. Stainless steel pan. 2 Year warranty. 100-120 VAC adapter, 6.75"W x 8.25"D x 2.4"H.

Part Number	Capacity	Pan	Weight	SKU	List
JS10	50 ct x 0.01 ct 10g x 0.002 g	3"dia	5 lb	6515	\$ 295.00



JS10 Sapphire Jewelry Balance



CY603K Carat Balance

High contrast backlit LCD display. Stainless steel weighing pan

Units: mg, g, oz, dwt, tola, mommies, baht, grain, mesghal, ozt, Hong Kong tael, Singapore tael, Taiwan tael

Applications: Gold and silver weighing in carats, Check weighing, Piece counting, static, totalization, % weighing, below weighing hook & density

CY603KC has built in calibration. CY603K uses external calibration.

100-240 VAC power adapter. RS232 output. 342.5mmW x 212mmD x 271mmH.

Part Number	Capacity	Pan	Weight	SKU	List
CY603K	600ct x 0.001ct	90mm dia	15 lb	4299	\$ 950.00
CY603KC	600ct x 0.001ct	90mm dia	15 lb	4300	1,070.00



CY603K Jewelry Balance



TPB
Pallet Truck Scale

TPB Pallet Truck Scale

Fast and easy to use. The TPB is great for instant weighing anywhere in your plant. Digital weight indicator programs include accumulation and unit conversion. As soon as your pallet is raised the display will show you the weight. 0.8" white backlit LCD display with 6 function keys: M+, G/N, TARE, ZERO, ON/OFF. Weighing units for: lb/kg. Rechargeable battery provides up to 30 hours of continuous use. AC adapter is also included for charging. Fork dimensions: 47" long, 27" wide, 3.3" high. FOB Fair Lawn NJ

Part Number	Capacity	Weight	SKU	List
TPB-688mm Pallet scale	5,000 x 1 lb	350 lb	2384	\$ 2,451.46

Service Parts

TPB pallet scale indicator	3 lb	2351	337.59
RW indicator for TPR	2 lb	2363	331.06
Main board for RW	1 lb	3764	327.95
GH645 Battery rechargeable lead acid for TPR	4 lb	6114	35.09
Load cell for TPR/TPB	2 lb	2400	196.99
Pump assembly for TPR/TPB	20 lb	4552	669.10



PW800 Pallet Weigh Truck Scale

Service parts only for PW800 pallet weigh scale.

Part Number	Weight	SKU	List
Service Parts			
330111 Battery pack (3) D cell rechargeable	2 lb	2671	139.00

Replacement Load Cells: Use any of the following models
65023, TSB, 5123, 3411, DSB, GSB, NSB, BSA, PA6140



PW800
Truck Scale



CPS Pallet Truck Scale

The convenience of a scale in a pallet truck. It is fast and easy to use. Digital weight indicator is a CAS Model CI-2001B with a 6V rechargeable battery. Large easy to read large 1" LCD display. Function keys for ZERO, TARE, GROSS/NET, lb/kg, PRINT, ON, OFF. Fork dimensions: 47.2" long, 27.8" wide, 3.3" high. FOB East Rutherford NJ

Part Number	Capacity	Weight	SKU	List
CPS-1 Pallet truck scale *	3,000 x 1 lb	410 lb	6039	\$ 3,395.00
CPS-2 Pallet truck scale	5,000 x 2 lb	410 lb	6040	3,395.00

*NTEP Legal for Trade 09-003 III 5,000 div

Service Parts

WCP1 cable, battery charger CPS	1 lb	6027	36.00
ZCP2 battery charger w/cable CPS	4 lb	6037	306.00
KCP1 keypad for CPS	1 lb	6050	13.50
RCP1 printer for CPS	2 lb	6051	363.00



CPS-2
Truck Scale



Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



LTEF Lift Truck Scale

Carriage size: Standard Class II 16" high x 36" wide. Capacity 5,000 lb with 1 lb divisions. Indicator is model DR2100A, dual line, 32 character LCD display with backlight, 0.5" character size. 12 VDC to 48 VDC power is required. Rugged metal enclosure, dust and water resistant. 8.25"L x 3.19"W x 6.69"H. Numeric keypad, APW entry, ID entry, Accumulation register. Universal mounting bracket. Standard coiled load cell cable 15 ft from indicator to lift. FOB Twinsburg, OH

Part Number	Capacity	Weight	SKU	List
LTEF-16 Class II Lift truck scale	5,000 x 1 lb	400 lb	2744	\$6,819.00

Other models and capacities are available. Please call for a price quote.

Service Part

SA-CA-HR-NON-NTEP-5pin-ER lift truck cable, 5 pin conn	2 lb	2748	564.84
--	------	------	--------



**LTEF-16
Class II
Lift Truck Scale**



**DR2100A
Indicator
Lift Truck Scale**



Fork lift



Coil lift



Chute lift



Tilt lift

Race car



SW-8.8K Race Car System



SW-8.8K Deluxe Race Car System



PT20 CPU Wireless Indicator



RFX Handheld Wireless Indicator



SW Race Car Weigh System

Weighing is easily done by jacking up the car. Insert the scale under wheels. Lower car to weigh. Accuracy is 1/10 of 1%.

SW system includes: (4) light duty weigh pads w/ cables, (1) weight indicator, (1) battery recharger, (1) instruction manual. Indicator display is 2 line, 16 characters LCD display. Pushbuttons for ZERO, ON, OFF, PRINT/CONTRAST.

SW Deluxe system includes: (4) heavy duty weigh pads w/cables, (1) weight indicator and printer mounted in a waterproof carrying case, (1) battery recharger, (1) instruction manual. Indicator display is 4 line, 20 characters LCD display. Pushbuttons for ZERO, LB/KG, TEST, LIGHT, PRINT, HELP, SET TIME/DATE, ON, OFF.

RFX PT20 CPU system includes: CPU, waterproof case, printer, power supply. 15 digit, backlight LCD display. USB/RS232 output. Pushbuttons for SET LATITUDE/ALTITUDE CORRECTIONS, VEHICLE/USER INFORMATION, TIME/DATE STAMP, CONTINUOUS PRINTING, CALIBRATE, ON/OFF, ZERO, ON-DEMAND PRINTING, TARE, PEAK, LB/KG, SET ALARM/TARE/ARM.

RFX Indicator: Compatible with LP600, PT300, AX900, CS3000, SW and CW250 scale systems. 4 digit LCD backlight display. Capacity to interface up to 12 scales. 300 ft line of site. Up to 40 hours continuous use before recharge. Standard (AA) batteries. Read only mode. USB/RS232 output. Set latitude/altitude corrections. Pushbuttons for CONTINUOUS PRINTING, CALIBRATE, ON/OFF, ZERO, ON-DEMAND PRINTING, TARE, PEAK, LB/KG. Screens for: Individual Weight, Gross/NET/Tare, Axle Group, Accumulative Total, Center of Balance, Tare. Includes Indicator, rechargeable batteries, battery charger, case.

All indicators are powered by (6) internal "AA" NiCad batteries, except for PT20 CPU which uses "D" cell batteries, which are included.

All indicators will show a minimum of your choice of total weight, left or right side, front or back, or any wheel, also percent by wheel.

Deluxe weighing pads are 35 lb. SW Deluxe indicator case is 17"W x 11"D x 7"H, 10 lb.

Part Number	Capacity	Weight	SKU	List
SW-8.8K Race car system	8,800 x 1 lb	145 lb	4846	\$ 4,995.00
SW-8.8K Deluxe car system	8,800 x 1 lb	155 lb	4848	7,495.00
SW-20K Deluxe system	20,000 x 1 lb	165 lb	1958	10,995.00

Options

100056 System carrying case	39 lb	1962	895.00
100330 Ramp (4) 15" x 15" Snap in or SW Deluxe	66 lb	4849	950.00
100417-4 Ramp (4) 15" x 36" x 4"	66 lb	4850	1,995.00
PT20 CPU Wireless indicator, battery operated Includes tape printer. Prints axle, axle group, total weight T&D, etc.	20 lb	3698	4,295.00

RFX Handheld wireless indicator	4 lb	6177	995.00
---------------------------------	------	------	--------

Service Parts

603070 load cell	700 kg	4 lb	6392	340.00
------------------	--------	------	------	--------



RW-S/L Road Weigher Platform & Indicator

Wheel weigher scale made of rugged cast aluminum. Display is built in 1" LCD w/back light. Used for car, truck and custom applications. Can be used for any mobile weight inspection. Scales are linkable for multi-axle weighing. Up to 6 scales can be linked together. 1% accuracy. Single and double width platforms are available. Each scale will display the individual weight and total weight by pressing the LOCAL/TOTAL button. Battery operated using (12) AA rechargeable or dry cell batteries. Each scale has (2) battery sticks with (6) AA cells in each. 20 hours continuous use before recharging. Rechargeable batteries are included. Also includes a 120 VAC to 12 VDC charger. NTEP Legal for Trade 03-047

Part Number	Capacity	Weight	SKU	List
12.2"W x 13.4" Platform overall size 21.1"L x 18"W x 2.4"H				
RW-5S	10,000 x 5 lb	66 lb	4714	\$ 1,855.00
RW-05S NTEP	10,000 x 50 lb	66 lb	5383	1,966.00
RW-10S	20,000 x 10 lb	66 lb	4715	1,966.00
RW-10S NTEP	20,000 x 50 lb	66 lb	5384	1,966.00

24.6"W x 13.4" Platform overall size 22.3"L x 28.3"W x 2.4"H				
RW-5L	10,000 x 5 lb	102 lb	4716	2,375.00
RW-05L NTEP	10,000 x 50 lb	102 lb	5385	2,518.00
RW-10L	20,000 x 10 lb	102 lb	4717	2,518.00
RW-10L NTEP	20,000 x 50 lb	102 lb	5386	2,518.00

Options

2 scale totalizer cable RW-S/L series	7 lb	4718	95.00
4 scale totalizer cable RW-S/L series	14 lb	4719	285.00
6 scale totalizer cable RW-S/L series	21 lb	4720	475.00

Service Parts

Charger adapter 120VAC to 12VDC	3 lb	4782	55.00
WRW6 cable 18" w/female connector to RW	0.19 lb	4783	35.00
YRW2 (2) batter sticks (6)AA each	3 lb	5331	89.00



RW-S
Platform/Indicator



RW-L
Platform/Indicator



**RW-2601P
Indicator**

RW-2601P Road Weigher Indicator only

This indicator will connect up to 6 scales simultaneously. Completely self contained portable unit. Will print weight and time & date with built in high speed dot matrix receipt printer. RS232 serial port to connect to a PC or remote display. 10 vehicle number memories. Large easy to read LCD display with back light. Display individual weight of each scale with printed total weight. Totalizer cable included with each scale. Rechargeable battery pack is built in. Charger/adaptor 120VAC is included.

Part Number	Capacity	Weight	SKU	List
RW-2601P multi platform indicator		27 lb	4723	\$ 2,295.00

Service Parts

Charger adapter 120VAC to 12VDC		3 lb	4784	73.40
---------------------------------	--	------	------	-------



LP600 Wheel Load Scale

Low profile, light weight all aluminum, digital, self contained, high capacity wheel load scale. 1% accuracy. Display units are either kg or lb depending on model. Battery charging cable, connectors and transformer 120 VAC to 12 VDC is included with orders for 2, 4 or 6 scales. Includes (4) Nicad batteries per scale. 300 hours continuous use before recharge. Low power 1" LCD display is easy to read in daylight. RS232, RS485 output to printers or remote displays. Separate switches for ON and OFF. ZERO switch will set zero. Platform 22.4" x 15". Overall 30" x 16" x 1.5"H. 44 lb. NTEP Legal for Trade Class IV for LP600-20Kx50

RFX Indicator: Compatible with LP600, PT300, AX900, CS3000, SW and CW250 scale systems. 4 digit LCD backlight display. Capacity to interface up to 12 scales. 300 ft line of site. Up to 40 hours continuous use before recharge. Standard (AA) batteries. Read only mode. USB/RS232 output. Set latitude/altitude corrections. Pushbuttons for CONTINUOUS PRINTING, CALIBRATE, ON/OFF, ZERO, ON-DEMAND PRINTING, TARE, PEAK, LB/KG. Screens for: Individual Weight, Gross/NET/Tare, Axle Group, Accumulative Total, Center of Balance, Tare. Includes Indicator, rechargeable batteries, battery charger, case. NTEP Legal for Trade 00-091

Part Number	Capacity	Weight	SKU	List
Pounds				
LP600-30Kx50	30,000 x 50 lb	49 lb	6483	\$ 4,495.00
LP600-20Kx20	20,000 x 20 lb	45 lb	4822	3,495.00
LP600-20Kx10	20,000 x 10 lb	45 lb	4823	3,645.00
LP600-10Kx5	10,000 x 5 lb	45 lb	4824	3,645.00
LP600-5Kx5	5,000 x 5 lb	45 lb	4825	3,495.00
Options				
101025 2 Scale carrying case for LP600		40 lb	4827	1,595.00
101039 4 Scale carrying case for LP600		60 lb	4828	1,795.00
101044 6 Scale carrying case for LP600		90 lb	4829	2,595.00
170118 Dummy pad for LP600		45 lb	4830	599.00
101221 PT20 CPU Wireless indicator, battery operated Includes tape printer. Prints axle, axle group, total weight T&D, etc.		20 lb	3698	4,295.00
RFX Handheld wireless indicator		4 lb	6177	995.00
Service Parts				
330010 Battery pack (6) AA NiCad stick, old style		1 lb	1960	49.00
100480 120V charging cable (1) scale w/ transformer		1 lb	1508	160.00



LP600
Wheel Load Scale



RFX Indicator



PT20 CPU
Wireless Indicator

Wheelload

Wheel Load



PT300DW
Wheel Load Scale



100050
2 Scale carrying case



100051
4 Scale carrying case



000196-T
for PT300

PT300DW Wheel Load Scale

Heavy duty, wireless, all aluminum electronic self contained wheel load scale. 1% accuracy. Includes (4) rechargeable Nicad batteries per scale. Has solar charging panels that virtually eliminate the need to manually recharge batteries between uses. LOCAL/TOTAL switch will show the individual scale weight or the total of all scales in the system. ZERO switch set the system to read zero. PRINT/ACCUMULATE button will print and also accumulate weight to total function. ON/OFF switch will control power. 22" x 26" x 3"H, 60 lb.

Part Number	Capacity	Weight	SKU	List
14" x 22" platform				
PT300DW-55	5,000 x 5 lb	60 lb	2921	\$ 2,295.00
PT300DW-5	10,000 x 5 lb	60 lb	1660	2,445.00
PT300DW-10	20,000 x 10 lb	60 lb	1659	2,445.00
PT300DW-20	20,000 x 20 lb	60 lb	1658	2,295.00
PT300DW-30	30,000 x 50 lb	60 lb	2922	3,295.00
PT300DW-40	40,000 x 100 lb	60 lb	2923	3,795.00

Options

100050 2 Scale carrying case for PT300DW	40 lb	1677	1,195.00
100051 4 Scale carrying case for PT300DW	60 lb	1678	2,095.00
100052 6 Scale carrying case for PT300DW	90 lb	1679	2,495.00
100480 Charger & cable (1) scale	2 lb	1508	160.00
100492 Charger & cable (2) scales	2 lb	1509	254.00
100493 Charger & cable (4) scales	2 lb	1510	424.00
100494 Charger & cable (6) scales	2 lb	1004	594.00

Service Parts

250327 Keypad for PT300 (8) button	1 lb	6185	133.49
240063 LCD display	1 lb	6188	49.95
250409 Keypad PT300 (4) button	1 lb	6199	153.49
810027 Main board PT300 (4) button	1 lb	6200	595.00
330010 battery pack w/(6) AA NiCad batteries	1 lb	1960	49.00
330158 battery pack w/(4) AA NiCad batteries	1 lb	2316	39.00
100490 Totalizer cable for 6 scales(15',25',15',25',15'), old style	1 lb	1519	510.00

1.3 mv/v, 1000/1000 ohms, 3 ft 4 cond cable, anodized aluminum, IP67.

Part Number	Capacity	Weight	SKU	List
000196-T Load cell, blue cable 10,000 lb		12 lb	5559	\$ 432.36
New style 1.3 mv/v				

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



PT300 Wheel Load Scale

Heavy duty, wireless, all aluminum electronic self contained wheel load scale. 1% accuracy. Includes (4) rechargeable Nicad batteries per scale. Has solar charging panels that virtually eliminate the need to manually recharge batteries between uses. LOCAL/TOTAL switch will show the individual scale weight or the total of all scales in the system. ZERO switch set the system to read zero. PRINT/ACCUMULATE button will print and also accumulate weight to total function. ON/OFF switch will control power. 16" x 20" x 3"H, 42 lb.

NTEP Legal for Trade 90-106 for PT300-50

Part Number	Capacity	Weight	SKU	List
12" x 12" platform				
PT300-20	20,000 x 20 lb	42 lb	1413	\$ 1,695.00
PT300-10	20,000 x 10 lb	42 lb	1414	1,935.00
PT300-10 (Wired)	20,000 x 10 lb	42 lb	2151	1,495.00
PT300-50	20,000 x 50 lb	42 lb	1412	1,695.00
PT300-5	10,000 x 5 lb	42 lb	1415	1,845.00
PT300-55	5,000 x 5 lb	42 lb	4044	1,645.00

Options

100047 2 Scale carrying case for PT300	30 lb	1417	1,095.00
100048 4 Scale carrying case for PT300	40 lb	1418	1,395.00
100049 6 Scale carrying case for PT300	60 lb	1419	1,495.00
100088 PT300-DP Dummy pad 12" x 20" x 3"H	30 lb	1296	645.00
RFX Handheld wireless Indicator	4 lb	6177	995.00

100480 Charger & cable (1) scale	2 lb	1508	160.00
100492 Charger & cable (2) scales	2 lb	1509	254.00
100493 Charger & cable (4) scales	2 lb	1510	424.00
100494 Charger & cable (6) scales	2 lb	1004	594.00

PT20 CPU wireless indicator, battery operated, portable. Includes built in tape printer. Prints axle weight, axle group, total weight, time & date. Includes cables w/connectors.	20 lb	3698	4,295.00
---	-------	------	----------

Service Parts

250327 Keypad for PT300	1 lb	6185	133.49
240063 LCD display	1 lb	6188	49.95
250409 Keypad PT300 (4) button	1 lb	6199	153.49
810027 Main board PT300 (4) button	1 lb	6200	595.00
330010 battery pack w/(6) AA NiCad batteries	1 lb	1960	49.00
330158 battery pack w/ (4)AA NiCad batteries	1 lb	2316	39.00
100490 Totalizer cable for 6 scales(15',25',15',25',15'), old style 1 lb	1519	510.00	

1.3 mv/v, 1000/1000 ohms, 3 ft 4 cond cable, anodized aluminum, IP67.

Part Number	Capacity	Weight	SKU	List
000196-T Load cell, blue cable 10,000 lb		12 lb	5559	\$ 432.36

New style 1.3 mv/v



**PT300
Wheel Load Scale**



**PT300
Wireless Wheel Load
Scale System**



**100088
PT300-DP
Dummy Pad**



**000196-T
for PT300**

Hanging



235-6S
Hanging Scale



235 Hanging Scale

Shatterproof ABS case. Lightweight and corrosion resistant. Maintenance free. High strength stainless steel fittings.

Part Number	Capacity	Weight	SKU	List
235-6S 22 lb	22 lb x 0.2 lb	10 lb	4397	\$ 134.00



820
Hanging dial scale



820 Hanging Dial Scale

The 820 and 1030 dial scales are made to strict standards and designed to pass individual state's Weights and Measure inspections. They are sold as approximating scales only.

The 820 scale is modern both in construction and appearance. Designed to withstand hard usage and will continue to perform with accuracy. This scale has an 8" dial and has 3 different scoops. Bronze bearings and springs are made of alloys for precision weighing. Heat treated precision ground pinions assure repeatable and accurate weight readings.

The 1030 scale has a 10" dial. All steel construction makes this scale rugged and accurate. Has a deep pan and single face. Ball bearings make for smooth operation and guarantee long wear and trouble free service.

Part Number	Capacity	Weight	SKU	List
820PG w/ pan, glass	20 lb x 1 1/2 oz	10 lb	5326	\$ 264.38
1030P w/ deep pan	30 lb x 1 oz	15 lb	5330	538.00

Service Parts

820V Vegetable scoop only	20 lb	4 lb	5339	46.67
---------------------------	-------	------	------	-------

Scoop	Construction	Dimensions
820PG	Aluminum	12" x 3"
1030P	Galvanized steel	20" x 14" x 7"



820V
Vegetable scoop



820P
Hanging pan

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



IN-50 Chatillon Hanging Scale

Heavy gauge solid brass construction. Precision steel springs for outstanding reliability, including salt water applications. Ideal for weighing fish, testing your line or setting your drag. Avoirdupois and metric graduations that are deeply embossed for easy reading. Zero/tare knob is standard. Fixed holding loop and large open hook included. 5 year exclusive warranty.

Part Number	Capacity	Weight	SKU	List
IN-50 w/ MRP	50 lb x 8oz	2 lb	2032	\$ 199.00



IN-50
Hanging Scale



0720-T Chatillon Hanging Scale

Mechanical hanging scale is corrosion resistant steel with excellent performance. With 7 inch glass covered dial head. H44 Class III legal for trade. Capacity is reached in 2 pointer revolutions. 5 year warranty. NTEP Legal for Trade 86-030

Part Number	Capacity	Weight	SKU	List
0720-T Head only	20 lb x 1/2 oz	5 lb	2054	\$ 640.00

Options

CG scoop and suspension chain, galvanized	1.53 lb	2055	105.00
---	---------	------	--------



0720-T
Hanging Scale head
w/optional CG scoop

Hanging



**THS
Digital Hanging Scale**



THS Digital Hanging Scale

Safety overload up to 150%. 16.5mm digits high LCD display. Hanging loop and S-hook. Selectable weighing unit (kg/lb). Function keys for ZERO, TARE, CHANGE WEIGHING UNIT, HOLD. (3) AA batteries included. 12"L x 3"W x 2"D

Part Number	Capacity	Weight	SKU	List
THS-44	44 x 0.02 lb	1 lb	3481	\$ 204.49
THS-88	88 x 0.05 lb	1 lb	3482	204.49
THS-220	220 x 0.1 lb	1 lb	3483	204.49
THS-440	440 x 0.2 lb	1 lb	3484	204.49



**Electro Samson
Hand held
hanging scale**



Electro Samson Hand Held Hanging Scale

Hand held scale. Angled LCD display for easy reading. Displayed units are kg, lb-oz and decimal lb. Function keys for ON/ZERO, OFF, HOLD, UNIT. Auto shut off after 2 minutes inactivity. Hold feature will hold the highest weight until reset. Dimensions 340mm x 95mm x 55mm. 9 volt alkaline battery not included.

Part Number	Capacity	Weight	SKU	List
Electro Samson 22 lb	22 lb x 0.02 lb	3 lb	4378	\$ 153.00
Electro Samson 55 lb	55 lb x 0.05 lb	3 lb	4379	177.00
Electro Samson 99 lb	99 lb x 0.1 lb	3 lb	4363	202.00



**DCS-CD
Hanging Scale**



DCS-CD Hanging Scale

Aluminum die cast case hanging scale. Easy to read large LCD display with backlight. Battery operated (3) AA batteries, included. Battery life is 30 hours. Hook and shackle included. Remote control included (2)AA batteries, included. Soft touch tactile keyboard. Weighing units LB/KG.

Part Number	Capacity	Weight	SKU	List
DCS-CD2000	2,000 x 1 lb	4 lb	2056	\$ 311.25

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



CS200 Hanging Scale

High accuracy, compact digital hanging scale uses a 12 bit A/D converter for accuracy +/- 0.1% of applied load. Weatherproof ABS plastic case assures maximum protection against moisture, dust and rough usage. High visibility 1 1/2" high LCD digital readout provides easy reading of weights. Membrane push button switches allow simple trouble free operation. Power is supplied by (1) 9 volt alkaline battery (not included). Peak hold, stainless steel hooks. Function keys for ZERO, lb/kg, ON/OFF. Overall case size 3.75"W x 2"D x 6"H.

Part Number	Capacity	Weight	SKU	List
CS200-50	50 x 0.02 lb	2 lb	3868	\$ 795.00
CS200-100	100 x 0.05 lb	2 lb	3869	795.00
CS200-250	250 x 0.1 lb	3 lb	3870	795.00
CS200-500	500 x 0.2 lb	3 lb	3032	795.00




CS200
Hanging Scale



MSI Hanging Scale

Service part only.s.

Part Number	Capacity	Weight	SKU	List
Service Parts				
500703-0013 MSI load cell 120 lb		5 lb	460	\$ 1,687.00



MSI
Load Cell



SHS Crane Scale

The SHS crane scale offers a strong, safe solution for weighing heavy, suspended loads such as commercial fishing nets, crates and machinery in industrial shipping and production operations. Bright LED display for easy viewing in most environments. Ruggedly constructed, the SHS has a weight capacity up to 300kg. A remote control allows safe and simple operation of the scale from a distance, including outdoors. The hold function retains the value on the display after the item is removed from the scale, allowing time for the operator to record the weight. Programmable auto power-off to save energy. Rechargeable battery included for operation almost anywhere.

Part Number	Capacity	Weight	SKU	List
SHS100a	100 x 0.02 lb	4 lb	1683	\$ 680.00
SHS300a	300 x 0.05 lb	4 lb	1684	705.00
SHS600a	600 x 0.1 lb	4 lb	1685	715.00



SHS
Crane Scale

Crane



**CS750
Crane Scale**



**Infrared
Remote
Control**



CS750 Crane Scale

High accuracy, compact digital hanging scale uses a 20 bit A/D converter for accuracy +/- 0.1% of applied load. Keyboard setup and digital calibration. Includes wireless infrared remote control for ON, Off, Zero, Tare. High visibility 1" high LCD digital readout provides easy reading of weights. Programmable display updates from 1 to 127/sec. Programmable digital filter averaging sample size 1 to 31. Membrane push button switches allow simple trouble free operation. Power is supplied by (6) "D" cell batteries(not included). Efficient micro controller gives up to 1 year of battery life. Auto shut off after 5 minutes without use. Tare up to 100%. Zero up to 100%. Indicator lights for lb/kg. Function keys for ON/OFF, ZERO, BACK LIGHT. Overall case size 8.5"W x 5"D x 4.25"H.

NTEP Legal for Trade 97-135

Part Number	Capacity	Weight	SKU	List
CS750-100	100 x 0.05 lb	8 lb	2644	\$ 1,145.00
CS750-300 *	300 x 0.1 lb	8 lb	2645	1,145.00
CS750-500 *	500 x 0.2 lb	8 lb	2646	1,195.00
CS750-1000 *	1,000 x 0.5 lb	8 lb	2647	1,195.00
* NTEP				

Options

184256 RS232 Serial output	1 lb	2648	195.00
----------------------------	------	------	--------

Service Parts

360105 Remote Control	1 lb	3714	39.00
250348 keypad 4 button (old)	1 lb	2673	133.49
2505521 keypad 6 button (new)	1 lb	2675	133.49



CS1500 Crane Scale

High accuracy, using a 20 bit A/D converter gives +/-0.1% of applied load. Keyboard setup and digital calibration. Includes wireless infrared remote control for ON, Off, Zero, Tare. All electronics are shock mounted in a weatherproof cast aluminum case which assures maximum protection against moisture, dust and rough usage. High visibility 0.8" high LED digital readout provides easy reading of weights. Programmable display updates from 1 to 127/sec. Programmable digital filter averaging sample size 1 to 31. Recessed push button switches allow simple trouble free operation. Power is supplied by (8) "D" cell batteries(not included). Efficient micro controller gives up to 100 hours of battery life. Auto shut off after 5 minutes without use. Indicator lights for lb/kg. Tare up to 100%. Zero up to 100%. Function keys for TARE, PRINT, lb/kg, ZERO, MODE, SET, ON, OFF. Overall size 9"Wx15"Dx17"H.

NTEP Legal for Trade 97-135

Part Number	Capacity	Weight	SKU	List
CS1500-2000	2,000 x 1 lb	25 lb	2654	\$ 2,195.00
CS1500-5000	5,000 x 2 lb	47 lb	2655	2,895.00
CS1500-10000	10,000 x 5 lb	47 lb	2656	2,995.00

Options

184507 RS232 Serial output	1 lb	7061	49.00
----------------------------	------	------	-------

Service Parts

360105 Remote Control	1 lb	3714	39.00
250361 Keysheet	0.1 lb	3788	133.49
000062 load cell 2,000 lb for CS	2.22 lb	3750	807.72



**CS1500
Crane Scale**

**Infrared
Remote
Control**





NC1 Crane Scale

Service parts only

Part Number	Capacity	Weight	SKU	List
Service Parts				
7599-NCO-0000 AC adapter		1 lb	5962	65.70



**NC1
Crane Scale
w/Remote Control**



CCB Crane Scale

Wireless crane scale. 2,000 lb to 20,000 lb capacities. LCD display 1-3/16" high with back light. Swivel Crosby hook. Includes (1) Lithium Polymer (LiPo) battery pack and AC adapter for recharging. Includes infrared remote control. ZigBee wireless capabilities. Sealed to IP67. Case dimensions 8.6"W x 10"D x 16" to 20.7"H.

Part Number	Capacity	Weight	SKU	List
CCB-1TLF	2,000 lb x 0.5 lb	25 lb	4979	\$ 1,479.00
CCB-3TLF	5,000 lb x 1 lb	40 lb	4980	1,585.00
CCB-5TLF	10,000 lb x 2 lb	45 lb	4981	1,797.00
CCB-10TLF	20,000 lb x 5 lb	70 lb	4982	2,963.00

Options

CRD-2300F wireless remote display 5 digits 2.3" H	5 lb	4983	495.00
CRD-3000F wireless remote display 5 digits 3" H	7 lb	4984	595.00

Service Parts

CRC-100 handheld indicator, portable, ZigBee	3 lb	4985	385.00
ZCC1 battery pack, lithium polymer 3.7VDC 4,000 ma	1 lb	4986	120.00



**CCB
Crane Scale
w/Remote Control**



Caston-2
Crane Scale

Remote Control

Caston 2 Crane Scale

Crane scale with wireless remote control. Large bright red LED display 1.2" high. Auto span calibration. (2) Ni-Cad rechargeable battery packs and recharger are included. One pack is in the scale and the other is a spare that should be kept fully charged. Typical 72 hours between recharge. Low battery indication. Tare up to 100%. Zero up to 2%. Function keys on both scale housing and remote control for ON, OFF, ZERO, TARE. Full tare subtraction. Dimensions 9.1" W x 14.2" D.

Part Number	Capacity	Height	Weight	SKU	List
CAST2-PLUS(1K)	1,000 lb x 0.5 lb	13.8"	49 lb	2639	\$ 1,426.00
CAST2-PLUS(2K)	2,000 lb x 1 lb	13.8"	50 lb	2640	1,426.00
CAST2-PLUS(5K)	5,000 lb x 2 lb	16.9"	62 lb	2641	1,426.00
CAST2-PLUS(10K)	10,000 lb x 2 lb	16.9"	72 lb	2470	1,585.00

Service Parts

ZC29 battery pack assy	4.54 lb	248	132.00
ZC24 6794-A00-0050 battery, 6 volt,	4 lb	515	72.00
ZC27 battery case assy	2 lb	259	55.00
ZC2A battery charger (Old ZC26)	3 lb	5267	306.00
WC26 battery box cable	1 lb	371	20.00
WC27 battery charger cable	1 lb	399	30.00
HC28 safety latch 2t-5t	1 lb	327	37.85
RC11 Remote control for Caston II	1 lb	539	71.42



IE Crane Scale

Service parts only for Cas IE crane scale.

Part Number	Weight	SKU	List
ZIE1 Cas battery for IE crane scale	3 lb	7043	\$ 66.00
XIE1Cas adapter 9VDC for IE crane scale	1.5 lb	7062	55.00



Caston 3 Crane Scale Bluetooth Capable

Crane scale with wireless remote control. Large bright red LED display, 6 digit 1.5" high. Auto span calibration . (2) Ni-Cad rechargeable battery packs and recharger are included. One pack is in the scale and the other is a spare that should be kept fully charged. 14-24 hours between recharge. Low battery indication. Hold function automatic, manual. Function keys on both scale housing and remote control for ON, OFF, ZERO, TARE, HOLD, BATT. Sealed to NEMA 4 IP65. Dimensions 11" W x 13.1" D.

Part Number	Capacity	Height	Weight	SKU	List
CAST3-PLUS(10K)	10,000 lb x 2 lb	22.0"	100 lb	2685	\$ 2,200.00
CAST3-PLUS(20K)	20,000 lb x 5 lb	33.3"	155 lb	2686	3,493.00
CAST3-PLUS(30K)	30,000 lb x 10 lb	35.0"	161 lb	1912	4,023.00
CAST3-PLUS(40K)	40,000 lb x 10 lb	39.0"	240 lb	1913	4,553.00
CAST3-PLUS(60K)	60,000 lb x 20 lb	53.2"	710 lb	1819	12,503.00
CAST3-PLUS(100K)	100,000 lb x 20 lb	73.2"	1,050 lb	1723	21,513.00

Options

TWN-B Bluetooth portable handheld indicator	2 lb	1846	595.00
THD-BT Bluetooth module fill retrofit kit	2 lb	1847	250.00

Service Parts

6794-A00-0020 rechargeable battery, 6 volt, VT610	10 lb	516	85.70
ZC 3C rechargeable battery, 12 volt, VT 1207	10 lb	722	85.70
HC28 safety latch 2t-5t	1 lb	327	37.85
WC32 battery cable 12V-4 pins	1 lb	707	33.00
ZC3B battery charger 4 pin	1.36 lb	706	306.00
RC33 Remote control for Caston III	1 lb	540	71.42



**Caston III
Crane Scale w/Remote Control**



**CS Series
Electronic Crane Scale w/
Remote**



CS Series Salter Electronic Crane Scale

Aluminum die-cast case, alloy steel load cell, hook and shackle. 5 digit, 1/2" Bright LED display has adjustable brightness for any environment. Function keys for ON/OFF, TARE, ZERO. Units of measure displays kg or lb. Calculates total weight. Rechargeable battery with AC power adapter. Operates 20 hours between charges. Includes wireless remote control, requires (2) "AA" batteries, puts all scale functions at your fingertips. Distance controls for zero, tare, peak, accumulator and power. Overall size 12"L x 11"W x 7.5"H.

Part Number	Capacity	KG	Weight	SKU	List
CS1000	1,000 x 0.5 lb	500 x 0.2 kg	11 lb	6060	\$ 832.00
CS2000	2,000 x 1 lb	1,000 x 0.5 kg	11 lb	6061	901.00

Service Parts

AWT25-500448 battery .6V 5AH CS series	2.1 lb	6018	158.00
--	--------	------	--------



MSI Crane Scale

Service parts only for MSI Crane Scale

Part Number	Weight	SKU	List
500703-0013 MSI load cell 120 lb	5 lb	460	\$ 1,687.00



IHS Crane Scale

The SHS crane scale offers a strong, safe solution for weighing heavy, suspended loads such as commercial fishing nets, crates and machinery in industrial shipping and production operations. Bright LED display for easy viewing in most environments. Ruggedly constructed, the SHS has a weight capacity up to 300kg. A remote control allows safe and simple operation of the scale from a distance, including outdoors. The hold function retains the value on the display after the item is removed from the scale, allowing time for the operator to record the weight. Programmable auto power-off to save energy. Rechargeable battery included for operation almost anywhere.

Part Number	Capacity	Height	Weight	SKU	List
IHS2a	2,000 lb x 0.5 lb	19"	43 lb	1689	\$ 2,095.00
IHS6a	6,000 lb x 1 lb	19"	43 lb	1690	2,250.00
IHS10a	10,000 lb x 2 lb	19"	43 lb	1691	2,570.00
IHS20a	20,000 lb x 5 lb	21"	72 lb	1692	3,715.00



IHS
Crane Scale



LHS Crane Scale

The SHS crane scale offers a strong, safe solution for weighing heavy, suspended loads such as commercial fishing nets, crates and machinery in industrial shipping and production operations. Bright LED display for easy viewing in most environments. Ruggedly constructed, the SHS has a weight capacity up to 300kg. A remote control allows safe and simple operation of the scale from a distance, including outdoors. The hold function retains the value on the display after the item is removed from the scale, allowing time for the operator to record the weight. Programmable auto power-off to save energy. Rechargeable battery included for operation almost anywhere.

Part Number	Capacity	Weight	SKU	List
LHS1000a	1,000 x 0.02 lb	12 lb	1686	\$ 1,145.00
LHS3000a	3,000 x 0.05 lb	12 lb	1687	1,315.00
LHS4000a	4,000 x 1 lb	12 lb	1688	1,625.00



LHS
Crane Scale

Dynamometer



AP Mechanical
Dynamometer

DILLON

AP Mechanical Dynamometer

Portable 5" or highly visible 10" dials. Constructed of high strength composite (5") or rugged cast aluminum (10") to resist heavy blows. Used for diverse jobs such as stringing utility line, mounting cables for bridges, adjusting tension on guy wires, field testing chain, rope or wire and anything requiring precise force or tension measurement. Offers accurate readings from varying sight lines. Dial is mar and fog resistant. Can cancel preset loads up to 20% of capacity. Remains in position to indicate peak load point after load is removed from instrument. Includes users guide and signed calibration card, Dynamometer, shackles and pins, maximum pointer, zero adjust for tare, molded plastic carrying case on 5" models and calibration certificate traceable to NIST.

Part Number	Capacity	Weight	SKU	List
5" Diameter Dial				
30006-0019	500 x 5 lb	15 lb	6864	\$ 1,795.00
30006-0027	1,000 x 10 lb	15 lb	6865	1,700.00
30006-0035	2,000 x 20 lb	15 lb	6866	1,700.00
30006-0043	4,000 x 25 lb	15 lb	6867	1,840.00
30006-0050	5,000 x 50 lb	15 lb	6868	1,795.00
30006-0076	8,000 x 50 lb	15 lb	6870	2,010.00
30006-0084	10,000 x 100 lb	15 lb	6871	1,995.00
30006-0092	15,000 x 100 lb	15 lb	6872	2,295.00
30006-0100	20,000 x 200 lb	15 lb	6873	2,245.00

10" Diameter Dial

30007-0026	1,000 x 5 lb	26 lb	6875	2,090.00
30007-0034	2,000 x 10 lb	26 lb	6876	2,090.00
30007-0059	5,000 x 20 lb	26 lb	6878	2,185.00
30007-0083	10,000 x 50 lb	26 lb	6881	2,345.00
30007-0109	20,000 x 100 lb	26 lb	6883	2,560.00
30784-0017	30,000 x 200 lb	98 lb	6884	8,835.00
30784-0033	50,000 x 200 lb	98 lb	6886	8,835.00

Service parts

30079-0045 pointer 10" dial	1 lb	6882	112.00
30246-0043 pointer 5" Dial	1 lb	6896	112.00

DILLON

Quick-Check Tension Meter

Portable and rugged. Designed for outdoor use. Quick Check can be placed on cable, measure its tension and removed in under 5 seconds. Easy to read LED display with full text prompts. Easy to read SOFTKEY interface. Tension units of measure: pound-force, kilogram force, Newtons. Built in averaging. Built in temperature sensor with patented automatic tension adjustment. Sheaves with bearings eliminate friction. Quick Check can be employed in many industries including tower and stack guy wires, pretensioned cable barriers, bridges, elevators, winch rope, prestressed concrete, fall arrest systems, aircraft cables and utilities. Stores calibration for up to 15 unique wire sizes and types. Uses AA batteries and has long life between changes. Includes carrying case.

10"W x 23"D x 3"H

Part Number	Capacity	Weight	SKU	List
AWT05-508112	2,000 x 2 lb	11 lb	6930	\$ 3,800.00
AWT05-508111	10,000 x 10 lb	11 lb	6931	3,875.00

Sheave Select (select at least one)

36309-0085	Code L	Sheave 3/16" to 1/4" wire dia	6932	470.00
36309-0044	Code P	Sheave 3/16" to 1/2" wire dia	6933	340.00
36309-0010	Code S	Sheave 1/4" to 3/4" wire dia	6934	340.00
36309-0101	Code T	Sheave 1/2" to 1" wire dia	6894	340.00

Calibration Select (select at least one)

First wire calibration is included with each Quick Check	6935	no charge
Subsequent calibrations	6936	166.00

Indicate what wire sizes and types to calibrate

Each wire size is calibrated at 4-5 load points and confirmed by a validation run

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



ED junior Dynamometer

Aircraft quality aluminum, easy to position, highly mobile instrument with exceptional strength. 7:1 factor of safety at all capacities and 5:1 on 25K. The EDjunior's design is a direct response to industries that have wanted an extremely well built instrument that could be relied upon for simple yet critical measurements of weight and force. The 6 digit dot matrix display features 1" high numerals for greater visibility. Provides peak detection as well as sustained load readings. SOFTKEY interface provides direct access to setup and display functions without the typical confusing menu structure. 200% safe overload. Distinctive angle body design further eliminates unnecessary weight and streamlines the unit to help prevent binding. Display update rate is 2 times per second. Peak hold sampling rate is 2 times per second. Designed to NEMA4X/IP55 for continuous exterior job site applications as well as in plant use. Calibration traceable to NIST. Includes carry case, manual, calibration card and (2) C cell batteries. Typical battery life is 200 hours. NEMA 4x/IP55.

Part Number	Dillon	Capacity	Weight	SKU	List
EDjr-2.5K	AWT05-506317	2,500 x 2 lb	6 lb	6912	\$ 2,235.00
EDjr-5K	AWT05-506318	5,000 x 5 lb	10 lb	6913	2,370.00
EDjr-10K	AWT05-506319	10,000 x 10 lb	18 lb	6914	2,595.00
EDjr-25K	AWT05-506320	25,000 x 20 lb	47 lb	6915	3,730 00



EDjunior
Dynamometer



EDxtreme Dynamometer

Constructed of electroless nickel plated aircraft quality alloy steel. Lower capacity models are anodized aircraft quality aluminum. Allows permanent attachment of centering spacers, which eliminates fumbling during high capacity rigging. 5:1 measure of strength and safety is maintained at all capacities. 200% safe overload capacity. Resolution mode is 1 part in 5,000. Wide angle LCD provides improved readability over a wider viewing angle. RS232 or RS485 communication. Display update rate a 2 times per second. Includes certificate of calibration, manual and (2) C cell batteries. Plastic carrying case included for EDx-2.5K to EDx-100K. Higher capacities include rugged plywood storage crate. Instruments with shackles include centering spacers (EDx-50K & up) and shackle storage crate (EDx-50K to EDx-160K). 9" x 4.6" x 1.8" NEMA 3/IP44

Part Number	Dillon	Capacity	Weight	SKU	List
EDx-2.5K	AWT05-506312	2,500 x 2 lb	13 lb	6920	\$ 3,155.00
EDx 5K	AWT05-506313	5,000 x 5 lb	13 lb	6921	3,565.00
EDx-10K	AWT05-506314	10,000 x 10 lb	22 lb	6922	4,100.00
EDx-25K	AWT05-506315	25,000 x 20 lb	46 lb	6923	5,225.00
EDx-50K	AWT05-506316	50,000 x 50 lb	125 lb	6924	6,525.00



EDxtreme
Dynamometer

Link



TL6000
Tension Link
Scale w/ RF Antenna

TL6000-RF Wireless Tension Link Scale

RF wireless. Aluminum or stainless steel. Cranes, riggers, shipyards, construction sites, surveyors, inspectors and utilities demand cost effective yet technologically advanced solutions for processing, monitoring and controlling overhead loads. $\pm 0.1\%$ of applied load or ± 1 graduation: whichever is greater, $\pm 0.2\%$ or ± 2 graduations for 25K & higher. Weights are easily viewed with the industry's largest digital 1.2" high LCD readout. The units easy to use membrane switches allow simple, trouble free operation. The TL6000 wireless remote control can communicate with 20 remote tension links simultaneously. The remote can display the weight from a specific tension link or the total weight from all tension links in the system. Can be interfaced with most PLC or notebook computers. Annunciators for low battery, peak hold, set points 1 & 2, lb, kg, tons, metric tons and dekaNewtons. Function keys for ON/OFF, ZERO, PEAK HOLD, MODE. RS232 or RS485 serial output. Efficient micro controller gives up to 800 hours of battery life, wireless remote control models have a reduced operating time. Power is supplied by (2) 9 volt alkaline batteries (not included). NEMA 4X and IP65.

Part Number	Capacity	Weight	SKU	List
TL6000-50,000-RF	50,000 x 50 lb	55 lb	5477	\$ 2,735.00

Options shackles

150103 Top & bottom	50,000 lb	63 lb	3886	895.00
---------------------	-----------	-------	------	--------

Remote Indicators

150114 Dual remote indicator, RF wireless		4 lb	705	995.00
Two indicators, one at tension link and one remote				



150114
RF Wireless
Dual remote indicator

Link



TL6000 Tension Link Scale

For crane overload and line tension measurement. High resolution using a 14 bit A/D converter gives +/-0.1% of applied load. All electronics are shock mounted in a weatherproof billet aluminum housing. Components are protected against moisture, dust and rough usage. Weights are easily checked with highly visible 1.2" high LCD digital readout. The units easy to use membrane switches allow simple, trouble free operation. Features include peak hold, set points for relay control and keypad setup. Function keys for ON/OFF, ZERO, PEAK, TARE, MODE. Readings can be displayed in lb, kg, tons, metric tons, and dekaNewtons. RS232 or RS485 serial output in continuous or on demand. Efficient micro controller gives up to 500 hours of battery life. Power is supplied by (2) 9 volt alkaline batteries (not included). NEMA 4X and IP65.

Part Number	Capacity	Weight	SKU	List
TL6000-1,000	1,000 x 1 lb	5 lb	3876	\$ 1,250.00
TL6000-50,000	50,000 x 50 lb	55 lb	3881	2,235.00

Options shackles

150100 Top & bottom	5,000 lb	3 lb	3883	99.00
150103 Top & bottom	50,000 lb	63 lb	3886	895.00

Remote Indicators

189014 RFX Dual remote indicator,		6 lb	566	995.00
Two indicators, one at tension link and one remote				

Service parts

240028 LCD display for TL6000		0.08 lb	3882	133.00
-------------------------------	--	---------	------	--------



TL6000
Tension Link Scale



150113
Dual Remote Indicators

Link



TL8500
Tension Link Scale

TL8500 Tension Link Scale

For crane overload and line tension measurement. High resolution using a 14 bit A/D converter gives +/-0.1% of applied load. All electronics are shock mounted in a weatherproof billet aluminum housing. Components are protected against moisture, dust and rough usage. Weights are easily checked with highly visible 1.2" high LCD digital readout. The units easy to use membrane switches allow simple, trouble free operation. Features include peak hold, set points for relay control and keypad setup. Function keys for ON/OFF, ZERO, PEAK, TARE, MODE. Readings can be displayed in lb, kg, tons, metric tons, and dekaNewtons. RS232 or RS485 serial output in continuous or on demand. Efficient micro controller gives up to 400 hours of battery life. Power is supplied by (2) 9 volt alkaline batteries (not included). NEMA 4X and IP65.

Part Number	Capacity	Weight	SKU	List
TL8500-500	500 x 0.5 lb	5 lb	7928	\$ 1,395.00
TL8500-1,000	1,000 x 1 lb	5 lb	7929	1,395.00
TL8500-2,000	2,000 x 2 lb	5 lb	7930	1,395.00
TL8500-5,000	5,000 x 5 lb	5 lb	7931	1,595.00
TL8500-10,000	10,000 x 10 lb	8 lb	7932	1,795.00
TL8500-25,000	25,000 x 20 lb	35 lb	7933	2,395.00
TL8500-50,000	50,000 x 50 lb	55 lb	7934	2,495.00
TL8500-100,000	100,000 x 100 lb	75 lb	7935	4,795.00
TL8500-160,000	160,000 x 200 lb	85 lb	7936	5,095.00

Options shackles

150100 Top & bottom	5,000 lb	3 lb	3883	99.00
150101 Top & bottom	10,000 lb	6 lb	3884	195.00
150102 Top & bottom	25,000 lb	39 lb	3885	605.00
150103 Top & bottom	50,000 lb	63 lb	3886	895.00
150104 Top & bottom	100,000 lb	104 lb	3887	2,925.00

Remote Indicators

189014 RFX Dual remote indicator, Two indicators, one at tension link and one remote	6 lb	566	995.00
---	------	-----	--------

Options

150229 Set point relay output control kit	2 lb	770	495.00
---	------	-----	--------



100RH-WL Tension Link Scale

Wireless tension link or dynamometer with remote indicator. Alloy steel with powder coated finish IP67. Wireless distance 30m. 100 hours operating time. (3)AA batteries, included for link. Wireless indicator IP65 ABS wash down enclosure with LCD and backlight. (3)AA batteries, included for indicator. 2.8"x1.1" Function keys for ON/OFF, ZERO, PEAK, TARE. Units: kg, g, t, lb, Klb, N,kN, oz, user defined. (2)set points for precaution and warning. Auto power off. Auto zero tracking. IP65/IP67.

Part Number	Capacity	Weight	SKU	List
110RH-500kg-WL-FP7	500 x 0.1 kg	2 lb	3327	\$ 2,068.00
110RH-1t-WL-FP7	1,000 x 0.2 kg	2 lb	3328	2,068.00
110RH-2t-WL-FP7	2,000 x 0.5 kg	2 lb	3329	2,068.00
110RH-5t-WL-FP7	5,000 x 1 kg	4 lb	3331	2,780.00
110RH-10t-WL-FP7	10,000 x 2 kg	6 lb	3332	3,171.00
110RH-20t-WL-FP7	20,000 x 5 kg	11 lb	3333	4,241.00
110RH-30t-WL-FP7	30,000 x 10 kg	45 lb	3334	6,062.00
110RH-50t-WL-FP7	50,000 x 10 kg	45 lb	3335	7,327.00

Optional shackles

SBX-2t	500kg 1t, 2t	2 lb	2527	36.00
SBX-3.25t	1t, 2t, 3t	2 lb	2528	43.00
SBX-4.75t	2t, 3t	2 lb	2529	51.00
SBX-6.5t	5t	2 lb	2530	74.00
SBX-12t	10t	2 lb	2531	135.00
SBX-13.5t	10t	2 lb	2532	179.00
SBX-25t	20t	2 lb	2533	396.00
SBX-35t	30t	2 lb	2534	554.00
SBX-55t	50t	2 lb	2535	1,245.00
SBX-120t	100t	2 lb	2536	2,899.00

Service Parts

805HP-WL wireless indicator,	3 lb	3337	982.00
------------------------------	------	------	--------



100RH-WL
Tension link



805HP-WL
Wireless indicator

Dynamometer



100ES-WL-HP
Tension link
Stainless steel



805HP-WL
Wireless indicator

ANYLOAD

100ES Tension Link Scale

Wireless tension link or dynamometer with remote indicator. Salt water proof stainless steel IP69. Wireless distance 30m. 100 hours operating time. (3)AA batteries, included for link. Wireless indicator IP65 ABS wash down enclosure with LCD and backlight. (3)AA batteries, included for indicator. 2.8"x1.1" Function keys for ON/OFF, ZERO, PEAK, TARE. Units: kg, g, t, lb, Klb, N,kN, oz, user defined. (2)set points for precaution and warning. Auto power off. Auto zero tracking. IP65/IP69.

Part Number	Capacity	Weight	SKU	List
110ES-1t-WL02	1,000 x 0.2 kg	2 lb	5279	\$ 2,590.00
110ES-2.5t-WL02	2,500 x 0.5 kg	2 lb	5280	2,590.00
110ES-5t-WL02	5,000 x 1 kg	4 lb	5281	3,074.00
110ES-10t-WL02	10,000 x 2 kg	6 lb	5282	3,577.00
110ES-20t-WL02	20,000 x 5 kg	11 lb	5283	3,853.00
110ES-30t-WL02	30,000 x 10 kg	45 lb	5284	4,617.00
110ES-50t-WL02	50,000 x 10 kg	45 lb	5285	9,131.00
110ES-100t-WL02	100,000 x 20 kg	90 lb	5286	17,491.00

Optional shackles

TBX-2t	1t	2 lb	6154	59.00
TBX-2.55t	2.5t	2 lb	6155	74.00
TBX-5t	5t	2 lb	6156	97.00
TBX-12.5t	10t	2 lb	6157	228.00
TBX-21t	20t	2 lb	6158	567.00
TBX-30t	30t	2 lb	6159	689.00
TBX-50t	50t	2 lb	6160	2,009.00

Service Parts

805HP-WL wireless indicator,	3 lb	3337	982.00
------------------------------	------	------	--------



A&D WEIGHING DIVISION

GX Precision balance

The world's most user friendly balances. Internal calibration mass. Super Hybrid Sensor. Vacuum fluorescent display. Weighing modes: gram, decimal ounce, decimal pound, pound/ounce, carat, pennyweight, troy ounce, grain, momme, percentage, counting, animal weighing. Standard RS232. Includes WinCT software on a CD for loading into your PC. This software will enable the output from the GX to be entered directly into a spread sheet program such as Excel. Splash proof keyboard and display. GLP/GMP/ISO compliance. Display auto power off function. Density calculation mode. Time & Date. Auto self calibration. Standard underhook. Auto power on function. Auto rezero function. Large square weighing pan. Front air bubble leveling. 120 VAC, 50/60 Hz, 7" x 12.5" x 3.4"H.

Part Number	Capacity	Pan	Weight	SKU	List
GX-1000	1,110g x 0.001g	165 x 165mm	14 lb	7034	3,240.00

Options

GX-11 Glass breeze break for GX-2000 & higher	2 lb	4696	328.65
GX-13 Density determination kit	1 lb	4698	756.00
AX:073003691-S In use cover for GX GF 200-1000	1 lb	4700	27.56
AX:073003692-S In use cover for GX GF 1200-8000	1 lb	4701	32.30
AX:073007197A In use cover for GXK GFK	0.04 lb	4804	27.56

Service Parts

TB-648 AC adapter 120VAC	1 lb	5340	60.00
PZ:3470-SW switch board GX GF	1 lb	6161	87.98



**GX Series
Precision balance**



A&D WEIGHING DIVISION



GX-A Balance

GX-A Balance - Internal Calibration

Super hybrid sensor. Reverse backlit LCD display. Software features include Impact Shock Detection, Flow Rate Display and Electronically Controlled Load where an automatic self diagnostic test is run before an internal readability test. Weighing applications: Counting with ACAI, Percent weighing, Density determination, Statistical calculation, Comparator HI/OK/LO, Underhook, Gross/Net/Tare. Weighing Units: g, lb, In-oz, ozt, ct, mom, dwt, gr, pcs, %, SG, user programmable unit. GLP/GMP/GCP compliance, Universal Flex Coms, Password protected. Function keys: ON/OFF, CAL, MODE, SAMPLE, PRINT, REZERO. Anti static breeze break, Front level bubble with LED illumination, key lock security, Fly Thumb Wheel feet. Stainless steel pan. 8.3" (W) x 12.5" (D) x 3.7" (H). 5 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
GX-203A	220 x 0.001g	128 x 128mm	12 lb	1249	\$ 2,125.00
GX-303A	220 x 0.001g	128 x 128mm	12 lb	1250	2,420.00
GX-403A	420 x 0.001g	128 x 128mm	12 lb	1251	2,565.00
GX-603A	620 x 0.001g	128 x 128mm	12 lb	1252	3,350.00
GX-1003A	1,100 x 0.001g	128 x 128mm	12 lb	1253	3,865.00
GX-1603A	1,620 x 0.001g	128 x 128mm	12 lb	1254	4,390.00
GX-2002A	2,200 x 0.01g	128 x 128mm	12 lb	1255	2,420.00
GX-3002A	3,200 x 0.01g	128 x 128mm	12 lb	1256	2,880.00
GX-4002A	4,200 x 0.01g	128 x 128mm	12 lb	1257	3,010.00
GX-6002A	6,200 x 0.01g	128 x 128mm	12 lb	1258	3,530.00
GX-10002A	10,200 x 0.01g	128 x 128mm	12 lb	1259	4,745.00
GX-6001A	6,200 x 0.1g	128 x 128mm	12 lb	1260	2,680.00
GX-10001A	10,200 x 0.1g	128 x 128mm	12 lb	1261	2,750.00
Service Parts					
06:4005645 leveling foot			0.03 lb	1228	10.60
PZ:3470-SW switch board GX GF			1 lb	6161	87.98



A&D WEIGHING DIVISION

FX-i Precision balance

Fast stabilization time of 1 second is due to the super hybrid sensor. Comparator function. Vacuum fluorescent display. Weighing units: g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, %, MLT. Quick USB interface (FXi-02). Standard RS-232 interface. LAN Ethernet interface. 120 VAC adapter. 5 year warranty.

193 W x 262.5 D x 84.5 H mm.

NTEP Legal for Trade 08-045 = N suffix

Canada AM-5692 = C suffix

Part Number	Capacity	Pan	Weight	SKU	List
FX-120i w/breeze break	122g x 0.001g	130mm	8.45 lb	6253	\$ 1,495.00
FX-120iN w/breeze break	122g x 0.001g	130mm	8.45 lb	6737	1,495.00
FX-300i w/breeze break	320g x 0.001g	130mm	8.45 lb	6274	1,555.00
FX-1200i	1,220g x 0.01g	150mm	8.45 lb	6275	1,440.00
FX-1200iNC	1,220g x 0.01g	150mm	8.45 lb	6799	1,495.00
FX-2000iNC	2,200g x 0.01g	150mm	8.45 lb	6713	1,555.00

Options

FXi-11 Breeze break large 7.9" h	6 lb	6282	180.00
----------------------------------	------	------	--------

Service Parts

06:4005645 leveling foot	0.03 lb	1228	10.60
03-4017750 FXi metal pan support arm	0.12 lb	6220	15.90



FX-300i
Precision balance



A&D WEIGHING DIVISION

FX Precision balance

External calibration. Large removable breeze break. Weighing units: g, mg, oz, oz-t, ct, momme, dwt, grain, pcs (counting mode), percent, DS (density mode). 120 VAC adapter. 7.8"W x 11.6"D x 12.4"H

NTEP Legal for Trade N suffix

Part Number	Capacity	Pan	Weight	SKU	List
FX-123	122g x 0.001g	5.1"	5.5 lb	6115	\$ 1,495.00
FX-123N	122g x 0.001g	5.1"	5.5 lb	6116	1,495.00
FX-223	220g x 0.001g	5.1"	5.5 lb	6117	1,585.00
FX-223N	220g x 0.001g	5.1"	5.5 lb	6118	1,610.00
FX-323	320g x 0.001g	5.1"	5.5 lb	6119	1,555.00
FX-323N	320g x 0.001g	5.1"	5.5 lb	6120	1,560.00
FX-523	520g x 0.001g	5.1"	5.5 lb	6121	1,775.00
FX-1202	1,220g x 0.01g	5.9"	5.5 lb	6122	1,440.00
FX-1202N	1,220g x 0.01g	5.9"	5.5 lb	6123	1,510.00
FX-2202	2,200g x 0.01g	5.9"	5.5 lb	6124	1,505.00
FX-2202N	2,200g x 0.01g	5.9"	5.5 lb	6125	1,555.00
FX-3202	3,200g x 0.01g	5.9"	5.5 lb	6126	1,655.00
FX-3202N	3,200g x 0.01g	5.9"	5.5 lb	6127	1,675.00
FX-5202	5,200g x 0.01g	5.9"	5.5 lb	6128	1,780.00

IP65 Waterproof

FX-123WP	122g x 0.001g	5.1"	6.0 lb	2490	1,860.00
FX-223WP	220g x 0.001g	5.1"	6.0 lb	2491	1,955.00
FX-323WP	320g x 0.001g	5.1"	6.0 lb	2492	2,090.00
FX-1202WP	1,220g x 0.01g	5.9"	6.0 lb	2493	1,850.00
FX-2202WP	2,200g x 0.01g	5.9"	6.0 lb	2494	1,955.00
FX-3202WP	3,200g x 0.01g	5.9"	6.0 lb	2495	2,085.00



FX
Precision balance



Precision

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



A&D WEIGHING DIVISION



**AD-4212A
Production
Weighing System**

AD-4212A Production Weighing System

Made for a production line. Indicator and controls in base unit. Weigh platform in compact separate unit that is located in the production equipment. 2 meter cable connects display with weighing unit. Standard RS232 for computer control. 120 VAC, 50/60 Hz, 7.6" x 12.6" x 3.3"H.

Part Number	Capacity	Pan	Weight	SKU	List
AD-4212A-100	110g x 0.1mg	50 x 50mm	6 lb	5531	\$ 7,025.00
AD-4212A-200	210g x 1mg	50 x 50mm	6 lb	5532	6,175.00
AD-4212A-600	610g x 1mg	50 x 50mm	6 lb	2408	6,815.00
AD-4212A-1000	1,100g x 1mg	50 x 50mm	6 lb	2409	7,060.00

Options

AD-4212A-01 BCD output, factory installed	1 lb	5533	725.00
AD-4212A-07 Extension cable 3 meter	1 lb	5535	215.00
AD-4212A-08 Ethernet interference w/ winCT-Plus	5 lb	5536	375.00
AD-4212A-19 SS breeze break, 200g only	1 lb	5537	135.00
AD-4212A-20 Metal leveling feet	1 lb	5538	86.10



**FZ-300i
Precision balance**



A&D WEIGHING DIVISION

FZ-i Precision balance

Service parts only.

Part Number	Capacity	Pan	Weight	SKU	List
Options					
AX: 073009456 FZ In use cover			1 lb	7005	20.00



A&D WEIGHING DIVISION

FZ Precision balance

Internal calibration. Large removable breeze break. Weighing units: g, mg, oz, oz-t, ct, momme, dwt, grain, pcs (counting mode), percent, DS (density mode). 120 VAC adapter. 7.8"W x 11.6"D x 12.4"H

Part Number	Capacity	Pan	Weight	SKU	List
FZ-123	122g x 0.001g	5.1"	6.6 lb	3934	\$ 1,606.80
FZ-223	220g x 0.001g	5.1"	6.6 lb	3935	1,675.00
FZ-323	320g x 0.001g	5.1"	6.6 lb	3936	1,780.00
FZ-523	520g x 0.001g	5.1"	6.6 lb	3937	2,030.00
FZ-1202	1,220g x 0.01g	5.9"	6.6 lb	3938	1,710.00
FZ-2202	2,200g x 0.01g	5.9"	6.6 lb	3939	1,770.00
FZ-3202	3,200g x 0.01g	5.9"	6.6 lb	3940	1,825.00
FZ-5202	5,200g x 0.01g	5.9"	6.6 lb	3941	2,085.00
IP65 Waterproof					
FZ-123WP	122g x 0.001g	5.1"	7.1 lb	2924	2,285.00
FZ-223WP	220g x 0.001g	5.1"	7.1 lb	2925	2,370.00
FZ-323WP	320g x 0.001g	5.1"	7.1 lb	2926	2,560.00
FZ-1202WP	1,220g x 0.01g	5.9"	7.1 lb	2927	2,285.00
FZ-2202WP	2,200g x 0.01g	5.9"	7.1 lb	2928	2,370.00
FZ-3202WP	3,200g x 0.01g	5.9"	7.1 lb	2929	2,565.00



FZ
Precision balance



A&D WEIGHING DIVISION



GF-A Precision Balance

GF-A Precision Balance

Super hybrid sensor. Reverse backlit LCD display. Software features include Impact Shock Detection, Flow Rate Display and Electronically Controlled Load where an automatic self diagnostic test is run before an internal readability test. Weighing application: Counting with ACAI, Percent weighing, Density determination, Statistical calculation, Comparator HI/OK/LO, Underhook, Gross/Net/Tare. Weighing Units: g, lb, In-oz, ozt, ct, mom, dwt, gr, pcs, %, SG, user programmable unit. GLP/GMP/GCP compliance, Universal Flex Coms, Password protected. Function keys: ON/OFF, CAL, MODE, SAMPLE, PRINT, REZERO. Anti static breeze break, Front level bubble with LED illumination, key lock security, Fly Thumb Wheel Feet.

Part Number	Capacity	Pan	Weight	SKU	List
GF-123A	122 x 0.001g	128 x 128mm	12 lb	2063	\$ 1,565.00
GF-203A	220 x 0.001g	128 x 128mm	12 lb	2064	1,770.00
GF-303A	320 x 0.001g	128 x 128mm	12 lb	2065	2,000.00
GF-403A	420 x 0.001g	128 x 128mm	12 lb	2066	2,160.00
GF-603A	620 x 0.001g	128 x 128mm	12 lb	2067	2,550.00
GF-1003A	1,100 x 0.001g	128 x 128mm	12 lb	2068	3,070.00
GF-1603A	1,620 x 0.001g	128 x 128mm	12 lb	2069	3,945.00
GF-1202A	1,220 x 0.01g	128 x 128mm	12 lb	2070	1,790.00
GF-2002A	2,200 x 0.01g	128 x 128mm	12 lb	2071	1,845.00
GF-3002A	3,200 x 0.01g	128 x 128mm	12 lb	2072	1,905.00
GF-4002A	4,200 x 0.01g	128 x 128mm	12 lb	2073	2,445.00
GF-6002A	6,200 x 0.01g	128 x 128mm	12 lb	2074	2,985.00
GF-10002A	10,200 x 0.01g	128 x 128mm	12 lb	2075	3,680.00
GF-6001A	8,300 x 0.1g	128 x 128mm	12 lb	2076	2,030.00
GF-10000A	10,200 x 0.1g	128 x 128mm	12 lb	2077	2,125.00



A&D WEIGHING DIVISION

GF-P Precision balance

Tough, die-cast aluminum housing. Ideal for pill counting and compounding. Fast, Super Hybrid Sensor (SHS). Removeable stainless steel pan. IP54 splash proof/dust proof stainless steel weighing pan. Large, bright vacuum fluorescent display. Multiple weighing modes. One second response time. Data memory function. Underhook. WinCT data collection software. Quick reference operation card. RS232C standard. GLP/LIMS/ISO compliance. 5 year warranty.

NTEP Legal for Trade 04-077P

Part Number	Capacity	Pan	Weight	SKU	List
GF-200P	200 x 0.001g	5" x 5"	16 lb	7575	\$ 1,690.50
GF-300P	310 x 0.001g	5" x 5"	16 lb	7576	2,010.00

Options

TB: 648 AC adapter	1 lb	5340	60.00
--------------------	------	------	-------

Service Parts

08:3003976 Keysheet GF	1 lb	7510	20.14
------------------------	------	------	-------



GF-P Precision balance





ALC Precision balance

Stainless steel weighing platform. State of the art technology provides accuracy, repeatability and outstanding performance at remarkably affordable prices. Large LCD display. Keys are: CAL, ON/OFF, ZERO, PRINT, F. Piece counting. Percent weighing for solids, moisture loss, formulation, quality control. Averaging for unstable ambient conditions. Net totaling for formulation. User selectable two unit toggling. Advanced microprocessor for accurate weighing results, digital filtering and fast stabilization. RS 232 bi-directional interface for connection to computer or printer. Lock down capability. Four selectable application programs. 20 different weighing modes. Simple one button external calibration. 120 VAC

Part Number	Capacity	Pan	Weight	SKU	List
ALC-150.3	150g x 1mg	3.95" dia	6 lb	6818	\$ 920.00
ALC-1100.2	1,100g x 0.01g	5.9" dia	5 lb	6821	920.00



ALC
Precision balance



PGL Precision Balance

Service parts only for Adam PGL.

Part Number	Capacity	Pan	Weight	SKU	List
Options					
3074010266 RS-232 cable			1 lb	7068	35.00

Service Parts

302409160 adapter 120 VAC			1 lb	252	53.33
---------------------------	--	--	------	-----	-------



PGL
Precision Balance



CY Precision Balance

Precision balance with large LCD backlit screen. CY4102C has motorized internal calibration. CY4102 uses external calibration weights. Units: g, mg, ct, GN, mo, oz, dwt, t1T, t1H, t1S, mom, Bat, MS. Applications: PCS, % Weighing, Custom unit, Animal weighing, Check weighing, Density determination, Formulation. Output via RS232 and USB-B. 342.5mm L x 212mm W x 89.5mm H. CY1003C has chamber height 169.5mm. 115 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
CY1003C	1,000g x 0.001g	128mm x 128mm	15 lb	4292	\$ 1,020.00
CY4102	200g x 0.001g	190mm x 205mm	15 lb	4297	780.00
CY4102C	200g x 0.001g	190mm x 205mm	15 lb	4298	1,000.00



CY1003C
Precision Balance



HCB Highland Precision balance

HCB Highland Precision balance

HandiCal internal calibration for fast and accurate readings. Three point ShockProtect protection designed for the ultimate in performance reliability. ABS plastic with stainless steel platform. 6 digit, 0.6" backlit LCD display. Left and right tare keys. Applications include weighing, percent weighing, parts counting, totalization/accumulation. Audible overload indicator. Lock down mounting slot for Kensington type lock and cable. Internal rechargeable battery with auto power off and low battery indicator. Capacity tracker. Removable draft shield. USB and RS-232 bidirectional interface included for easy connection to computers and printers. 12VDC 800mA adapter.

NTEP Legal for Trade

Part Number	Capacity	Pan	Weight	SKU	List
Non-NTEP					
HCB123	120 x 0.001g	4.7"dia	5 lb	5299	\$ 710.00
HCB153	150 x 0.005g	4.7"dia	5 lb	5300	615.00
HCB302	300 x 0.01g	4.7"dia	5 lb	5301	615.00
HCB602H	600 x 0.01g	4.7"dia	5 lb	5302	770.00
HCB602	600 x 0.02g	4.7"dia	5 lb	5303	615.00
HCB1002	1,000 x 0.01g	4.7"dia	5 lb	5304	900.00
HCB1502	1,500 x 0.05g	4.7"dia	5 lb	5305	715.00
HCB2202	2,200 x 0.05g	4.7"dia	5 lb	5327	1,065.00
HCB3001	3,000 x 0.1g	4.7"dia	5 lb	5306	615.00
HCB6001	6,000 x 0.1g	4.7"dia	5 lb	5328	855.00
NTEP Legal for Trade					
HCB103aM	100 x 0.001g	4.7"dia	8 lb	167	900.00
HCB302aM	300 x 0.05g	4.7"dia	8 lb	168	715.00
HCB602aM	600 x 0.01g	4.7"dia	8 lb	169	790.00
HCB1202aM	1,200 x 0.01g	4.7"dia	8 lb	170	920.00
HCB3001aM	3,000 x 0.5g	4.7"dia	8 lb	171	770.00
HCB5001aM	5,000 x 0.5g	4.7"dia	8 lb	172	790.00
Options					
308232030 In use cover			1 lb	5298	20.00
Service Parts					
302409160 adapter 120VAC			1 lb	252	53.33



PGWe Topload Balance

Delivering the ultimate in speed and accuracy, the PGWe sets a new industry benchmark for reliability, durability and ease of use. 17 weighing units, 7 weighing modes. Backlit LCD with multilingual display. Keys are: PRINT, CALIBRATE, MODE, UNIT. Weighing units are: gram, milligram, kilogram, carat, grain, newton, dram, pound, ounce, troy ounce, pennyweight, momme, tael (Taiwan, Hong Kong and Singapore), tola, tical and 1 custom unit. Applications for weighing, net/total, check weighing, percentage weighing, weight accumulation, averaging, parts counting, animal/dynamic weighing, density determination, below balance weighing. Capacity tracker, RS 232 bi-directional interface, second communication port. 120 VAC adapter for 15 VDC, 800 ma Three year ADAM warranty.

Part Number	Capacity	Pan	Weight	SKU	List
PGW3502e	3,500g x 0.01g	7.6" x 7.6"	11 lb	6963	\$ 1,075.00

PGWe Series Topload Balance

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



EP Explorer Pro Precisiain balance

Explorer Pro balances are available with internal auto calibration or internal calibration. Weighing units: g, mg, kg, lb, oz, ozt, ct, dwt, tals(3), mommes, gn, ti, N, user definable custom unit. High resolution dot matrix alphanumeric display. User can select data fields to show on display including dual weighing units and ten messages. Configurable in English, French, Spanish, German and Italian. Applications include: Gross net tare weighing, GLP, GMP, parts counting, animal weighing, check weighing, filling, percent function, under hook for density and specific gravity. Cursor keys for ease in operation. RS232 interface. Adjustable filter for stabilization time. Stainless steel pan. 2 Year warranty. 100-120 VAC adapter, 8.3" x 14.5" x 14.5"H.

Part Number	Capacity	Pan	Weight	SKU	List
Without internal calibration weight					
EP413	410g x 0.001g	4.7" dia	19 lb	3338	\$ 2,376.00
Options					
80850043	Security Device up to 8kg		1 lb	1632	365.00
80253384	Density determination kit		3 lb	2794	1,219.00
CBM-910	Impact printer, 42 column		5 lb	7426	395.00
80500570	RS232 cable to printer		1 lb	7429	193.00
Service Parts Explorer Pro					
83020938	line cord 120 VAC		1 lb	601	36.00



**EP612
Precision balance**

OHAUS®



EX223
Precision balance



EX Explorer Precision balance

Intelligent performance. Intuitive software. Ingenious draftshield. Practical touchless sensors. 5.7" full color VGA graphic display. Touch screen. Weighing applications for: Weighing, Percent Weighing, Check Weighing, Dynamic/Animal Weighing, Filling, Totalization, Formulation, Differential Weighing, Density Determination, Peak Hold, Ingredient Costing, Pipette Adjustment, SQC. Weighing units for: gram, milligram, kilogram, carat, ounce, ounce troy, pound, pennyweight, grain, newton, momme, mesghal, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, baht, 3 custom units. RS232, USB communication. 100-240 VAC adapter. 9.1"W x 15.5"D x 13.8"H. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
AutoCal					
EX223	220g x 0.001g	5.1" dia	22 lb	7760	\$ 3,960.00
EX423	420g x 0.001g	5.1" dia	22 lb	7761	4,631.00
EX623	620g x 0.001g	5.1" dia	22 lb	7762	5,658.00
EX1103	1,100g x 0.001g	5.1" dia	22 lb	7763	6,632.00
EX2202	2,200g x 0.01g	7.5" x 7.9"	16 lb	7764	4,283.00
EX4202	4,200g x 0.01g	7.5" x 7.9"	16 lb	7765	4,923.00
EX6202	6,202g x 0.01g	7.5" x 7.9"	17 lb	7766	5,587.00
EX10202	10,200g x 0.01g	7.5" x 7.9"	17 lb	7767	6,627.00
EX6201	6,200g x 0.1g	7.5" x 7.9"	17 lb	7768	4,646.00
EX10201	10,200g x 0.1g	7.5" x 7.9"	17 lb	7769	5,089.00
NTEP Legal for Trade 12-012 I/II					
EX423N	420g x 0.001g	5.1" dia	22 lb	7569	5,161.00
EX1103N	1,100g x 0.001g	5.1" dia	22 lb	7570	7,240.00
EX4202N	4,200g x 0.01g	7.5" x 7.9"	16 lb	7571	5,406.00
EX10202N	10,200g x 0.01g	7.5" x 7.9"	17 lb	7572	7,240.00
EX10201N	10,200g x 0.1g	7.5" x 7.9"	17 lb	7620	5,593.00
Tradition Calibration (not AutoCal)					
EX223/E	220g x 1mg	5.1" dia	22 lb	6957	3,398.00
EX423/E	420g x 1mg	5.1" dia	22 lb	6958	4,108.00
EX2202/E	2,200 x 0.01g	7.5" x 7.9"	16 lb	6959	3,707.00
EX4202/E	4,200g x 0.01g	7.5" x 7.9"	16 lb	6960	4,322.00
EX6202/E	6,200g x 0.01g	7.5" x 7.9"	16 lb	6961	4,948.00
EX6201/E	6,200g x 0.1g	7.5" x 7.9"	16 lb	6962	3,972.00
Service Parts					
83033684 Top cover			1 lb	424	39.00
83033652 foot kit sp EX(4)			1 lb	346	117.00



AX Adventurer Precision Balance

Color Touchscreen with wide viewing angle. Ingenious draftshield opens wide on both sides. Automatic internal calibration system that calibrates the balance daily. Real time clock with GLP/GMP data. Application modes for Weighing, Dynamic Weighing, Display Hold, Parts Counting, Density Determination, Totalization/Statistic, Percent Weighing, Check Weighing and Formulation. Weighing units for: gram, milligram, mesgal, Newton, ounce, pennyweight, baht, carat, grain, pound, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, ounce troy, 1 custom unit. RS232, (2)USB ports. 100-240 VAC adapter. 9.05"W x 13.93"D x 13.39"H. 2 year warranty.



**AX124
Precision Balance**

Part Number	Capacity	Pan	Weight	SKU	List
AutoCal.					
AX223	220g x 0.001g	130mm dia	18 lb	8226	2,840.00
AX423	420g x 0.001g	130mm dia	18 lb	8227	3,424.00
AX523	520g x 0.001g	130mm dia	18 lb	8228	3,741.00

AX622	620 x 0.01g	175 x 195mm	15 lb	3966	2,152.00
AX1502	1,520g x 0.01g	175 x 195mm	15 lb	8229	2,627.00
AX2202	2,200g x 0.01g	175 x 195mm	15 lb	8230	2,798.00
AX4202	4,200g x 0.01g	175 x 195mm	15 lb	8231	3,513.00
AX5202	5,200g x 0.01g	175 x 195mm	15 lb	8232	3,979.00
AX4201	4,200 x 0.1g	175 x 195mm	28 lb	3973	2,319.00
AX8201	8,200g x 0.1g	175 x 195mm	15 lb	8233	2,708.00

External Calibration

AX223/E	220g x 0.001g	130mm dia	18 lb	3963	2,256.00
AX423/E	420g x 0.001g	130mm dia	18 lb	3964	2,783.00
AX523/E	520g x 0.001g	130mm dia	18 lb	3965	3,066.00

AX422/E	420g x 0.01g	175 x 195mm	12 lb	3967	1,582.00
AX822/E	420g x 0.01g	175 x 195mm	12 lb	3968	1,865.00
AX1502/E	1,520g x 0.01g	175 x 195mm	49 lb	3969	2,016.00
AX2202/E	2,200g x 0.01g	175 x 195mm	47 lb	3970	2,179.00
AX4202/E	4,200g x 0.01g	175 x 195mm	47 lb	3971	2,826.00
AX2201/E	2,200g x 0.1g	175 x 195mm	28 lb	3972	1,782.00
AX4201/E	4,200g x 0.1g	175 x 195mm	28 lb	3974	2,016.00
AX8201/E	8,200 x 0.1g	175 x 195mm	28 lb	3975	2,256.00

NTEP Legal for Trade

AX423N	420g x 0.001g	130mm dia	18 lb	5329	3,657.00
--------	---------------	-----------	-------	------	----------

NTEP Legal for Trade , AutoCal

AX223N/E	220g x 0.001g	130mm dia	18 lb	6532	2,497.00
AX423N/E	420g x 0.001g	130mm dia	18 lb	6533	2,977.00
AX523N/E	520g x 0.001g	130mm dia	18 lb	6534	3,306.00

AX622N/E	620g x 0.01g	175 x 195mm	18 lb	6535	1,933.00
AX1502N/E	1,520g x 0.01g	175 x 195mm	18 lb	6536	2,179.00
AX2202N/E	2,200g x 0.01g	175 x 195mm	18 lb	6537	2,421.00
AX4202N/E	4,200g x 0.01g	175 x 195mm	18 lb	6538	3,066.00
AX8201N/E	8,200g x 0.1g	175 x 195mm	18 lb	6539	2,421.00

Options

30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,517.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
83021085 USB interface w/cable	1 lb	8234	304.00

Service Parts

46001724 AC adapter 120VAC w/o prong set	1 lb	6164	80.00
46001776 Prong set, US only	1 lb	6226	36.00
30111777 in use cover for AX w/o draft shield	0.83 lb	3639	49.00
30111792 in use cover for AX w/draft shield	1 lb	3715	49.00
30111779 main board AX	1 lb	6527	672.00
30111768 keypad AX	1 lb	6528	63.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



PX Pioneer Precision Balance

Metal base, plastic top housing, removable stainless steel pan, Glass draftshield, integrated weigh-below hook, security bracket, calibration lock and in-use cover. Backlit liquid crystal display LCD. Weighing applications for: Basic Weighing, Parts Counting, Percent Weighing, Animal Weighing, Density Determination. Weighing units for: gram, milligram, kilogram, ounce, pound, carat, pennyweight, Troy ounce, grain, newton, momme, mesghal, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, baht, 1 custom unit. RS232, USB communication. 100-240 VAC adapter (included), 21.7"W x 15.2"D x 11.5"H. 2 year warranty.



PX163
Analytical Balance

Part Number	Capacity	Pan	Weight	SKU	List
External Calibration					
PX163/E	160g x 1mg	4.72" dia	15.4 lb	3666	\$ 1,478.00
PX323/E	320g x 1mg	4.72" dia	15.4 lb	3667	1,721.00
PX1602/E	1,600g x 0.01g	7.09" dia	11.0 lb	1652	1,424.00
PX2202/E	2,200g x 0.01g	7.09" dia	11.0 lb	1653	1,560.00
PX3202/E	3,200g x 0.01g	7.09" dia	11.0 lb	1654	1,876.00
PX4202/E	4,200g x 0.01g	7.09" dia	11.0 lb	1655	2,130.00
PX2201/E	2,200g x 0.1g	7.09" dia	11.0 lb	1656	1,324.00
PX4201/E	4,200g x 0.1g	7.09" dia	11.0 lb	1657	1,525.00
Internal Calibration					
PX163	160g x 1mg	4.72" dia	15.4 lb	3660	1,855.00
PX323	320g x 1mg	4.72" dia	15.4 lb	3661	2,084.00
PX523	520g x 1mg	4.72" dia	15.4 lb	3662	2,151.00
PX1602	1,600g x 0.01g	7.09" dia	11.0 lb	1646	1,766.00
PX2202	2,200g x 0.01g	7.09" dia	11.0 lb	1647	1,915.00
PX3202	3,200g x 0.01g	7.09" dia	11.0 lb	1648	2,252.00
PX4202	4,200g x 0.01g	7.09" dia	11.0 lb	1649	2,526.00
PX2201	2,200g x 0.1g	7.09" dia	11.0 lb	1650	1,633.00
PX4201	4,200g x 0.1g	7.09" dia	11.0 lb	1651	1,850.00

Service Parts

30372521 function label EN PX	0.02 lb	1661	24.00
30529325 AC adapter 100-240VAC 10W 12VDC	0.44 lb	1664	77.00



PA Pioneer Precision balance

Service parts for PA Pioneer Precision balance.

Part Number	Weight	SKU	List
Service Parts			
83020241 weighing pan 90mm PA	0.4 lb	1681	\$ 112.00



AV Adventurer Pro Precision balance

Service parts for AV Adventurer Pro Precision balance.

Part Number	Weight	SKU	List
Service Parts			
46001724 AC adapter 120VAC w/o prong set	1 lb	6164	\$ 80.00
46001776 Prong set, US only	1 lb	6226	36.00
46001780 Prong set, International	1 lb	714	36.00



AV412
Precision balance

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



NV Navigator

Two touchless sensors which free up your hands for handling samples and minimizing wear and tear on the keypad. 6 digit, 7 segment with white LED backlight or red LED. 4 mechanical keys, raised with tactile feedback. Weighing units for: gram, kilogram, pound, ounce (decimal or fractional), pound (decimal or fractional), ounce troy, grain, newton, carat, pennyweight, Hong Kong tael, Taiwan teal, Singapore teal, tical, tola. Application modes for: Weighing, Percent Weighing, Parts Counting, Check Weighing, Display Hold, Accumulate/Totalize. Over-accept-under LCD or LED annunciators. Front mounted level bubble with illumination. Adjustable leveling feet with skid resistant rubber pads. Full capacity by subtraction tare range. User selectable external span or linearity calibration, digital with external weight. 12VDC AC adapter included or (4) AA batteries (not included). 8.03"W x 8.34"D x 5.27"H.



Navigator

Part Number	Capacity	Pan	Weight	SKU	List
NV123	120g x 0.001g	3.7" dia	3.3 lb	6365	\$ 607.00
NV223	220g x 0.001g	3.7" dia	3.3 lb	6366	674.00
NV323	320g x 0.001g	3.7" dia	3.3 lb	6367	740.00
NV222	220g x 0.01g	5.7" dia	3.3 lb	2139	545.00
NV422	420g x 0.01g	5.7" dia	3.3 lb	2140	694.00
NV622	620g x 0.01g	5.7" dia	3.3 lb	6368	707.00
NV1202	1,200g x 0.01g	7.5" x 5.7"	3.3 lb	6369	788.00
NV2202	2,200g x 0.01g	7.5" x 5.7"	3.3 lb	6370	828.00
NV3202	3,200g x 0.01g	7.5" x 5.7"	3.3 lb	6371	867.00
NV221	220g x 0.1g	7.5" x 5.7"	3.3 lb	2141	319.00
NV621	620g x 0.1g	7.5" x 5.7"	3.3 lb	2142	467.00
NV1201	1,200g x 0.1g	7.5" x 5.7"	3.3 lb	2143	529.00
NV2201	2,200g x 0.1g	7.5" x 5.7"	3.3 lb	2144	587.00
NVT2201	2,200g x 0.1g	9.1" x 6.9"	5.1 lb	2145	587.00
NVT4201	4,200g x 0.1g	9.1" x 6.9"	5.1 lb	2146	734.00
NVT2200	2,200g x 1g	9.1" x 6.9"	5.1 lb	2147	555.00
NVT6200	6,200g x 1g	9.1" x 6.9"	5.1 lb	2148	734.00
NVT12000	12,200g x 1g	9.1" x 6.9"	5.1 lb	2149	793.00
NVT22000	22,200g x 1g	9.1" x 6.9"	5.1 lb	2150	948.00
NVT6201	6,200g x 0.1g	9.1" x 6.9"	5.1 lb	6372	739.00
NVT10201	10,200g x 0.1g	9.1" x 6.9"	5.1 lb	6373	778.00
Options					
830332108 USB interface				6163	262.00
830332107 RS232 interface				6162	262.00
830332109 Ethernet interface				1747	262.00
30467963 Carrying case				1749	172.00
30467987 Adapter w/ships (5) countries(EU,US,UK,AU,KR)				2875	65.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb			1754	1,552.00

Precision



**WLC
Bench**



WLC Precision

Stainless steel weighing platter. Fast and precise mass determination in laboratory and industrial conditions. Excellent in areas with no access to mains. Backlit LCD display. Counting pieces. Checkweighing and percentage. Animal weighing. Caps lock of max indication. Measurement in Newton. WLC A2 have the option of weighing loads outside the weighing platform (under hook weighing). Includes internal rechargeable battery and RS232 output.

Part Number	Capacity	Platform	Weight	SKU	List
WLC2/A2	2kg x 0.01g	7.7" x 7.7"	5 lb	7617	\$ 757.00
WLC10/A2	10kg x 0.1g	7.7" x 7.7"	9 lb	7621	757.00
WLC20/A2	20kg x 0.1g	7.7" x 7.7"	9 lb	7622	802.00



**WTC
Bench**



WTC Precision

Internal rechargeable battery for portable operation. Fast and precise mass determination in laboratory and industrial conditions. Stainless steel weighing pan. Backlit LCD display. Checkweighing, Parts Counting, Percent, Totalizing, Animal weighing, Peak hold. Includes internal rechargeable battery. Optional RS232 output. IP43.

Part Number	Capacity	Platform	Weight	SKU	List
WTC200	200 g x 0.001 g	100mm dia	3.88 lb	67	\$ 581.00
WTC600	600 g x 0.01 g	128x128mm	3.88 lb	122	488.00
WTC2000	2,000 g x 0.01 g	128x128mm	3.88 lb	68	548.00
WTC3000	3,100 g x 0.1 g	128x128mm	3.88 lb	123	608.00

sartorius

Midrics Level 1 & 2 Precision balance

Rugged construction. 2 display and indicator units. 4 adjustable feet. Level indicator. 10 weighing ranges from 3kg to 3t.

Midrics 1 for simple weighing tasks.

Midrics 2 with 10 key touch pad and applications programs. Applications include: counting, checkweighing, classification, totalizing, net-total formulation, animal weighing, percent weighing, neutral measurement.

Stainless steel. Indicator is stainless steel and IP65. Stainless steel versions are suited for industrial use in wet environments.

Part Number	Capacity	Pan	Weight	SKU	List
Midrics Level 1 Weigh Only					
MW1P1U-3DC-L	3kg x 0.002kg	12.6" x 9.4"	21 lb	4943	\$ 1,665.00
MW1P1U-6DC-L	6kg x 0.005kg	12.6" x 9.4"	21 lb	4944	1,665.00
MW1P1U-15DC-L	15kg x 0.001kg	12.6" x 9.4"	21 lb	4945	1,665.00
MW1P1U-30ED-L	30kg x 0.002kg	15.7" x 11.8"	30 lb	4946	1,841.00
MW1P1U-60ED-L	60kg x 0.005kg	15.7" x 11.8"	30 lb	4947	1,841.00
MW1P1U-60FE-L	60kg x 0.005kg	19.7" x 15.7"	37 lb	4948	2,055.00
MW1P1U-150FE-L	150kg x 0.01kg	19.7" x 15.7"	37 lb	4949	2,055.00
Midrics Level 2 Weight & Keypad					
MW2P1U-3DC-L	3kg x 0.0002g	12.6" x 9.4"	21 lb	4951	1,348.00
MW2P1U-6DC-L	6kg x 0.0005kg	12.6" x 9.4"	21 lb	4952	1,348.00
MW2P1U-15DC-L	15kg x 0.001kg	12.6" x 9.4"	21 lb	4953	1,348.00
MW2P1U-30ED-L	30kg x 0.002kg	15.7" x 11.8"	30 lb	4954	1,409.00
MW2P1U-60ED-L	60kg x 0.005kg	15.7" x 11.8"	30 lb	4955	1,409.00
MW2P1U-60FE-L	60kg x 0.01kg	19.7" x 15.7"	37 lb	4956	1,666.00
MW2P1U-150FE-L	150kg x 0.01kg	19.7" x 15.7"	37 lb	4957	1,666.00
Options					
YDH01CWSUS 13" Column SS column			4 lb	4962	195.00
YDH02CWSUS 19.7" High SS column			5 lb	4964	210.00
YDH03CWSUS 29.5" SS Column			7 lb	4966	241.00



**Midrics Level 1 Weigh only
Precision balance**



**Midrics Level 2
Precision balance**

sartorius

CP Precision balance

Service parts only for Sartorius CP.

Part Number	Weight	SKU	List
Service Parts			
6971500 Power supply 110VAC	3 lb	3054	\$ 667.00
YDP03-OCE Data printer with statistics & time/date*	5 lb	3751	980.00

* Order printer power supply separately

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



Practum 2012-1S
Precision balance



Practum 213-1S
Precision balance

Practum

Unmatched reliability with the world class weighing instrument. Fast and easy data transfer. Touch screen with Sartorius graphical user interface. Overload protection for years of reliability. Glass level indicator with air bubble for centering. External calibration. Standard built in applications for: Weighing, Density, Percentage, Checkweighing, Peak Hold, COunting, Unstable Conditions. Selectable weighing units for: Gram, Kilogram, Carat, Pound, Ounce, Troy Ounce, Honk Kong Tael, Singapore Tael, Taiwan Tael, Grain, Pennyweights, Milligram, Parts Per Pound, China Tael, Mommies, Austrian Carat, Tola, Baht, Mesghal and Newton. USB port. 100-240 VAC, 50/60 Hz.

Part Number	Capacity	Pan	Weight	SKU	List
Practum 124-1S	120g x 0.1mg	3.5"	11 lb	7605	\$ 2,530.00
Practum 224-1S	220g x 0.1mg	3.5"	11 lb	7606	2,780.00
Practum 213-1S	210g x 0.001g	4.75"	10 lb	7607	1,440.00
Practum 313-1S	310g x 0.001g	4.75"	10 lb	7608	1,555.00
Practum 612-1S	610g x 0.01g	7"	8 lb	7609	1,130.00
Practum 1102-1S	1100g x 0.01g	7"	8 lb	7610	1,250.00
Practum 2102-1S	2100g x 0.01g	7"	8 lb	7611	1,310.00
Practum 5101-1S	5100g x 0.1g	7"	8 lb	7612	1,335.00
Practum 5100-1S	5100g x 1.0g	7"	8 lb	7625	1,030.00

sartorius

TE Precision balance

Weighing craftsmanship that is easy to afford. Left and right tare keys. Typical modes of use are counting of small parts, weighing in percent, net-total calculation, toggling between two weight units, weigh averaging. Battery operable units without 'S' suffix use (8) AA batteries. RS232 data interface. LCD Liquid Crystal Display. Includes AC adapter.

Part Number	Capacity	Pan	Weight	SKU	List
TE212	210 x 0.01g	4.6" dia	8 lb	4677	\$ 595.00

Options

YDP03-OCE Data printer with statistics & time/date	5 lb	3751	980.00
YCC01-USBM2 cable RS232 to USB	1 lb	3763	221.00



TE212
Precision Balance

sartorius

M-Prove Precision balance

Very compact design. Can be stacked. The M-Class balances were developed especially for ambitious first time users in the laboratory and academic sector. Keys for I/O, ZERO, CAL, F, ENTER, PRINT. 9VDC battery (not included). 120VAC adapter, included.

Part Number	Capacity	Pan	Weight	SKU	List
AY123	120 x 0.001g	97mm dia	4.19 lb	7703	\$ 475.00



AY123
Precision Balance

The logo for aczel, featuring a stylized 'a' and the word 'aczel' in blue, with the tagline 'Solution Simplified' below it.

CZ Precision Balance NTEP

Backlit LCD display 15mm high.
Capacity bar graph
Standard RS232 port.
Battery operated 40 hour usage with 12 hour charging time.
6.5"W x 11"D x 5"H.
NTEP Legal for Trade 09-109

Part Number	Capacity	Pan	Weight	SKU	List
CZ602	600g x 0.01g	120mm dia	4 lb	4304	\$ 410.00
CZ1202	1,200g x 0.01g	120mm dia	4 lb	4302	570.00
CZ1200	1,200g x 0.1g	140mm X 150mm	4 lb	4301	410.00
CZ6000H	6,000g x 0.1g	140mm X 150mm	4 lb	4303	440.00



CZ1202
Precision Balance



Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



HI & SI Precision balance

Award winning variable capacitance sensing technology. Large bright LED display. Rapid update rate for filling. Bidirectional RS232. Rugged die cast aluminum housing. Chemically resistant keypad. Stainless steel weighing pan. Standard RS232 interface. HI series has keys for CAL, MODE, PRINT, UNITS, TARE/POWER, %. Units are grams, ounces, carats, %, g per second, user defined unit. Fast or slow update rate. Print will transmit data instantaneously, continuously or at selected intervals. SI has keys for MODE, TARE/POWER. Dual range balances display the finest resolution whenever the balance is tared, regardless of how much weight is zeroed out. 120 VAC adapter, 11"L x 7"W x 3"H.



HI410S
Precision balance



SI2000S
Precision balance

Part Number	Capacity	Pan	Weight	SKU	List
HI410S *	410g x 0.001g	4.75" dia	10 lb	6070	\$ 3,004.79
HI4100S	4,100g x 0.01g	6.25" dia	10 lb	6071	2,754.39
SI200S *	200g x 0.001g	4.75" dia	10 lb	6072	2,654.23
SI410D *	100g x 0.001g	4.75" dia	10 lb	6073	2,302.67
	410g x 0.01g				
SI410S *	410g x 0.001g	4.75" dia	10 lb	6074	2,754.39
SI2000S	2,000g x 0.01g	6.25" dia	10 lb	6075	2,303.67
SI4100D	1,000g x 0.01g	6.25" dia	10 lb	6076	2,303.67
	4,100g x 0.1g				
SI4100S	4,100g x 0.01g	6.25" dia	10 lb	6077	2,503.99
* Cylindrical draftshield included					

Options

407914R Draftshield, 3 way glass door for 4.75"dia pan	2 lb	6080	461.09
407902 CC Dustcover	1 lb	6082	45.00

Service Parts

407712 120 VAC adapter	1 lb	6066	141.60
409748 Supercount AC adapter	1 lb	6083	141.60
404290-01R load cell 1kg	5 lb	6062	1,785.32
404290-02R load cell 2.5kg	5 lb	6041	1,785.32
404290-04R load cell 12.5kg	5 lb	6042	1,785.32
404290-05R load cell 25kg	5 lb	6043	1,785.32
404290-06R load cell 34kg	5 lb	6088	1,794.17
404290-07R load cell 50kg	5 lb	6044	1,785.32



A&D WEIGHING DIVISION

MX MF ML MS Moisture Analyzers

Fast and uniform heating with halogen lamp. Four measurement programs: Standard, Automatic, timer, Manjal. Memory function for test parameters and results. Up to 20 measurements conditions can be stored and recalled in MX-50. 10 can be stored in MF-50. Large, clear, easy to see VFD display. Plexiglass window for checking heating process. Conformity to GLP, GMP, GCP and ISO with date/time. ID, calibration data and check record outputs. Includes (20) sample pans, (2) pan handles, tweezers, spoon, test sample (30g of sodium tartrate dihydrate), CD-ROM (WinCT-Moisture for MX-50, WinCT for MF-50), RS232C cable for MX-50, display cover, dust cover, instruction manual, quick reference card, power cable, (2) fuses. 120 VAC, 50/60 Hz, 400 Watts, 5.4"W x 8.1"D x 4.4"H.

Part Number	Capacity	Percent	Pan	Weight	SKU	List
MX-50	51g x 0.001g	100 x 0.01%	2.16"dia	16 lb	4522	\$ 4,530.00
MF-50	51g x 0.002g	100 x 0.05%	2.16"dia	16 lb	4523	3,660.00
ML-50	51g x 0.005g	100 x 0.1%	2.16"dia	16 lb	4890	3,150.00
MS-70	71g x 0.001g	100 x 0.001%	2.16"dia	16 lb	4447	7,295.00

Service Parts

AX-31 Sample pans (washable, 100 ea)	1 lb	4524	130.00
AX-32 Glass fiber sheets (100 ea)	1 lb	4525	70.00
AX-33 Sodium tartrate dihydrate test samples (30g x 12 ea)	1 lb	4526	115.00
AX-34 Halogen lamp (replacement)	1 lb	4527	85.00
AX-35 Pan handles (2 ea)	1 lb	4528	30.00
AX-36 Tweezers (2 ea)	1 lb	4529	20.00
AX-37 Spoons (2 ea)	1 lb	4530	25.00
AX-38 Display covers (5 ea)	1 lb	4531	60.00
AX-39 Dust cover	1 lb	4532	20.00
AX-42 WinCT-Moisture (std for MX-50, option for MF-50)	1 lb	4533	320.00
AD-1700-20g Calibration Mass 20g	1 lb	4360	145.00
AX-43 Temperature Calibration (MX-50)	1 lb	4547	595.00
PZ:3844-3852 Transformer/power supply bd MX MF	1 lb	4548	253.34
PZ:3843-HITAR Heater relay bd MX MF	1 lb	4549	135.68



MF-50
Moisture Balance



MX-50
Moisture Balance

Moisture

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

Moisture



**MB120
Moisture Balance**

OHAUS®

MB120 Moisture Determination Balance

Automatic determination of moisture content. GLP compliant format when printed results are required. Fast halogen element provides uniform infrared heating up to 200 deg C. Heat from 50 deg C to 180 deg C in less than 1 minute. Display shows % moisture, % solids, weight, time, temperature and drying time. Program and recall up to 50 drying procedures. Once programmed, simply select and run test. Allows simple test editing to find best result. Auto shut off. Programming options are fast, standard, ramp or step. RS232 bidirectional interface is standard. 2 Year warranty. 120 VAC, 50/60 Hz, 7.5"W x 14"D x 6"H, 3.5" dia pan.

Part Number	Capacity	Percent	Pan	Weight	SKU	List
MB120	120g x 0.01g	100 x 0.01%	3.5"dia	19 lb	4678	\$ 7,704.00

Options

80850043 Security Device up to 8kg	1 lb	1632	365.00
CBM-910 Impact printer, 42 column	5 lb	7426	395.00
11113857 Temperature calibration kit	1 lb	3042	926.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
80500571 Cable to SF42 Impact printer	1 lb	3048	304.00
80850080 WinWedge software	1 lb	2436	837.00

Service Parts

80850087 Pads, glass fiber, 200/box	1 lb	3043	164.00
80850086 Sample pans, 50/box	1 lb	3044	105.00
80850088 Reusable sample pans, pack of 3	1 lb	3045	318.00



**MB200
Moisture Balance**

OHAUS®

MB200 Moisture Determination Balance

Options and service parts only for MB200.

Part Number	Weight	SKU	List
Options			
80850000 Anti theft security device	1 lb	1295	\$ 142.00
Service Parts			
80780012 Pan liners, pack of 100, 5"dia aluminum	1 lb	533	129.00
6081-B0 Pan liners, pack of 1,000, 5"dia aluminum	9 lb	577	256.00

Moisture



MB23 Moisture Analyzer Balance

Infrared heating. MB series combine high quality and durable construction into sleek, compact designs. One button setup. Large backlit LCD display. Manual, timed or auto shutoff. Standard RS232 port. Readabilities of 0.1%. 2 year warranty. 100 to 240 VAC, 50/60 Hz. 6.5"W x 11"D x 5"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB23	110g x 0.01g	3.5" dia	9 lb	4028	\$ 4,529.00



MB23
Moisture Analyzer Balance



MB90 Moisture Analyzer Balance

Fast Halogen heating technology. Large touchscreen display. Icon driven menu navigation. Stainless steel drying pan. Four mechanical keys for fast one step operation, Tare, Start/Stop, Print, On/Off. Manual, timed or auto shutoff. Standard RS232 port. Readabilities of 0.01%. 2 year warranty. 100 to 240 VAC, 50/60 Hz. 6.5"W x 11"D x 5"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB90	90g x 0.001g	3.5" dia	9 lb	4065	\$ 5,249.00



MB90
Moisture Analyzer Balance



MB Moisture Analyzer Balance

Fast Halogen heating technology. Graphic alpha numeric LED backlit LCD display. Manual, timed or auto shutoff. Standard RS232 port. Readabilities of 0.01%. 115 VAC, 60 Hz 415Watt. 6.5"W x 11"D x 5"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB50	50g x 0.001g	100mm dia	10 lb	4306	\$ 1,430.00
MB200	200g x 0.001g	100mm dia	10 lb	4305	1,650.00



MB50
Moisture Analyzer Balance



MB32
Moisture Analyzer

MB32 Moisture Analyzer

Routine moisture testing.
LCD display with second line display.
New carbon fiber heating technology.
Upgraded load cell shortens analysis time.
120 VAC, 50/60 Hz.
8.26"W x 13.86"D x 5.43"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB32	90 g x 1 mg	3.5" dia	13.4 lb	3372	\$ 3,635.00

Options

30954234 pan handler MB32,MB62,M92	1 lb	3375	105.00
30954235 in use cover MB32,MB62	1 lb	3376	30.00
11113857 temperature calibration kit	1 lb	3042	926.00
30284477 scoop	1 lb	3378	83.00
SF40A impact printer	2 lb	1754	1,552.00
30304101 interface kit RS232 USB	1 lb	3379	229.00
30304102i interface kit RS232 Ethernet	1 lb	3380	229.00
80252477 sample cage	1 lb	3381	166.00
80252478 reusable pan(3), 7mm	1 in	3382	139.00
80252479 reusable pan(3), 14mm	1 in	3383	145.00
80500525 cable RS232 IBM 9 pin M-F	1 lb	3047	304.00
80850043 security device	1 lb	1632	365.00
80850086 aluminum pan(80)	1 lb	3044	105.00
80850087 glass fiber pads(200)	1 lb	3043	164.00



MB62 Moisture Analyzers

Variety of moisture applications.
5 inch LCD display with knob control.
New carbon fiber heating technology.
Upgraded load cell shortens analysis time.
120 VAC, 50/60 Hz.
8.26"W x 13.86"D x 5.43"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB62	90 g x 1 mg	3.5" dia	13.4 lb	3373	\$ 4,625.00

Options

30954234 pan handler MB32,MB62,M92	1 lb	3375	105.00
30954235 in use cover MB32,MB62	1 lb	3376	30.00
11113857 temperature calibration kit	1 lb	3042	926.00
30284477 scoop	1 lb	3378	83.00
SF40A impact printer	2 lb	1754	1,552.00
30304101 interface kit RS232 USB	1 lb	3379	229.00
30304102i interface kit RS232 Ethernet	1 lb	3380	229.00
80252477 sample cage	1 lb	3381	166.00
80252478 reusable pan(3), 7mm	1 in	3382	139.00
80252479 reusable pan(3), 14mm	1 in	3383	145.00
80500525 cable RS232 IBM 9 pin M-F	1 lb	3047	304.00
80850043 security device	1 lb	1632	365.00
80850086 aluminum pan(80)	1 lb	3044	105.00
80850087 glass fiber pads(200)	1 lb	3043	164.00



MB62
Moisture Analyzer

OHAUS®

MB92 Moisture Analyzer

High performance with advanced features.
Full color capacitive touchscreen.
New carbon fiber heating technology.
Upgraded load cell shortens analysis time.
Multiple drying profiles, shut off criteria
120 VAC, 50/60 Hz.
8.26"W x 13.86"D x 5.43"H.

Part Number	Capacity	Pan	Weight	SKU	List
MB92	90 g x 1 mg	3.5" dia	13.4 lb	3374	\$ 5,397.00

Options

30954234 pan handler MB32,MB62,M92	1 lb	3375	105.00
30954269 in use cover MB92	1 lb	3377	74.00
11113857 temperature calibration kit	1 lb	3042	926.00
30284477 scoop	1 lb	3378	83.00
SF40A impact printer	2 lb	1754	1,552.00
30304101 interface kit RS232 USB	1 lb	3379	229.00
30304102 interface kit RS232 Ethernet	1 lb	3380	229.00
80252477 sample cage	1 lb	3381	166.00
80252478 reusable pan(3), 7mm	1 ln	3382	139.00
80252479 reusable pan(3), 14mm	1 ln	3383	145.00
80500525 cable RS232 IBM 9 pin M-F	1 lb	3047	304.00
80850043 security device	1 lb	1632	365.00
80850086 aluminum pan(80)	1 lb	3044	105.00
80850087 glass fiber pads(200)	1 lb	3043	164.00



MB92
Moisture Analyzer

sartorius

MA35 Moisture Balance

Quick and reliable analysis using thermogravimetric method. Fully Automatic infrared moisture analyzer, perfect for routine operation. Sartorius MA35 is a long-lasting, rugged built, impervious to vibration and dirt, reliable even in a harsh environment. Simple use, quick measurement results with heating elements generating 360 watts of power. Temp. settings 40-160 deg C. Measures display: % of moisture, % dry mass, % ATRO, g residue conformity to GLP, data interference RS232C-S, 7 data-bit ASCII multi language selection. Power consumption max. 400VA. Power 115VAC case dimensions 224"W x 366"D x 191"H mm.

Part Number	Capacity	Weight	SKU	List
MA35M-115US	350g x 0.01g	17 lb	4725	\$ 3,630.00
MA357-1US	70g x 0.001g	19 lb	4832	3,600.00



MA35
Moisture Balance



A&D WEIGHING DIVISION

GX Industrial Balance

The resolution and functions of analytical balances with the capacity and ruggedness of industrial balances. Adjustable swing arm display. Weighing modes: gram, decimal ounce, decimal pound, carat, pennyweight, troy ounce, grain, momme. Percentage and counting modes. Internal calibration weight. RS232 output is standard. Stainless steel weighing pan. 120 VAC, 50/60 Hz, 15.2"W x 13.5"D x 5.12"H.

Part Number	Capacity	Pan	Weight	SKU	List
Swing arm display					
GX-12001L	12,000 g x 0.1 g	15.2" x 13.5"	33 lb	4740	\$ 4,465.00
GX-22001L	22,000 g x 0.1 g	15.2" x 13.5"	33 lb	4741	4,920.00
GX-32001L	32,000 g x 0.1 g	15.2" x 13.5"	33 lb	4742	5,845.00
GX-32001LD	32,000 g x 1 g 6,200 g x 0.1 g	15.2" x 13.5"	33 lb	4744	4,070.00
GX-42001L	42,000 g x 0.5 g	15.2" x 13.5"	33 lb	4746	5,425.00
GX-62001L	62,000 g x 0.1 g	15.2" x 13.5"	33 lb	4747	7,655.00
GX-62000L	62,000 g x 1 g	15.2" x 13.5"	33 lb	4749	6,675.00
GX-102000L	102,000 g x 1 g	15.2" x 13.5"	33 lb	4751	7,025.00
Detached display					
GX-32001LS	32,000 g x 0.1 g	15.2" x 13.5"	33 lb	4743	6,255.00
GX-32001LDS	32,000 g x 1 g 6,200 g x 0.1 g	15.2" x 13.5"	33 lb	4745	4,540.00
GX-62001LS	62,000 g x 0.1 g	15.2" x 13.5"	33 lb	4748	7,440.00
GX-62000LS	62,000 g x 1 g	15.2" x 13.5"	33 lb	4750	6,965.00
GX-102000LS	102,000 g x 1 g	15.2" x 13.5"	33 lb	4752	7,575.00

Options

GXL-04 Comparator relay output for GP-L	1 lb	4753	290.00
GXL-06 Analog output interface for GP-L	1 lb	4910	360.00
GXL-07 5m extension cable for GP-LS	1 lb	4911	430.00
GXL-08 Ethernet interface for GP-LS	1 lb	4912	305.00
GXL-27 Bluetooth interface for GP-LS	1 lb	4913	100.00



GX-12001L
w/ swing arm display



A&D WEIGHING DIVISION

GP Industrial Balance

GP service parts only.

Part Number	Capacity	Pan	Weight	SKU	List
Service Parts					
06:4010649 leveling foot for GP			1 lb	5785	\$ 20.14
PZ:3634 display board for GP			1 lb	5595	328.65



GP-12K
w/ swing arm display

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



A&D WEIGHING DIVISION

EK-L Precision Bench Scale

Ideal for use when large capacity and high resolution are required at the same time. The EK-15KL has 0.1 g readability across its full 15 kg capacity. The EK-30KL has a smart range function. This is especially useful when the gross weight exceeds 3 kg yet 0.1 g readability is needed to measure net weight when using heavy tare containers. A single press of the re-zero key restores the 0.1 g precision range up to 3 kg.

Part Number	Capacity	Weight	SKU	List
EK-15KL	15,000g x 0.01g	12 lb	5539	\$ 1,115.00
EK-30KL	3,000g x 0.1g 30,000g x 1g	12 lb	5540	1,125.00

Service Parts

07:4011266A adjustable foot	0.05 lb	2986	10.60
-----------------------------	---------	------	-------



EK-L



NV Navigator Industrial Balance

Two touchless sensors which free up your hands for handling samples and minimizing wear and tear on the keypad. 6 digit, 7 segment with white LED backlight or red LED. 4 mechanical keys, raised with tactile feedback. Weighing units for: gram, kilogram, pound, ounce (decimal or fractional), pound (decimal or fractional), ounce troy, grain, newton, carat, pennyweight, Hong Kong tael, Taiwan teal, Singapore teal, tical, tola. Application modes for: Weighing, Percent Weighing, Parts Counting, Check Weighing, Display Hold, Accumulate/Totalize. Over-accept-under LCD or LED annunciators. Front mounted level bubble with illumination. Adjustable leveling feet with skid resistant rubber pads. Full capacity by subtraction tare range. User selectable external span or linearity calibration, digital with external weight. 12VDC AC adapter included or (4) AA batteries (not included). 8.03"W x 8.34"D x 5.27"H.

Part Number	Capacity	Pan	Weight	SKU	List
NV212	210g x 0.01g	4.42" dia	4 lb	7802	\$ 398.00
NV511	510g x 0.1g	7.48" x 5.43"	4 lb	7803	273.00

Options

80251930 RS232 Adapter	1 lb	7425	64.00
83032107 RS232 Interface w/ cable	2 lb	6162	262.00
83032108 USB Interface w/ cable	2 lb	6163	262.00



Navigator XL
Industrial Balance



NVT Navigator Industrial Balance



NVT1601
Industrial Balance

Front mounted level bubble with illumination, adjustable leveling feet with skid resistant rubber pads. User selectable external span or linearity calibration with external weight. 6 digit, 7 segment with white LED backlight or red LED. Over/accept/under LCD or LED annunciators. 4 mechanical keys, raised and with tactile feedback plus 2 touchless sensors. Weighing units: gram, kilogram, pound, ounce (decimal or fractional), pound:ounce (decimal or fractional), ounce troy, grain, newton, carat, pennyweight, Hong Kong tael, Taiwan tael, Singapore tael, tical, tola. Applications modes: weighing, percent weighing, parts counting, check weighing, display hold, accumulate/totalize. User enabled auto power off after 5 minutes of inactivity. (4) C batteries not included or internal rechargeable lead acid battery (optional). 12VDCAC adapter, 240V, 50-60Hz. 9.4"W x 9.8"D x 2.75H

Part Number	Capacity	Pan	Weight	SKU	List
NVT3201	3,200g x 0.2g	9" x 6.85"	7 lb	7669	538.00



EX Explorer Industrial Balance

Die cast metal base, stainless steel pan and thick metal housing. Explorer High Capacity is built to withstand daily wear and tear. 5.7" color VGA touch screen optimizes viewing and menu navigation. Two sensors on display offer hands free operation. The display can be separated from the base up to 1.5 meters in order to fit operational needs in almost any workspace. Weighing units: g, kg, ct, gn, lb, oz, ozt, N, dwt, hkt, sgt, twt, mom, tical, msg, tola, Custom Unit 1, Custom Unit 2, Custom Unit 3. Weighing applications: Weighing, Percent Weighing, Parts Counting, Check Weighing, Dynamic/Animal Weighing, Filling, Totalization, Formulation, Differential Determination, Peak Hold, Ingredient Costing, SQC. A 9 meter cable is also available when additional flexibility is needed. 2D Protection prevents shock and damage associated with movement and forces applied to the balance. Adjustable rolling feet provide assistance in easily moving the balance. IP54 protection guards balance and weighing cell from damage by dry particles, humidity and accidental spills/splashes (High Capacity models only). Rechargeable battery option provides 10 hours of operation away from a power source. Standard RS232, USB. 100-240 VAC. 17.4"W x 14.8"D x 4.72"H



**Explorer
Industrial Balance**

Part Number	Capacity	Pan	Weight	SKU	List
EX12001	12,000g x 0.1g	15" x 12"	28 lb	7344	\$ 5,852.00
EX24001	24,000g x 0.1g	15" x 12"	28 lb	7345	6,853.00
EX35001	35,000g x 0.1g	15" x 12"	28 lb	7346	8,048.00



CY Industrial Balance

High contrast backlit LCD display. Applications: PCS, % Weighing, Animal weighing, Dynamic weighing, Check weighing, Density determination. External calibration. Overload protection. Power saving automatic shutoff. ABS housing, metal base and large stainless steel weighing pan. 100-240 VAC power adapter. RS232 output. 6.5"W x 11"D x 5"H.

Part Number	Capacity	Pan	Weight	SKU	List
CY35001H	35kg x 0.1g	370mm x 260mm	22 lb	4295	\$ 1,730.00
CY35001HC	35kg x 0.1g	370mm x 260mm	28 lb	4296	1,960.00



**CY
Industrial Balance**



Signum Series Industrial Balance

Compact. Extremely rugged. Easy to operate. Perfectly adapts to any ambient conditions in an industrial environment. Space saving design. Choice of various resolutions. Washdown resistant and splashproof to IP65. Smart customization. Speed up technology. Custom tailored application package. Overload protection. Side impact protection. Flexible display mounting options.

Level 1: Weighing, (6) keys.

Level 3: Weighing, (17), keys, 0-9 numeric keypad, port for reference, counting, totalization, checkweighing, classification, product data memory, identifiers (4 x 40 characters), filling and counting to a target weight.



**Application Level 1
Industrial Scale**



**Application Level 3
Industrial Scale**

Part Number	Capacity	Pan	Weight	SKU	List
Application Level 1					
SIWADCP-V3	7kg x 0.1g	13.7" x 9.4"	30 lb	7498	\$ 2,245.00
SIWRDCP-V6	3kg x 0.1g	13.7" x 9.4"	30 lb	7502	2,246.00
SIWRDCP-V7	6kg x 0.2g	13.7" x 9.4"	30 lb	7503	2,271.00
Application Level 3					
SIWADCP-V4	7kg x 0.1g	13.7" x 9.4"	30 lb	7499	2,875.00
SIWADCP-V5	35kg x 0.5g	13.7" x 9.4"	30 lb	7500	2,875.00
SIWADCP-V6	65kg x 1.0g	13.7" x 9.4"	30 lb	7501	2,875.00



Flexible display



WLC Industrial balance

Stainless steel weighing platform. Backlit LCD display. Designed for fast and precise mass determination in laboratory and industrial conditions. WLC can be used in areas with no access to mains (230V), as their standard equipment they include internal rechargeable batteries. Applications for: Counting pieces, Checkweighing, Animal weighing, Percentage, Caps lock of max indication, Measurement in Newton. Loads are hung under the instrument, an alternative for weighing loads with non-standard dimensions and shapes. RS232 output. IP43. 230 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
Fixed Display					
WLC6/F1/R	6kg x 0.1g	11" x 14"	18 lb	7623	\$ 733.00
WLC30/F1/R	30kg x 0.5g	11" x 14"	18 lb	7627	733.00
WLC60/C2/R	60kg x 1g	15.7" x 19.6"	40 lb	7629	1,122.00
Detachable Display					
WLC6/F1/K	6kg x 0.1g	11" x 14"	18 lb	7632	733.00
WLC30/F1/K	30kg x 0.5g	11" x 14"	18 lb	7636	733.00
WLC60/C2/K	60kg x 1g	15.7" x 19.6"	40 lb	7638	1,122.00



WLC/R
industrial balance



WLY Industrial balance

Simple operation and maximum automation of the weighing process. 5.7" color touch screen panel. Counting pieces, filling, animal weighing, check weighing, density determination, percentage, statistics, formulation. GLP procedures. Infrared proximity sensors. Detachable indicator. Data exchange through USB storage devices. Communication interfaces: Ethernet, (2) USB ports, RS232.

Part Number	Capacity	Pan	Weight	SKU	List
WLY2/D2	2 kg x 0.01g	7.7" dia	8 lb	7591	2,561.00
WLY10/D2	10 kg x 0.1g	7.7" dia	8 lb	7593	2,310.00
WLY20/D2	20 kg x 0.1g	7.7" dia	8 lb	7594	2,561.00



WLY
Industrial balance



A&D WEIGHING DIVISION



BM-252
Analytical Balance

BM Series Analytical Balance

Built in Direct Current (DC) fanless ionizer. Clear, white backlit LCD. Interlockable slide doors. Large weighing chamber for improved usability. Built in environmental sensors. Weighing applications for: g, mg, oz, ozt, ct, mom, dwt, GN, tael, tola, PC (counting mode), percent mode. Density determination function. Data memory function can store up to 200 sets of weighing data. GLP/GMP/GCP/ISO compliant output. Motor driven internal calibration mass. Automatic response adjustment. RS-232C and Quick USB can be connected simultaneously to a balance. An external key plug for the optional foot switch is also provided. Overall dimensions 10"W x 18.3"D x 12.8"H.

Part Number	Capacity	Pan	Weight	SKU	List
BM-5	5.2g x 0.001mg	0.98" dia	22 lb	6450	\$ 15,680.00
BM-5D	2.1g x 0.001mg 5.2g x 0.01mg	0.98" dia	22 lb	6451	14,010.00
BM-20	22g x 0.001mg	0.98" dia	22 lb	6485	16,765.00
BM-22	5.1g x 0.001mg 22g x 0.01mg	0.98" dia	22 lb	6486	16,140.00
BM-252	250g x 0.01mg	0.98" dia	22 lb	6487	6,750.00
BM-200	200 x 0.1mg	0.98" dia	22 lb	6488	4,975.00
BM-300	320g x 0.1mg	0.98" dia	22 lb	6489	5,625.00
BM-500	520g x 0.1mg	0.98" dia	22 lb	6490	6,655.00

Shimadzu

Service parts only for Shimadzu

Part Number	Weight	SKU	List
Service Parts			
BFL-321-51552-01, Small pan support	1 lb	82	\$ 21.50



A&D WEIGHING DIVISION

MC-A / MC-M Mass Comparators

Easily visible backlit LCD. Innovative auto centering pan avoids corner load errors and ensures higher accuracy. Metrological weighing to meet ASTM Class 2-7 and OIML Class F1 and below. Automatic internal calibration. Data memory for up to 200 weighing values. Internal self assessment without weights based on Electronically Controlled Load (ECL). Industry leading 5 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
MC-1104AS	1,100g x 0.1mg	5" x 5"	5 lb	6329	\$ 8,105.00
MC-6203AS	6,200g x 0.001g	6.5" x 6.5"	6 lb	6330	8,350.00
MC-10203MS	10.2kg x 0.001g	10.6" x 8.25"	10 lb	6331	9,995.00
MC-32002MS	32.2kg x 0.01g	10.6" x 8.25"	10 lb	6332	9,995.00

Options

AD-1684A Electrostatic Fieldmaster	1 lb	6697	1,870.00
AD-1688 Weighing data logger	1 lb	6698	415.00
AD-1689 Tweezers for calibration weight	1 lb	6699	250.00

KO:WW9-25 RS232C cable	1 lb	6700	65.00
AX-USB-2920-25P USB to 25 pin RS232	1 lb	6701	110.00
AX-USB-2920-9P USB to 9 pin RS232	0.42 lb	6744	75.00

GX-13* Density determination kit	1 lb	4698	756.00
AD-8922A Remote controller	1 lb	2234	813.75
AD-1682 External rechargeable battery pack	1 lb	1682	915.00

AD-1683 Static eliminator	4 lb	1248	1,517.25
---------------------------	------	------	----------



MC-A
Mass Comparator



HR-A
Analytical Balance

AND

A&D WEIGHING DIVISION

HR-AZ/HR-A Analytical Balance

Lean design for affordability. Clear, reverse backlit LCD. Large removable breeze break with antistatic coating. Weighing units: g, mg, oz, oz-t, ct, momme, dwt, grain, tael, tola, pcs (counting mode), percent, DS (density mode). GLP/GMP/GCP/ISO compliant output. Adjustable response characteristics and hold function. Statistical calculation function. Density determination kit. Rechargeable battery unit. 120 VAC 7.8"W x 11.6"D x 12.4"H

Part Number	Capacity	Pan	Weight	SKU	List
HR-100A	102g x 0.1mg	3.54"	8 lb	7722	\$ 2,200.00

Service Parts

06:4005645 leveling foot	0.03 lb	1228	10.60
--------------------------	---------	------	-------



FX
Analytical Balance

AND

A&D WEIGHING DIVISION

FX Analytical Balance

External calibration. Large removable breeze break. Weighing units: g, mg, oz, oz-t, ct, momme, dwt, grain, pcs (counting mode), percent, DS (density mode). 120 VAC adapter. 7.8"W x 11.6"D x 12.4"H

Part Number	Capacity	Pan	Weight	SKU	List
FX-104	102g x 0.1mg	3.54"	7.7 lb	2047	\$ 2,200.00
FX-154	152g x 0.1mg	3.54"	7.7 lb	2048	2,445.00
FX-254	522g x 0.1mg	3.54"	7.7 lb	2049	2,670.00



FZ
Analytical Balance

AND

A&D WEIGHING DIVISION

FZ Analytical Balance

Internal calibration. Large removable breeze break. Weighing units: g, mg, oz, oz-t, ct, momme, dwt, grain, pcs (counting mode), percent, DS (density mode). 120 VAC adapter. 7.8"W x 11.6"D x 12.4"H

Part Number	Capacity	Pan	Weight	SKU	List
FZ-104	102g x 0.1mg	3.54"	8.6 lb	2050	\$ 2,740.00
FZ-154	152g x 0.1mg	3.54"	8.6 lb	2051	2,995.00
FZ-254	522g x 0.1mg	3.54"	8.6 lb	2052	3,195.00



A&D WEIGHING DIVISION

GH Phoenix Analytical

Automatic or manual full digital calibration. Weighing units: gram, milligram, decimal ounce, troy ounce, pennyweight, carat, momme, grain, tola, tael, percentage & counting. 10" tall weighing chamber. GLP/LIMS/ISO compliant. 5 year warranty. 120VAC 50/60 HZ, 8.54"W x 17.4"D x 12.24"H

Part Number	Capacity	Pan	Weight	SKU	List
GH-120	120g x 0.1 mg	3.6" dia	18 lb	5233	\$ 4,660.00
GH-200	210g x 0.1 mg	3.6" dia	18 lb	5234	5,275.00
GH-300	310g x 0.1 mg	3.6" dia	18 lb	5235	6,205.00

GH-202	210g x 0.1g / 42g x 0.01mg	3.6" dia	18 lb	5236	6,980.00
GH-252	250g x 0.1g / 100g x 0.01mg	3.6" dia	18 lb	5237	7,680.00

Options

AD-100-2 Anti-theft device	1 lb	1849	105.00
AD-1653 Density determination kit	1 lb	2997	760.00
AD-1682 Rechargeable battery pack	5 lb	1682	915.00

AD-8920 Universal remote display	3 lb	1160	341.25
AD-8922 Remote Controller	1 lb	2234	813.75
AD-1683 Static eliminator	4 lb	1248	1,517.25

TB: 636 AC adapter (120V)- standard with unit	1 lb	1304	50.00
TB: 123 AC adapter (220V)	1 lb	1542	53.00

Service Parts

PZ:4365 switch board	0.02 lb	1614	85.86
06:4005645 leveling foot	0.03 lb	1228	10.60



GH
Analytical Balance



GR-202
Analytical Balance



A&D WEIGHING DIVISION

GR Analytical Balance

Service parts only for GR analytical balance

Part Number	Capacity	Pan	Weight	SKU	List
Service Parts					
PZ:3184 display board			1 lb	5472	86.10
08: 3003743-3 keysheet GR-120			1 lb	5490	25.44
AD-100-2 Anti-Theft Device			1 lb	1849	105.00
TB:123 AC Adapter (220V)			1 lb	1542	53.00
TB:636 Adapter 120VAC			2 lb	1304	50.00
AD-1683 Static Eliminator			4 lb	1248	1,517.25
06:4005645 leveling foot			0.03 lb	1228	10.60



AD-1683
Static Eliminator



A&D WEIGHING DIVISION

AD-1683 Static Eliminator

Compact, lightweight and does not require high voltage wiring which makes it easy to handle. DC type, this static eliminator has a remarkable ability for generating ions and can be used for the elimination of static charges from highly electrified weigh samples. Achieves static elimination with a high degree of efficiency regardless of the polarity or the potential of the charged object. A current limiting circuit is incorporated in the ion generating electrode to reduce the possibility of electric shock. Suited for static elimination in narrow and remote places because of its lengthy ion irradiation distance. The AD-1683 is a great compliment to our GH Semi micro balances. 240 VAC, 50/60 Hz.

Part Number	Weight	SKU	List
AD-1683 Static Eliminator	4 lb	1248	\$ 1,517.25



AX Adventurer Analytical Balance

Color Touchscreen with wide viewing angle. Ingenious draftshield opens wide on both sides. Automatic internal calibration system that calibrates the balance daily. Real time clock with GLP/GMP data. Application modes for Weighing, Dynamic Weighing, Display Hold, Parts Counting, Density Determination, Totalization/Statistic, Percent Weighing, Check Weighing and Formulation. Weighing units for: gram, milligram, mesgal, Newton, ounce, pennyweight, baht, carat, grain, pound, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, ounce troy, 1 custom unit. RS232, (2)USB ports. 100-240 VAC adapter. 9.05"W x 13.93"D x 13.39"H. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
Analytical, AutoCal.					
AX124	120g x 0.0001g	90mm dia	18 lb	8223	\$ 4,689.00
AX224	220g x 0.0001g	90mm dia	18 lb	8224	5,175.00
AX324	320g x 0.0001g	90mm dia	18 lb	8225	5,656.00

Analytical, External Calibration

AX124/E	120g x 0.0001g	90mm dia	18 lb	3961	3,869.00
AX224/E	220g x 0.0001g	90mm dia	18 lb	3962	4,248.00

Options

30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80500525 Cable to IBM 9 pin serial	1 lb	3047	304.00
83021085 USB interface w/cable	1 lb	8234	304.00

Service Parts

30111779 main board AX	1 lb	6527	672.00
30111768 keypad AX	1 lb	6528	63.00



AX1502
Analytical Balance

OHAUS®

EX Explorer Analytical Balance

Intelligent performance. Intuitive software. Ingenious draftshield. Practical touchless sensors. 5.7" full color VGA graphic display. Touch screen. Weighing applications for: Weighing, Percent Weighing, Check Weighing, Dynamic/Animal Weighing, Filling, Totalization, Formulation, Differential Weighing, Density Determination, Peak Hold, Ingredient Costing, Pipette Adjustment, SQC. Weighing units for: gram, milligram, kilogram, carat, ounce, ounce troy, pound, pennyweight, grain, newton, momme, mesghal, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, baht, 3 custom units. RS232, USB communication. 100-240 VAC adapter. 9.1"W x 15.5"D x 13.8"H. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
Automatic Doors					
EX124/AD	120g x 0.1 mg	3.5" dia	22 lb	7710	\$ 7,168.00
EX224/AD	220g x 0.1 mg	3.5" dia	22 lb	7711	7,953.00
EX324/AD	320g x 0.1 mg	3.5" dia	22 lb	7712	9,339.00

NTEP Legal for Trade 12-012 I/II Canada AM-5847

EX224N	220g x 0.1mg	3.5" dia	22 lb	7613	7,370.00
EX324N	320g x 0.1mg	3.5" dia	22 lb	7614	8,628.00

Automatic Doors

EX224N/AD	120g x 0.1 mg	3.5" dia	22 lb	7714	8,260.00
EX324N/AD	120g x 0.1 mg	3.5" dia	22 lb	7715	9,012.00



EX220
Analytical Balance



OHAUS®

EX Explorer Semi Micro Balance

Sophisticated professional weighing. Autocal uses 2 internal weights for linear calibration. Color touchscreen display. Touchless Auto doors on AD models. Ionizer to eliminate static electricity. Includes a built in weigh below hook. Weighing functions for: Standard weighing, counting, percent weighing, checkweighing, Dynamic weighing, filling, totalization, formulation, differential weighing, peak hold, density determination, pipette adjustment. Keys for: Touchscreen. Units are g, mg, kg, ct, oz, dwt, N, mom, tical, msg, tola, baht, tael(3), ozt and custom unit(3). 15.5"L x 9.1"W x 13.8"H. 120 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
EX125D	52gx0.01mg/120gx0.1mg	90mm dia	25 lb	2563	\$ 8,126.00
EX125	120gx0.01mg	90mm dia	25 lb	2564	11,202.00

Automatic Doors

EX225D/AD	120gx0.01mg/220gx0.1mg	90mm dia	27 lb	2566	11,393.00
EX225/AD	220gx0.01mg	90mm dia	27 lb	2567	13,990.00

Options

30252145 Pipette adjustment kit	4 lb	2568	2,263.00
30064203 SF40A Dot Matrix printer, includes RS232 cable	2 lb	1754	1,552.00
80251932 Roll paper	1 lb	7427	34.00
80251933 Ink ribbon	1 lb	7428	91.00
80252571 RS232 Cable & adapter, Disc/Pion/MB	1 lb	7430	193.00
80253384 Density determination kit	3 lb	2794	1,219.00



Explorer
Semi Micro Balance

Analytical



PR Analytical and Precision Balance

Economical balances for routine weighing applications. Model numbers with 'N' are NTEP Certified. ABS housing, stainless steel pan, glass draftshield on milligram models only, weigh below hook, security lock interface. Backlit liquid crystal display LCD. Weighing applications for: Basic Weighing, Parts Counting, Percent Weighing. Weighing units for: gram, milligram, kilogram, ounce, pound, carat, Troy ounce, grain. RS232, USB communication. 100-240 VAC adapter (included), 20"W x 15"D x 21"H w/draftshield, 21.5"W x 15"D x 11.5"H, . 2 year warranty.

NTEP Legal for Trade

Part Number	Capacity	Pan	Weight	SKU	List
PR64/E	62g x 0.1mg	4.72" dia	15.4 lb	5341	\$ 2,058.00
PR124 *	120g x 0.1mg	4.72" dia	15.4 lb	5342	2,673.00
PR124/E	120g x 0.1mg	4.72" dia	15.4 lb	5343	2,372.00
PR224 *	220g x 0.1mg	4.72" dia	15.4 lb	5344	2,962.00
PR224/E	220g x 0.1mg	4.72" dia	15.4 lb	5345	2,636.00
PR223/E	220g x 1mg	4.72" dia	15.4 lb	5346	1,305.00
PR523/E	520g x 1mg	4.72" dia	15.4 lb	5347	1,557.00
PR1602/E	1,600g x 0.01g	7.09" dia	11.0 lb	5348	1,204.00
PR2202/E	2,200g x 0.01g	7.09" dia	11.0 lb	5349	1,372.00
PR4202/E	4,200g x 0.01g	7.09" dia	11.0 lb	5350	1,640.00
PR2201/E	2,200g x 0.1g	7.09" dia	11.0 lb	5351	1,071.00
PR4201/E	4,200g x 0.1g	7.09" dia	11.0 lb	5352	1,238.00

NTEP Legal for Trade 18-110

PR323N/E	320g x 0.01g	4.72" dia	15.4 lb	4244	1,593.00
PR523N/E	520g x 0.01g	4.72" dia	15.4 lb	4245	2,030.00
PP523N *	520g x 0.01g	4.72" dia	15.4 lb	4246	2,352.00
PR322N/E	320g x 0.01g	4.72" dia	15.4 lb	4247	1,606.00
PR522N/E	520g x 0.01g	4.72" dia	15.4 lb	4248	2,036.00
PR822N/E	820g x 0.1g	7.09" dia	11.0 lb	4249	1,312.00
PR2202N/E	2,200g x 0.1g	7.09" dia	11.0 lb	4250	1,460.00
PR5202N/E	5,200g x 0.1g	7.09" dia	11.0 lb	4251	2,036.00
PR2201N/E	2,200g x 0.1g	7.09" dia	11.0 lb	4252	1,499.00
PR5201N/E	5,200g x 0.1g	7.09" dia	11.0 lb	4253	1,546.00
PR6201N/E	6,200g x 1g	7.09" dia	11.0 lb	4254	1,633.00

* Internal calibration



PR323N/E
Analytical Balance



PR822N/E
Analytical Balance





PX124
Analytical Balance

OHAUS®

PX Pioneer Analytical Balance

Metal base, plastic top housing, removable stainless steel pan, Glass draftshield, integrated weigh-below hook, security bracket, calibration lock and in-use cover. Backlit liquid crystal display LCD. Weighing applications for: Basic Weighing, Parts Counting, Percent Weighing, Animal Weighing, Density Determination. Weighing units for: gram, milligram, kilogram, ounce, pound, carat, pennyweight, Troy ounce, grain, newton, momme, mesghal, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, baht, 1 custom unit. RS232, USB communication. 100-240 VAC adapter (included), 21.7"W x 15.2"D x 11.5"H. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
PX84/E	82g x 0.1mg	3.54" dia	15.4 lb	3663	\$ 2,540.00
PX124/E	120g x 0.1mg	3.54" dia	15.4 lb	3664	2,931.00
PX224/E	220g x 0.1mg	3.54" dia	15.4 lb	3665	3,254.00

Internal Calibration

PX84	82g x 0.1 mg	3.54" dia	15.4 lb	3657	2,962.00
PX124	120g x 0.1 mg	3.54" dia	15.4 lb	3658	3,393.00
PX224	220g x 0.1 mg	3.54" dia	15.4 lb	3659	3,730.00



PX85
Semi-Micro Balance

OHAUS®

PX Pioneer Semi Micro Balance

Metal base, plastic top housing, removable stainless steel pan, Glass draftshield, integrated weigh-below hook, security bracket, calibration lock and in-use cover. Backlit liquid crystal display LCD. Weighing applications for: Basic Weighing, Parts Counting, Percent Weighing, Animal Weighing, Density Determination. Weighing units for: gram, milligram, kilogram, ounce, pound, carat, pennyweight, Troy ounce, grain, newton, momme, mesghal, Hong Kong tael, Singapore tael, Taiwan tael, tical, tola, baht, 1 custom unit. RS232, USB communication. 100-240 VAC adapter (included), 21.7"W x 15.2"D x 11.5"H. 2 year warranty.

Part Number	Capacity	Pan	Weight	SKU	List
PX85	82g x 0.01mg	3.15" dia	11 lb	3655	\$ 6,263.00
PX225D	82g x 0.01mg 220g x 0.1mg	3.15" dia	11 lb	3656	7,256.00



Secura Analytical Balance

Easy, reliable weighing in regulated areas. The new operating concept of Secura® will noticeably ease your daily workload during weighing and, its APC function – Advanced Pharma Compliance – will relieve you from tedious and time-consuming documentation and monitoring tasks. Touch screen with Sartorius graphical user interface optimized for users in pharmaceutical laboratories always correctly leveled with Sartorius LevelControl. Special lab applications such as Mixing, Components, Statistics and Conversion; plus standard lab applications such as Weighing, Density, Percentage, Checkweighing, Peak Hold, Counting and Unstable Conditions. Regulatory Compliance with expert support. Intelligent, optoelectronic level sensor with alarm function and interactive user guidance for reliable and safe leveling.

Part Number	Capacity	Pan	Weight	SKU	List
SECURA224-1S	220 g x 0.1 mg	3.5"	12 lb	7150	\$ 4,930.00
SECURA124-1S	120 g x 0.1 mg	3.5"	12 lb	7154	4,450.00
SECURA513-1S	510 g x 1 mg	3.5"	12 lb	7155	3,710.00
SECURA313-1S	310 g x 1 mg	3.5"	12 lb	7156	2,960.00
SECURA213-1S	210 g x 1 mg	3.5"	12 lb	7157	2,720.00
SECURA5102-1S	5100g x 10 mg	7"	12 lb	7158	3,840.00
SECURA3102-1S	3100 g x 10 mg	7"	12 lb	7159	3,340.00
SECURA2102-1S	2100 g x 10 mg	7"	12 lb	7160	3,080.00
SECURA1102-1S	1100 g x 10 mg	7"	12 lb	7161	2,590.00

Options

YDP-20 OCE Printer	3 lb	7286	1,190.00
YDP-40 Standard printer	3 lb	7287	950.00
YRB11Z Battery kit	2 lb	7288	610.00
YCC04-D09 USB Data cable	1 lb	7289	57.00
YCC03-D09 USB /RS232 cable	1 lb	7290	57.00

Service Parts

69SE0056 lateral slide, right	0.73 lb	7284	565.00
69SE0057 lateral slide, left	0.73 lb	7285	565.00



SECURA124



SECURA2103



SECURA2102



SECURA1102-1S
w/ Printer

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



**Quintix-513-1S
Analytical**

sartorius

Quintix Analytical Balance

Service parts only.

Part Number	Capacity	Pan	Weight	SKU	List
Service Parts					
YEPS01-PS4 adapter	100-240vac to 12vdc		0.39 lb	3055	\$ 75.00



**Quintix-3102-1S
Analytical**



**CY224
Analytical Balance**

aczel
Solution Simplified

CY224 Aczel Analytical Balance

Analytical balance with large LCD backlit screen. CY224C has motorized internal calibration. CY224 uses external calibration weights. Units: g, mg, ct, GN, mo, oz, dwt, t1T, t1H, t1S, mom, Bat, MS. Applications: PCS, % Weighing, Custom unit, Animal weighing, Check weighing, Density determination, Formulation. Output via RS232 and USB-B. 342.5mm L x 212mm W x 341mm H. Chamber height 228.5mm. 115 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
CY224	220g x 0.1mg	90mm dia	18 lb	4293	\$ 1,020.00
CY224C	220g x 0.1mg	90mm dia	18 lb	4294	\$ 1,060.00



TJA Analytical Balance

Electronic analytical balance ideal for laboratory weighing. Easy to see in low light conditions 9 digit LCD display with backlight. Stainless steel weighing pan 3.15" dia. Sensitivity and speed are separately adjustable in 4 steps from low to high. Continuous output RS232 via 9 pin connector for remote display or computer input. Below balance weighing for specific gravity determination. Weighing functions for: Standard weighing and counting. Keys for: OFF, PRINT, O/T, CAL, ON. Units are g, mg, ct, oz. Glass breeze break with top and side doors allow for quick placement of item to be weighed. CAL button and 200g calibration weight allow for easy recalibration of balance. Rear bubble level and two adjustable feet allow for quick leveling. 13.4"L x 8.5"W x 13.8"H. 120 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
TJA-203	200g x 0.001g	3.15" dia	17 lb	5966	\$ 679.00



TJA-203
Analytical Balance



AXR Aczel Micro Balance

Microbalance with color TFT touchscreen. Motorized internal calibration. Units: g, mg, ct, GN, mo, dwt, t1T, t1H, t1S, mom, Bat, MS. Applications: PCS, % Weighing, Animal weighing, Dynamic weighing, Check weighing, Density determination, Formulation. Output via RS232 USB and ethernet. Mechanical 360mm L x 140mm W x 146mm H. Electronic 240mm W x 210mm D x 65mm H. 115 VAC.

Part Number	Capacity	Pan	Weight	SKU	List
AXR5MA	5.1g x 1ug	30mm dia	22 lb	4291	\$ 11,220.00



AXR5MA
Micro Balance

Mechanical Portion



Benchmark



Heirloom Scale

Durable. Rugged accuracy. Powder coated finishes in a variety of designer colors. Made of cast iron with case hardened steel pivots and bearings, and a polished brass 1 lb beam in 1/4 ounce increments. The scales come in black, white, blue, pink, red, green, yellow, silver and copper vein.

Benchmark: This indispensable kitchen tool features (2) 6" cold rolled steel plates, a polished brass 1 lb beam in 1/4 ounce increments and (3) free-weights (2) 1lb and (1) 2 lb.

Part Number	Capacity	Weight	SKU	List
1704B Benchmark	5 lb x 1 oz	16 lb	7597	\$ 451.67



TB Portion Control Baker's Dough Scale

Rugged, accurate, even-balance scale. Specially designed seamless white plastic commodity scoop. Includes counterweight and 9" dia plates. Finished in durable USDA approved white oven baked enamel.

Models 1051 & 1052 are stainless steel construction for the base, plates and poise weights. Beam is chrome plated. Mechanism is epoxy coated.

Part Number	Capacity	Weight	SKU	List
1001TB w/scoop	16 lb x 1/4 oz	38 lb	5981	\$ 987.00
1001TBNS w/o scoop	16 lb x 1/4 oz	38 lb	5982	957.00
1001TBKG w/scoop	8kg x 5g	38 lb	5983	1,049.00
1002TB w/scoop	8 lb x 1/4 oz	30 lb	5984	865.00
1002TBNS w/o scoop	8 lb x 1/4 oz	30 lb	5985	803.00
1002TBKG w/scoop	5kg x 5g	30 lb	5986	865.00

Stainless Steel

1051TBS w/scoop	16 lb x 1/4 oz	38 lb	5987	1,242.00
1052TBS w/scoop	8 lb x 1/4 oz	30 lb	5988	1,178.00

Options

1WP1-1 flat weight	1 lb	2 lb	5989	55.00
1WP2-1 flat weight	2 lb	3 lb	5990	78.00
1WP4-1 flat weight	4 lb	5 lb	5991	90.00
1WP8-1 flat weight	8 lb	9 lb	5992	119.00

6100-0001 Scoop white plastic w/spout 10"x2.5"H	4 lb	5994	88.25
6100-0002 Scoop white plastic w/spout 21"x12"x5.75"H	4 lb	5995	127.75
6100-0003 Bowl SS w/o spout 6.25"x2.25"H	3 lb	5996	89.25



**1002TB
Portion Control Scale**



P Spring Dial Scale

The P Spring Dial Scale has an air damping dashpot that eliminates the bounce and provides a quick and accurate measurement everytime. Heavy gauge stainless steel housing. Heavy duty top loading mechanical spring scale. Large stainless steel platter. Dual easy to read dial in lb's and oz's, kg's and grams. Angled dial design for easy reading. Fine zero adjustment to ensure accuracy. Perfect for portioning and receiving.

Part Number	Capacity	Platform	Weight	SKU	List
P-5 Spring scale	5 lb x 1/2 oz	8" x 8"	8 lb	7601	\$ 63.47
P-10 Spring scale	10 lb x 1 oz	8" x 8"	8 lb	7602	63.47



P-2
Portion Mechanical Scale

Mechanical Portion



FS
Spring Dial Scale



LCD
Spring Dial Scale



HCD
Spring Dial Scale

FS Spring Dial Scale

Heavy duty Industrial scales with high precision temperature compensated springs and reinforced dual spring level mechanism. Double beveled base plate and heavy duty sub assembly combine to give you durability you can count on. Lb/Kg dial face for dual reading is signified by DR at the end of the model number.

Part Number	Platform	Capacity	Weight	SKU	List
FS Series 6" dial face w/SS platform 5-1/2"W x 7-3/8"D x 7-3/4"H					
FS3214-DR	5.75" x 5.75"	32 oz x 1/4 oz	4 lb	3837	\$ 70.00
FS0512-DR	5.75" x 5.75"	5 lb x 1/2 oz	4 lb	3838	75.00

FS Options

Rotating dial (Tare feature)	1 lb	3839	4.41
------------------------------	------	------	------

LCD Series 8" dial face w/SS platform 6-3/4"W x 9-3/4"D x 10-3/4"H

LCD3218-DR	9" x 9"	32 oz x 1/8 oz	9 lb	3841	95.00
------------	---------	----------------	------	------	-------

Option for LCD 3218 only

Rotating dial OVER/UNDER	1 lb	3858	25.00
--------------------------	------	------	-------

LCD0512-DR	9" x 9"	5 lb x 1/2 oz	9 lb	3842	90.00
LCD1001-DR	9" x 9"	10 lb x 1 oz	9 lb	3843	90.00
LCD2001-DR	9" x 9"	20 lb x 1 oz	10 lb	3844	90.00

LCD2501 *	9" x 9"	25 lb x 1 oz	10 lb	3846	95.00
-----------	---------	--------------	-------	------	-------

* Not available as dual reading

LCD2502-DR	9" x 9"	25 lb x 2 oz	10 lb	3847	95.00
LCD4002-DR	9" x 9"	40 lb x 2 oz	10 lb	3848	100.00
LCD5002-DR	9" x 9"	50 lb x 2 oz	12 lb	3849	105.00

LCD7004-DR	10" x 10"	70 lb x 4 oz	13 lb	3850	125.00
------------	-----------	--------------	-------	------	--------

w/Chrome platform

LCD Options

Air dash pot (quick stop)	1 lb	3851	70.00
Stainless steel construction	1 lb	3852	85.00
Produce pan 10"dia stainless steel	1 lb	3853	96.00

HCD Series 10" dial face w/chrome platform 10-1/2"W x 14"D x 12-1/2"H

HCD7004-DR	13" x 13"	70 lb x 4 oz	24 lb	3855	212.00
HCD10004-DR	13" x 13"	100 lb x 4 oz	27 lb	3856	217.00
HCD20008 -DR	13" x 13"	200 lb x 8 oz	30 lb	3857	266.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.



Triple Beam Balance

Triple Beam 700 and 800 Series Balances. Tiered notched beams. Choice of weighing platforms, scoop, animal container or pans. Magnetic damping. Optional tare beam. Equipped for specific gravity weighings. 5 Year warranty

Part Number	Capacity	Platform	Weight	SKU	List
710-00	610g x 0.1g	SS Pan, 6" dia	7 lb	1523	\$ 433.00
710-T0	610g x 0.1g	SS Pan, tare	7 lb	1528	541.00
720-00	610g x 0.1g	Poly scoop	7 lb	1524	518.00
720-S0	610g x 0.1g	SS scoop	7 lb	1525	602.00
730-00	610g x 0.1g	Animal container	9 lb	1526	651.00
750-S0	610g x 0.1g	SS Plate, 6" dia	8lb	1521	246.00
760-00	610g x 0.1g	SS Plate, tare	8 lb	1527	457.00

Options

With counterweight

80780015	Stainless Steel Scoop 12" x 6" x 2-34"	2 lb	2023	206.00
	footed and counterweight			
80780016	Polypropylene Maxi-Scoop 10" dia x 1-12"	3 lb	2024	59.00

Without counterweight

80250400	Stainless Steel Scoop 12" x 6" x 2-3/4"	2 lb	2025	118.00
	footed, tare 190g			



710-00 SS pan w/optional attachment weights



720-00 SS Scoop



730-00 Animal Container



750-S0 SS plate



Triple Beam Junior

All the benefits of a Triple Beam, just for younger students. Notched and tiered beams. Magnetic damping. Zero adjust compensator. Metal base and beam, stainless steel pan. 5 Year warranty

Part Number	Capacity	Platform	Weight	SKU	List
TJ611	610g x 0.1g	SS Pan, 5.9" dia	6 lb	1612	\$ 232.00



TJ611
Triple Beam Junior

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718



www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



2400-12
Field Test Scale

OHAUS®

Field Test Scale

The heavy duty Multi purpose field scale is for use in laboratory, production facilities or field testing locations. The beam reads 1 lb by 0.01 lb divisions. The numbers and graduations are in black on a white background for maximum legibility. The scale has a sliding poise designed to eliminate reading errors. A set of slotted weights is supplied with the scale and they store in the cast metal base. For ease in moving the scale, a carrying handle is an integral part of the base. 5 year warranty. 22-1/4" x 9-3/4" x 10-1/8"H.

Part Number	Capacity	Pan	Weight	SKU	List
2400-12	36 lb x 0.01 lb	9-3/4" dia	23 lb	1396	\$ 2,043.00



311 Cent-O-Gram® Balance

310 Dial-O-Gram® Balance

These balances provide 0.01 g sensitivity and come with all the built in extras that are expected from Ohaus. The Dial-O-Gram® has the fastest results which are read on the precision engraved dial. Poises are windowed for easy reading. Built in specific gravity platform. Four notched and tiered beams on 311 Model. 10 gram vernier dial on 310 Model. Rugged, durable construction. 5 Year warranty.

Part Number	Capacity	Weight	SKU	List
Dial-O-Gram				
310-00	310g x 0.01g	6 lb	1530	\$ 642.00
	Dial and vernier 10g x 0.01g			
	Front beam 100g x 10g			
	Rear beam 200g x 100g			
Cent-O-Gram				
311-00	311g x 0.01g	6 lb	1531	530.00
	Front beam 1g x 0.01g			
	Second beam 10g x 1g			
	Third beam 100 x 10g			
	Rear beam 200 x 100g			



**311-00
Cent-O-Gram
Balance**



Triple Pro Balance

Accurate, dependable and truly best in class. Triple Pro offers the convenience of a toploading balance while allowing hands on experience through manipulation of the poises. Easy grip carrying handle is perfectly balanced for effortless movement. Convenient storage compartment for included attachment weight set. Two security features included to prevent theft, a security loop and Kensington lock (cables sold separately). Includes includes weight set and rod & clamp assembly for specific gravity determinations. 10 Year limited warranty

Part Number	Capacity	Platform	Weight	SKU	List
TP2611	2,610 x 0.1g	5.8" dia	9 lb	1536	\$ 351.00



**TP2611
w/optional attachment weights**



1600 Dial-O-Gram® Balance

Direct reading vernier dial. Tare poise slides for coarse tare, rotates for fine adjustments. Maximum capacity of 2610 g with optional accessory weights. 5 Year warranty

Part Number	Capacity	Tare	Platf/9rm	Weight	SKU	List
1610-00	610g x 0.1g	225 g	SS Pan, 6" dia	8 lb	1543	\$ 657.00
1650-00	610g x 0.1g	-----	SS Plate, 6" dia	8 lb	1541	557.00
1650-W0	2,610g x 0.1g	-----	SS Plate w/att wts	11 lb	1537	657.00

Options

80780017 Vinyl cover for Triple Beam	1 lb	96	45.00
80780108 Attachment weights, metric, 2.5 kg set	2 lb	877	116.00
701-00 Attachment weight, 500 g	1 lb	1532	16.00

The Attachment weights allow full utilization of the Triple Beam's capacity (2610g) by suspending weights from pivots on beam end. Requires (2)1,000g and (1)500g weights. Conveniently store in base of balance.



1650-00 SS Plate



Tare Feature



1550-SD
Harvard Trip Balance

OHAUS®

Harvard Trip Balance

Beam and dial models available. Easy, reliable operation. Two pan balances of this type are commonly used for comparative weighing - to determine the difference in mass between two objects rather than the absolute value. The built in sliding masses (up to 10 or 210g) are usually suitable for this purpose, but weighings up to 2kg can be achieved by using a suitable set of calibrated masses. Magnetic damping. 0.1g sensitivity. 5 Year warranty

Part Number	Capacity	Beam/platform	Weight	SKU	List
1450-SD	2,000g x 0.1g	Single beam/Plate	7 lb	1825	\$ 594.00
1550-SD	2,000g x 0.1g	Double beam/Plate	8 lb	1828	618.00
1560-SD	2,000g x 0.1g	Dbl bm/Plate w/Tare	10 lb	1829	662.00



SB1200
School balance

OHAUS®

School Balance

The young scientist's first balance. Large, washable pans provide optimal space for samples to be weighed. An 18 piece weight set (10)1g, (4)5g, (2)10g, (2)25g, color coded stackable plastic mass set included. Front and rear pointers allow students to view results from both sides of the balance. Plastic pointer. ABS base, beam and pans. Zero adjust compensator.

Part Number	Capacity	Pan	Weight	SKU	List
SB1200	2,000g x 0.5g	5.5"x5.5"	7 lb	1822	\$ 107.00



90410-00
Primer balance

OHAUS®

Primer Balance

An activity guide with 16 exercises is included with every Primer balance. The easy to slide zero adjustment weight makes ensuring the balance is ready for weighing very simple. Front and rear pointers allow students to view results from both sides of the balance. Plastic pointer. ABS base, beam and pans. Large, washable weighing pans, dual pointers, An 18 piece weight set (10)1g, (4)5g, (2)10g, (2)25g, color coded stackable plastic mass set included.

Part Number	Capacity	Pan	Weight	SKU	List
80410-00	2,000g x 1g	4"x4"	2 lb	1830	\$ 76.00



Pull type spring scales

Pull type spring scales feature an internal spring mechanism and offer a versatile and inexpensive way to display measurements in grams, ounces, pounds and Newtons. Demonstration spring scales offer a large faceplate for easy viewing and are ideal for all basic weighing applications. ABS housing with metal face plate, pointer, spring and hook. Large bright colored face, easy to read graduations on a frosted aluminum background.

Part Number	Capacity	Capacity	Weight	SKU	List
8001-MA	9 oz x 0.25 oz	250g x 10g	0.4 lb	7880	\$ 41.00
8002-MA	19 oz x 0.5 oz	500g x 20g	0.4 lb	7881	41.00
8004-MA	72 oz x 2 oz	2,000g x 50g	0.4 lb	7882	41.00
8001-MN	250g x 10g	2.5N x 0.1N	0.4 lb	7883	38.00
8002-MN	500g x 20g	5N x 0.2N	0.4 lb	7884	38.00
8003-MN	1,000g x 25g	10N x 0.25N	0.4 lb	7885	38.00
8004-MN	2,000g x 50g	20N x 0.5N	0.4 lb	7886	38.00
8008-MN	5,000g x 100g	50N x 1N	0.4 lb	7887	38.00
8261-M0	100g x 1g		0.4 lb	7888	44.00
8262-M0	200g x 2g		0.4 lb	7889	44.00
8263-M0	500g x 5g		0.4 lb	7890	44.00
8264-M0	1,000g x 10g		0.4 lb	7891	44.00
8265-M0	2,000g x 20g		0.4 lb	7892	44.00
8001-PN	0.56 lb x 0.02 lb	2.5N x 0.1N	0.4 lb	7893	44.00
8002-PN	1.12 lb x 0.04 lb	5N x 0.2N	0.4 lb	7894	44.00
8003-PN	2.25 lb x 0.05 lb	10N x 0.25N	0.4 lb	7895	44.00
8004-PN	4.5 lb x 0.125 lb	20N x 0.5N	0.4 lb	7896	44.00
8008-PN	11.25 lb x 0.25 lb	50N x 1N	0.4 lb	7897	44.00



8001-MA
Pull type spring scales



Dial type spring scales

Dial type spring scales offer a versatile and inexpensive weight determination in classrooms, laboratories, field studies and much more. Measurements in grams, ounces, pounds and Newtons. Demonstration spring scales offer a large faceplate for easy viewing and are ideal for all basic weighing applications. ABS housing with metal face plate, pointer, spring and hook. Large bright colored dial face, easy to read graduations on a frosted aluminum background.

Part Number	Capacity	Capacity	Weight	SKU	List
8011-MA	9 oz x 0.125 oz	250g x 2g	0.4 lb	3013	\$ 63.00
8012-MA	18 oz x 0.25 oz	500g x 5g	0.4 lb	3014	63.00
8014-MA	2,000g x 20g	72oz x 0.5oz	0.4 lb	3015	63.00
8011-MN	250g x 2g	2.5N x 0.02N	0.4 lb	3016	63.00
8012-MN	500g x 5g	5N x 0.05N	0.4 lb	3017	63.00
8014-MN	2,000g x 20g	20N x 0.2N	0.4 lb	3018	63.00
8013-MN	1,000g x 10g	10N x 0.1N	0.4 lb	3019	63.00
8016-00	20N x 1/2N		0.4 lb	3020	117.00
8015-00	22hg x 1/2hg		0.4 lb	3021	117.00
8018-50	50N x 2N		0.4 lb	3022	128.00



8011-MA
Dial type spring scales

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



854F100P
Beam Scale
mechanical portable



Mechanical Portable Beam Scale

Portable, durable accurate trouble free performance. Rust proof die cast beam is calibrated 100 lb x 1/2 lb on both front and back. Counterpoise weights are stored on a handy hanger. Easy to read lockable poise. Simplified lever system of fabricated steel for longer life and accuracy. Platform size 19"W x 28"D. Overall size 24"W x 35"D x 45"H. FOB Webb City, MO.

NTEP Legal for Trade 88-106/107

Part Number	Capacity	Weight	SKU	List
854F100P portable	1,000 lb x 1/2 lb	132 lb	4037	\$ 1,260.00



Mechanical Portable Beam Scale

A Fairbanks classic. Rugged and economical. Large platform. Sturdy cast iron base, lever system, platform and wheels. Large easy-to-read graduations on a chrome plated beam with a brass insert. Open face poise with pointer clearly shows the exact weight. A set screw holds the poise firmly in place when set. Dimensions 21"W x 36"D x 42.75"H. FOB Meridian, MS
Canadian AM-4657
NTEP Legal for Trade 88-266

Part Number	Capacity	Platform	Weight	SKU	List
1124 beam scale	1,000 x 0.5 lb	24" x 17"	185 lb	6065	\$ 1,144.00

Service Parts

95843 beam assy US standard for 1124	4 lb	6110	156.00
71596 set of counterpoise weights lbs for 1124	11 lb	6111	147.54
58935 cup hanger counterpoise for 1124	2 lb	6178	70.33



**1124
Beam Scale
Mechanical Portable**



TSCP-431
White plastic scoop



ST-64P
Sample pan, plastic, triangular



Aluminum scoop, large



TSCP-431-SS Scoop
Large
Stainless steel

Scoops

For use with any balance or scale.

Part Number	Size	Weight	SKU	List
Plastic				
TSCP-431 scoop, anti static white plastic, FDA approved	21.5"x11.5"x5.5" w/6" dia foot	2 lb	2379	\$ 66.00
ST-64P Sample pan, anti static plastic, triangular	11"x10.5"x2.5"	2 lb	6109	20.40
Aluminum				
Aluminum scoop, medium	17" x 12" x 5"	2 lb	4220	185.00
Aluminum scoop, large	20.5" x 14" x 6"	3 lb	4221	194.00
Stainless steel				
TSCP-441-SS scoop, large	12" x 22" x 5.5"	5 lb	6671	166.66



Scoops

For use with any balance.

Part Number	Size	Weight	SKU	List
80250048 Black aluminum scoop	4" x 3.5"	1 lb	1139	\$ 63.00
30020842 Gold scoop	3" x 2.25"	1 lb	1141	56.00
80250400 Stainless Steel Scoop footed, tare 190g	12" x 6" x 2-3/4"	2 lb	2025	118.00



80250400 Stainless Steel Scoop

Weighing Dishes

These plastic anti-static weighing dishes are produced from a special grade of polystyrene and will resist diluted acids, aqueous solutions, alcohols and bases. They are safe, contaminant-free, biologically inert, economical containers which specially made for many applications such as weighing, dispersing or storing. They can be used as quick freeze trays for sample material, discard trays, for broken ampules, or mixing trays for small batches. They have a smooth surface providing accurate pour-outs with minimal sample loss. Non-reactive with most substances and suitable for weighing static affected materials. Will withstand temperatures up to 80°C

Hexagonal

Globe Scientific's hexagonal plastic weighing dishes are available in 4 different sizes. The molded hexagonal design provides greater balance protection and safety. They are ideal for handling solids or liquids during weighing. They can be easily bent into pouring spouts to provide pour-outs with minimal sample loss.

Part Number	Volume	Dimensions	Weight	SKU	List
3615	20 mL	38 mm	1 lb	2547	\$ 35.50
3616	50 mL	64 mm	1 lb	2548	47.40
3617	200 mL	102 mm	1 lb	2549	84.30
3618	350 mL	127 mm	1 lb	2550	158.20



Hexagonal



Square

Square

Globe Scientific's square weighing dishes are available in 3 different sizes. They have sloping sides, rounded corners and flat bottoms to ensure perfect stability on counters.

Part Number	Volume	Dimensions	Weight	SKU	List
3620	20 mL	41mm x 8mm H	1 lb	2551	23.80
3621	100 mL	89mm x 25mm H	1 lb	2552	48.10
3622	330 mL	140mm x 25mm H	1 lb	2553	123.00


Pour boat

Globe Scientific's pour boats are available in 3 sizes. They are specifically made to facilitate dispensing of powdered and liquid materials. Smooth, uniform and economical, the molded material used is thicker than conventional weighing dishes.


Part Number	Volume	Dimensions	Weight	SKU	List
3623	2 mL	54 x 44 x 8mm	1 lb	2554	19.80
3624	140 mL	130 x 93 x 25mm	1 lb	2555	49.10
3625	270 mL	191 x 125 x 25mm	1 lb	2556	122.80



Pour-boat



TFC-EK12KA A&D
Flexible covers



TFC-XL/XE/XS Denver
Flexible covers

Clear Flexible Covers

Inuse covers for use with a variety of popular scales and balances. These covers protect from dripping paint and dyes, dust and dirt or any dripping liquid. They are easily replaceable when they have accumulated an excess of the contaminated product. The covers are made of a semi rigid clear PVC or PETG, yet they are soft enough to allow the easy use of the front panel keys on the scale or balance.


Part Number	Weight	SKU	List
A&D			
TFC-EK12 A	1 lb	5569	\$ 40.00
TFC-EK120/1200A	1 lb	5570	40.00
TFC-EK6000H	1 lb	5571	40.00
TFC-EK/EW series	1 lb	5572	40.00
TFC-EP series	1 lb	5573	40.00
TFC-FY series	1 lb	5575	40.00
TFC-GF GX200/400/600	1 lb	5576	40.00
TFC-GF GX2000/4000/6000	1 lb	5577	40.00
TFC-HF6000/8000	1 lb	5580	40.00
TFC-HP series	1 lb	5581	40.00
Denver Instruments			
TFC-TR series	1 lb	3367	40.00
Mettler/Toledo			
TFC-AB54/AB104/AB204	1 lb	5588	40.00
TFC-PB602S-8001S	1 lb	5589	40.00
TFC-AT series	1 lb	5590	40.00
TFC-BB round pan	1 lb	5591	40.00
TFC-BB square pan	1 lb	5592	40.00
TFC-PB153-303	1 lb	5593	40.00
TFC-PC/AC	1 lb	5597	40.00
TFC-PE round pan	1 lb	5598	40.00
TFC-PE square pan	1 lb	5599	40.00
TFC-PG-S 0.1 - 1g	1 lb	5602	40.00
TFC-PM/PJ round pan	1 lb	5605	40.00
TFC-PR/PG main body	1 lb	5607	40.00
TFC-SB 8000-16000	1 lb	5608	64.00
TFC-SR/SG display 1	1 lb	5610	40.00
TFC-SR/SG display 2	1 lb	5611	40.00
12102970 AP/PL	1 lb	5500	123.00
12102980 PL-S	1 lb	5501	185.00




Clear Flexible Covers

Continued.


Part Number	Weight	SKU	List
Ohaus			
TFC-Adventurer	1 lb	5612	\$ 40.00
TFC-B small	1 lb	5613	40.00
TFC-Explorer/Voyager top loader	1 lb	5616	40.00
TFC-Explorer/Voyager analytical	1 lb	5617	40.00
TFC-GT/E round pan	1 lb	5618	40.00
TFC-GT/E square pan	1 lb	5585	40.00
TFC-Navigator	1 lb	5619	40.00
TFC-SC Scout	1 lb	5620	40.00
TFC-TM Pro Scout	1 lb	5586	40.00
TFC-TS/TP series	1 lb	5621	40.00
Precisa			
TFC-Precisa low profile	1 lb	5622	40.00
Sartorius			
TFC-1400	1 lb	5625	40.00
TFC-1500/E	1 lb	5626	40.00
TFC-BA round pan	1 lb	5627	40.00
TFC-BA square pan	1 lb	5628	40.00
TFC-BL round pan	1 lb	5276	40.00
TFC-BL square pan	1 lb	5277	40.00
TFC-BP round pan, small	1 lb	5629	40.00
TFC-BP square pan, small	1 lb	5630	40.00
TFC-BP square pan, large	1 lb	5631	40.00
TFC-CP series triangular pan	1 lb	5632	40.00
TFC-CP series square pan	1 lb	5633	40.00
TFC-CP series analytical	1 lb	5634	40.00
TFC-EA/EB series	1 lb	5635	40.00
TFC-Element Series	1 lb	5278	40.00
TFC-L2200 round pan	1 lb	5636	40.00
TFC-L2200 square pan	1 lb	5637	40.00
TFC-L610	1 lb	5638	40.00
TFC-PNA series	1 lb	5639	40.00
TFC-PT	1 lb	5640	40.00
TFC-Scaletec round pan	1 lb	5641	40.00
TFC-U/B/LC	1 lb	5643	40.00



**TFC-SB 8000-16000 Mettler
Flexible covers**



**TFC-Explorer Ohaus
Flexible covers**



**TFC-CP triangular Sartorius
Flexible covers**

MARK-10

M5 Digital force gauge

Designed for tension and compression force testing. Reversible housing allows the gauge to be handheld or mounted to a test stand. Large, backlit graphics LCD display. 5 selectable units of measure: lbF, ozF, gF, kgF, N, kN, mN (depending on model). Keys are: ENTER, ON, UNITS/DIRECTION, DATA/DELETE, ZERO, MENU/ESCAPE, MODE. Data can be transferred to a PC or other data collector via USB, RS232, Mitutoyo (Digimatic), or analog outputs. High speed 7,000 Hz peak sampling rate. 1,000 point data memory with statistics and outputs. Live load bar with set point markers. Programmable set points, with alarms and outputs. Peak readings and set points always displayed. Averaging mode calculates average readings over time. External trigger mode for switch contact testing or remotely stopping display update. Configurable audio alarms and key tones. Password protection, configurable for individual keys and calibration. Included items: Carrying case with chisel, cone, V-groove, hook, flat, extension rod, universal voltage AC adapter, battery, quick start guide, USB cable, resource CD and NIST traceable certificate of calibration with data.



Series 5
Digital Force Gauge

Part Number	Capacity	Weight	SKU	List
M5-012	0.12 lbF	1 lb	7641	\$ 2,325.00
M5-025	0.25 lbF	1 lb	7642	2,325.00
M5-05	0.5 lbF	1 lb	7643	1,410.00
M5-2	2 lbF	1 lb	7644	1,250.00
M5-5	5 lbF	1 lb	7645	1,250.00
M5-10	10 lbF	1 lb	7646	1,250.00
M5-20	20 lbF	1 lb	7647	1,250.00
M5-50	50 lbF	1 lb	7648	1,250.00
M5-100	100 lbF	1 lb	7649	1,250.00
M5-200	200 lbF	1.2 lb	7650	1,410.00
M5-300	300 lbF	1.2 lb	7349	1,410.00
M5-500	500 lbF	1.2 lb	7651	1,410.00
M5-750	750 lbF	1.8 lb	7350	1,700.00
M5-1000	1,000 lbF	1.8 lb	7351	1,700.00
M5-1500	1,500 lbF	1.8 lb	7352	1,700.00
M5-2000	2,000 lbF	1.8 lb	7353	1,700.00
M5-2-COF	2,000 lbF	1.8 lb	7354	1,470.00
COF-K1	Kit w/G1086 coef of friction feature	1.8 lb	7355	2,900.00

MARK-10

M7 Professional force gauge

High speed data capture. Foot switch. User defined unit. Keys for: ZERO, UNITS, MENU, DATA, MODE. 5,000 point memory and statistics. Break detection. USB, RS232. Mitutoyo and analog outputs. Averaging, set points with outputs, external trigger, extension rod chisel, cone, v-groove, flat, hook. AC adapter/charger. Carrying case. NIST certificate. 3 year warranty.

Part Number	Capacity	Weight	SKU	List
M7-012	0.12 lbF	1 lb	8108	\$ 3,450.00
M7-025	0.25 lbF	1 lb	8109	3,450.00
M7-05	0.5 lbF	1 lb	8110	2,100.00
M7-2	2 lbF	1 lb	8111	1,900.00
M7-5	5 lbF	1 lb	8112	1,900.00
M7-10	10 lbF	1 lb	8113	1,900.00
M7-20	20 lbF	1 lb	8114	1,900.00
M7-50	50 lbF	1 lb	8115	1,900.00
M7-100	100 lbF	1 lb	8116	1,900.00
M7-200	200 lbF	1 lb	8117	2,100.00
M7-500	500 lbF	1 lb	8118	2,100.00



M7
Professional Force Gauge



M4
Performance force gauge

MARK-10

M4 Performance force gauge

Live load bar graph with with set point markers. Large backlit graphic display. Keys for: ZERO, UNITS, MENU, DATA, MODE. 3,000 Hz sampling rate. 50 point data memory with statistics and outputs. MESUR Lite Data collection software. Configurable audio alarms and key tones. USB, RS232, Mitutoyo. Extension rods, chisel, cone, v-groove, flat, hook, AC adapter/charger. Carrying case NIST certificate.

Part Number	Capacity	Weight	SKU	List
M4-012	0.12 lbF	1 lb	8119	\$ 1,980.00
M4-025	0.25 lbF	1 lb	8120	1,980.00
M4-05	0.5 lbF	1 lb	8121	1,195.00
M4-2	2 lbF	1 lb	8122	995.00
M4-5	5 lbF	1 lb	8123	995.00
M4-10	10 lbF	1 lb	8124	995.00
M4-20	20 lbF	1 lb	8125	995.00
M4-50	50 lbF	1 lb	8126	995.00
M4-100	100 lbF	1 lb	8127	995.00
M4-200	200 lbF	1 lb	8128	1,195.00
M4-500	500 lbF	1 lb	8129	1,195.00

MARK-10

M3 Digital force gauge

Ultra compact size. Ergonomic, reversible aluminum housing allows for hand held use or test stand mounting for more sophisticated testing requirements. Large backlit graphic display. 4 selectable units of measure: lbf, gF, kgF, N (depending on model). Display indicators for: Set Points, Pass/Fail indicators, Current Reading, Battery Indicator, Tension/Compression indicator, Peak Readings, Measurement Mode, Units of Measure, Analog Load Bar w/ Set Point Markers. High speed 2,000 Hz sampling rate. USB data output. Configurable audio alarms and key tones. MESUR Lite data collection software included. Included items are: Carrying case with chisel, cone, V-groove, hook, flat, extension rod, universal voltage AC adapter, battery, quick start guide, USB cable, resource CD (USB driver, MESUR Lite software, MESUR gauge DEMO software, and user's guide), and NIST-traceable certificate of calibration (certificate with data is available for an additional charge). AC or rechargeable battery. Multi-step low battery indicator is displayed, gauge shuts off automatically when power is too low..

Part Number	Capacity	Weight	SKU	List
M3-012	0.12 x 0.0001 lbF	1 lb	6680	\$ 1,700.00
M3-025	0.25 x 0.0002 lbF	1 lb	6681	1,700.00
M3-05	0.05 x 0.0005 lbF	1 lb	6682	925.00
M3-2	2 x 0.002 lbF	1 lb	6683	750.00
M3-5	5 x 0.005 lbF	1 lb	6684	750.00
M3-10	10 x 0.01 lbF	1 lb	6685	750.00
M3-20	20 x 0.02 lbF	1 lb	6686	750.00
M3-50	50 x 0.05 lbF	1 lb	6687	750.00
M3-100	100 x 0.1 lbF	1 lb	6688	750.00
M3-200	200 x 0.2 lbF	1 lb	6689	925.00
M3-500	500 x 0.5 lbF	1 lb	6690	925.00



M3
Digital force gauge

MARK-10

M2 Economical force gauge

Reversible housing for alternate load cell orientation. A backlit graphic LCD displays the current, peak tension, or peak compression reading. Keys for: Menu, Peak, Zero. Peak tension and compression readings are reliably captured via the gauges' $\pm 0.5\%$ accuracy and 500 Hz sampling rate. Powered by 9V battery or available AC adapter. Series 2 gauges are directly compatible with Mark-10 test stands and grips.

Part Number	Capacity	Weight	SKU	List
M2-2	2 lbF	1 lb	8130	\$ 495.00
M2-5	5 lbF	1 lb	8131	495.00
M2-10	10 lbF	1 lb	8132	495.00
M2-20	20 lbF	1 lb	8133	495.00
M2-50	50 lbF	1 lb	8134	495.00
M2-100	100 lbF	1 lb	8135	495.00
M2-200	200 lbF	1 lb	8136	675.00
M2-500	500 lbF	1 lb	8137	675.00

Options

12-1049 Carrying Case	1 lb	8138	45.00
AC1030 AC adapter 110 VAC	1 lb	8139	45.00
3-1031-2 Attachment kit for M2-2 - M2-100	1 lb	8140	100.00
23-1031-3 Attachment kit for M2-200 - M2-500	1 lb	8141	120.00
CERT NIST traceable certificate of calibration w/ data	1 lb	5971	85.00



Series 2
Economical Force Gauge

MARK-10

BG Digital force gauge

Reversible aluminum housing for hand held use or stand mounting. Programmable analog and digital filters. Compatible with all Mark 10 test stands and grips. Keys are: POWER, UNITS, ZERO, DATA, MODE, CLEAR. Units: lb, kg(g). 4-1/2 digit 0.3" LCD. 62 readings per second. GCL Gauge Control Language for full control of all functions. Measures tensile and compressive forces. Permanent configuration memory. Automatic peak memory, push button calibration. RS232 Mitutoyo and analog outputs, programmable auto shut off. Battery or AC operation. Includes cushioned carrying case with an AC adapter, user's manual and NIST certificate with a set of accessories: chisel, cone, V groove, hook, flat, extension.

Part Number	Capacity	Weight	SKU	List
BG2	2 x 0.001 lb	9 lb	5763	\$ 395.00
BG10	10 x 0.005 lb	9 lb	5765	395.00



BG
Digital Force Gauge



TT03
Torque gauge



TT03C
Cap torque gauge



WT3-201 manual
wire crimp pull tester



WT3-201 motorized
wire crimp pull tester

MARK-10

TT03 Torque gauge

Designed for clockwise and counter-clockwise torque testing. Capacities from 10 ozFin to 100 lbFin. Dedicated torque sensor with Jacobs chuck is used to grip a sample, bit or fixture. Hand held or mounted to a test stand. USB output gives continuous or individual readings to a PC. Set point indicators for High, Low, In-range. Analog load bar gives visual indication of applied load.

Part Number	Capacity	Weight	SKU	List
MTT03-10Z	10 ozFin x 0.01 ozFin	1.8 lb	7512	\$ 1,595.00
MTT03-20Z	20 ozFin x 0.02 ozFin	1.8 lb	7513	1,595.00
MTT03-50Z	50 ozFin x 0.05 ozFin	1.8 lb	7514	1,595.00
MTT03-12	12 lbFin x 0.01 lbFin	1.8 lb	7515	1,400.00
MTT03-50	50 lbFin x 0.05 lbFin	1.8 lb	7516	1,400.00
MTT03-100	100 lbFin x 0.1 lbFin	1.8 lb	7517	1,400.00

Cap torque gauge

MTT03C-12	12 lbFin x 0.01 lbFin	2.1 lb	7518	1,775.00
MTT03C-50	50 lbFin x 0.05 lbFin	2.1 lb	7519	1,775.00
MTT03C-100	100 lbFin x 0.1 lbFin	2.1 lb	7520	1,775.00

MARK-10

WT3 Wire crimp pull tester

Wire crimp pull testing. A manual ergonomic lever applies force or a motorized unit will automatically apply load to a selected load or load until the sample breaks. Adjustable wire terminal fixture fits wire sizes up to AWG 3 or 0.25". The motorized tester starts automatically when sample is loaded and returns to home when sample breaks. USB, RS232, Mitutoyo and analog outputs. Save and recall up to 500 test profiles. Pull to a specified load or maintain load for a specified period of time as per UL486A/B.

Part Number	Capacity	Weight	SKU	List
WT3-201 manual	200 lbF	3.1 lb	7521	\$ 2,620.00
WT3-201M motorized	200 lbF	4.2 lb	7522	4,890.00

Options

WF010 Save multiple profiles option for WT3-201M	0.0 lb	7523	895.00
WF011 Pull to load option for WT3-201M	0.0 lb	7524	675.00
WF012 Load holding option for WT3-201M	0.0 lb	7525	1,010.00
WF013 Date & time stamp option for WT3-201M	0.0 lb	7526	620.00
WF014 Complete options package for WT3-201M	0.0 lb	7527	2,080.00
WF3002 Ring terminal fixture for WT3-201 / WT3-201M	1.1 lb	7528	220.00
WF3003 Machinable blank terminal fixture WT3-201/M	1.8 lb	7529	200.00
WF3004 Carrying case for WT3-201	2.9 lb	7530	285.00
WF3004-1 Carrying case for WT3-201M	3.1 lb	7531	285.00
AC1049 Calibration fixture for WT3-201/M (no weights)	2.1 lb	7532	1,000.00

MARK-10

MTT01 Cap torque tester

The CT captures peak torque in both clockwise and counterclockwise directions for application and removal measurements. Tester features a solid aluminum housing and rugged construction for many years of service in laboratory or production environments. Adjustable posts effectively grip a broad range of container shapes and sizes, while a set of optional jaws is available as an alternative gripping method. Accepts samples up to 7.5" dia. Selectable units of measurement are lbin, kgFmm and Ncm. Movable container gripping posts. Battery or AC operation. Includes set of four posts, AC adapter and 9V non rechargeable battery, 30 hours of continuous operation. Users manual and NIST-traceable certificate of calibration.

Part Number	Capacity	Weight	SKU	List
MTT01-12	12 x 0.01 lbin	10 lb	4514	\$ 1,660.00
MTT01-25	25 x 0.02 lbin	10 lb	4554	1,660.00
MTT01-50	50 x 0.05 lbin	10 lb	4515	1,660.00
MTT01-100	100 x 0.1 lbin	10 lb	4516	1,660.00

Options

CT001 Sample gripping jaws for TT01 pair	1.0 lb	3220	85.00
CT002 Carrying case for TT01	2.1 lb	4256	250.00
CT003 Adjustable gripping jaws for TT01, pair	1.1 lb	4257	395.00
CT004 Set of posts for TT01/R53 1.25" long, set of 4	0.4 lb	4258	170.00
CT005 Set of posts for TT01/R53 2.5" long, set of 4	0.6 lb	4259	195.00
CT006 Set of posts for TT01/R53 4" long, set of 4	0.8 lb	4260	225.00
CT007 Kit of 4 posts of each length, set of 12	1.8 lb	4261	450.00
AC1036 Calibration kit for TT01 (weights not included)	2.7 lb	4262	760.00



MTT01
Cap torque t ester
w/ standard adjustable posts



Optional
Gripping Jaws



Standard
Adjustable Posts

MARK-10

MTT02 Digital torque tester

Simple, yet accurate solution for testing torque screwdrivers, wrenches and other tools. Solid aluminum housing make it rugged enough for many years of service in production or laboratory use. Universal receptacle with square drive and grooves accepts commpn bits and attachments. Applications exist in virtually every industry. Captures peak torque in both clockwise and counterclockwise directions. Selectable units of measure are: lbFin, kgFmm, Ncm. Push button calibration. RS-232 and Mitutoyo (Digimatic). WinWedge software allows the torque tester to send data to a PC for furthur analysis in Windows applications such as Excel. AC or non-rechargeable 9V battery with Intelligent Power Management System (IPM). IPM warns user via "LO BAT" indicator and then will power off the gauge. 30 hours of continuous use.

Part Number	Capacity	Weight	SKU	List
MTT02-12	12 lbin	5 lb	6900	\$ 1,495.00
MTT02-25	25 lbin	5 lb	6808	1,495.00
MTT02-50	50 lbin	5 lb	6901	1,495.00
MTT02-100	100 lbin	5 lb	6902	1,495.00

Options

AC1066-1	Rundown fixture 0-50 lbFin	1 lb	6809	295.00
AC1066-2	Rundown fixture 0-50 lbFin	1 lb	6810	295.00
ST001	Bench mounting bracket	2 lb	6903	170.00
ST002	Carrying case for TT02	2 lb	6811	200.00



MTT02
Digital Torque Tester



MTT05
Torque Tester

MARK-10

MTT05 Torque tester

Universal torque testers have a stainless steel loading surface with conveniently spaced threaded holes for mounting fixtures and attachments. Measures torques up to 100 lbTin. For use in the laboratory or the production floor. USB, RS232, Mititoyo and analog outputs. Data memory, set points and automatic data output. Peak torque detection. Pass fail detection.

Part Number	Capacity	Weight	SKU	List
MTT05-12	12 x 0.01 lbin	10 lb	6813	\$ 1,495.00
MTT05-25	25 x 0.02 lbin	10 lb	6814	1,495.00
MTT05-50	50 x 0.05 lbin	10 lb	6815	1,495.00
MTT05-100	100 x 0.1 lbin	10 lb	6816	1,495.00

Options

CT002	Carrying case for TT05/TT01	2.1lb	4256	250.00
-------	-----------------------------	-------	------	--------

MARK-10

Plug & Test indicator & sensors

Force and torque indicators

Part Number		Weight	SKU	List
M7I	Professional force/torque indicator	2 lb	5766	\$ 1,740.00
M5I	Advanced force/torque indicator	2 lb	5799	1,025.00
M3I	Basic force/torque indicator	2 lb	5767	710.00
PTA	User configurable adapter w/software	2 lb	5768	275.00

Plug & Test indicator & sensors

Force sensors

Part Number	Capacity	Weight	SKU	List
MR01-50	50 lb	2 lb	5810	\$ 700.00
MR01-100	100 lb	2 lb	5811	700.00
MR01-200	200 lb	2 lb	5812	700.00
MR01-300	300 lb	2 lb	5769	700.00
MR01-500	500 lb	2 lb	5813	700.00
MR01-750	750 lb	2 lb	5770	700.00
MR01-1000	1,000 lb	2 lb	5814	700.00
MR01-1500	1,500 lb	2 lb	5771	700.00
MR01-2000	2,000 lb	2 lb	5815	700.00
MR01-5000	5,000 lb	2 lb	5816	1,050.00
MR01-10000	10,000 lb	2 lb	5817	1,050.00
MR02-100	100 lb	1 lb	5803	880.00
MR02-200	200 lb	1 lb	5804	880.00
MR02-500	500 lb	1 lb	5805	880.00
MR02-1000	1000 lb	1 lb	5806	880.00
MR02-2000	2000 lb	1 lb	5807	880.00
MR02-5000	5000 lb	1 lb	5808	1,000.00
MR02-10000	10000 lb	1 lb	5809	1,000.00



M5I
Torque Indicator



MR01
S-Beam

MARK-10

Plug & Test indicator & sensors, continued

Force sensors

Part Number	Capacity	Weight	SKU	List
MR03-025	0.25 lb	1 lb	5818	\$ 1,510.00
MR03-05	0.5 lb	1 lb	5819	915.00
MR03-22	2 lb	1 lb	5820	765.00
MR03-5	5 lb	1 lb	5821	765.00
MR03-10	10 lb	1 lb	5822	765.00
MR03-20	20 lb	1 lb	5823	765.00
MR03-50	50 lb	1 lb	5824	765.00
MR03-100	100 lb	1 lb	5825	765.00



MR03
Force sensor
compression

MARK-10

MR04 Miniature Force Sensor

Extremely compact force measurement sensor for tensile and compressive loads in a limited space. This sensor features outstanding mechanical overload protection of up to 1,000% of full scale for most applications and threaded holes on two sides for the mounting of attachments or implements. Member of the BGI family interchangeable sensors. Personality module holds all calibration and configuration data. Measures tensile and compressive forces. Mechanical overload protection of up to 200% for SJR50 and SJR100 when used in tension only. Accuracy $\pm 0.2\%$ of full scale ± 1 digit + BGI. NIST traceable certificates of calibration included.

Part number	Capacity	Weight	SKU	List
MR04-025M	0.25 lb	1 lb	6745	\$ 2,850.00
MR04-05M	0.5 lb	1 lb	6746	1,750.00
MR04-2	2 lb	1 lb	6747	1,750.00
MR05-5	5 lb	1 lb	6748	1,750.00
MR04-10	10 lb	1 lb	6749	1,750.00
MR04-20	20 lb	1 lb	6750	1,750.00
MR04-50	50 lb	1 lb	6751	1,750.00
MR04-100	100 lb	1 lb	6752	1,750.00
MR05-500	500 lb	1 lb	6817	875.00
Wire pull force sensor				
MR06-200	200 lb	1 lb	6112	2,270.00



MR04
Tension compression



MR05
Miniature Force Sensor

MARK-10

MR50 Torque sensor, Universal

Bi-directional, small size. Rugged aluminum housing, remote operation. Accuracy: 0.35% FS. NIST traceable calibration certificate included.

Part number	Capacity	Weight	SKU	List
MR50-10Z	10 ozin	1 lb	5850	\$ 1,020.00
MR50-20Z	20 ozin	1 lb	5851	1,020.00
MR50-50Z	50 ozin	1 lb	5852	1,020.00
MR50-12	12 lbin	1 lb	5853	940.00
MR50-50	50 lbin	1 lb	5854	940.00
MR50-100	100 lbin	1 lb	5855	940.00



MR50
Universal torque sensor



MR51
Universal torque sensor



MR52
Tool Calibration

MARK-10

MR51 Torque Sensor, Universal

Member of the BGI interchangeable sensors. Outstanding overload protection, interchangeable chucks. Personality module holds all calibration and configuration data. Accuracy: 0.15% FS. NIST traceable calibration certificate included.

Part Number	Capacity	Weight	SKU	List
MR51-10Z	10 ozin	1.1b	5857	\$ 995.00
MR51-20Z	20 ozin	1 lb	5858	995.00
MR51-50 Z	50 ozin	1 lb	5859	995.00
MR51-12	12 lbin	1.1b	5860	925.00
MR51-50	50 lbin	1.1b	5861	925.00
MR51-100	100 lbin	1.1b	5862	925.00

Accessories

G1016-1 Jacobs chuck for STH	0.25"	1 lb	5863	165.00
G1016-2 Jacobs chuck for STH	0.375"	1 lb	5864	170.00
G1016-3 Jacobs chuck for STH	0.5"	1 lb	5865	175.00
G1017 Bit holder for STH, 1/4" hex		1 lb	5866	175.00

MARK-10

MR52 Torque sensor, Tool calibration

Small size, remote operation. Universal mounting, may be used for torque tool calibration or as a component of a torque testing system. Accuracy: 0.35% of full scale. NIST traceable calibration certificate included.

Part Number	Capacity	Weight	SKU	List
MR52-10Z	10 ozin	1 lb	5837	\$ 1,025.00
MR52-20Z	20 ozin	1 lb	5838	1,025.00
MR52-50Z	50 ozin	1 lb	5839	1,025.00
MR52-12	12 lbin	1 lb	5840	960.00
MR52-50	50 lbin	1 lb	5841	960.00
MR52-100	100 lbin	1 lb	5842	960.00

MARK-10

MR55 Torque sensor, Wrench extension

Rugged all metal construction. Converts any wrench to a torque tool. May be used as torque tool or as a component of a torque testing system. Accuracy: 0.6% of full scale NIST traceable calibration certificate included.

Part number	Capacity	Weight	SKU	List
MR55-20	20 x 0.02 lbin	1 lb	6734	\$ 1,450.00
MR55-50	50 x 0.05 lbin	1 lb	6735	1,450.00
MR55-100	100 x 0.1 lbin	1 lb	6736	1,450.00
MR55-200	200 x 0.2 lbin	2 lb	5845	1,450.00
MR55-400	400 x 0.5 lbin	2 lb	5846	1,450.00
MR55-1000	1000 x 0.1 lbin	2 lb	5847	1,450.00
MR55-5000	5000 x 5 lbin	2 lb	5848	1,450.00



MR54
Wrench Extension

MARK-10

Motorized test stands

Single column force tester for tension and compression for use in the laboratory or production floor. Used for break testing, cycling, limit testing to a load or distance, loadholding and elongation. Adjustable test speed, force and distance limits. Data can be output to a PC for analysis.

Part Number	Capacity	Weight	SKU	List
Options				
ESM303-001-1	6" Single column extension	2 lb	8366	\$ 640.00
ESM303-001-2	12" Single column extension	4 lb	8367	685.00
ESM303-001-3	24" Single column extension	8 lb	8368	815.00
ESM303-002-1	6" Double column extension	4 lb	8369	2,900.00
ESM303-002-2	12" Double column extension	8 lb	8370	3,100.00
ESM303-002-3	24" Double column extension	16 lb	8371	3,250.00
AF008	FollowMe manual positioning		8375	380.00
AF009	Travel indication w/USB output	1 lb	8376	1,380.00
AF010	Computer control via USB		8377	1,380.00
AF011	Programmable travel set points	1 lb	8378	380.00
AF012	Overload protection		8379	380.00
AF013	Auto return		8380	265.00
AF014	Cycling/dwell time		8381	380.00
AF016	Independent up and down speeds		7489	230.00
AF017	Extended speed range, low		7490	265.00
AF018	Extended speed range, high		7491	265.00
AF019	Break detection		7492	265.00
AF020	Load holding		7493	595.00
AF021	Preload/sample touch		7494	380.00
AF022	Profiles		7495	755.00
AFCOMP	Complete options package, vertical		7496	5,450.00
AFCOMP-H	Complete options package, horizontal		7497	5,450.00



ESM303
Motorized test stand
Vertical



ESM303H
Motorized test stand
Horizontal

MARK-10

Motorized test stands, continued

Torque testing for closures and fasteners. Vertical and horizontal units. Motorized clockwise and counterclockwise rotation. Settable rotation speed. Constant speed with load changes. Fixture mounting plate with angle indicator. Easy change between angle and torque limits. Custom column lengths.

Part Number	Capacity	Weight	SKU	List
TSTM-DC Vertical	100 lb	195 lb	840	\$ 8,925.00
TSTMH-DC Horizontal	100 lb	195 lb	841	8,925.00
TSTM-DC-1 Vertical	200 lb	195 lb	842	9,950.00
TSTMH-DC-1 Horizontal	200 lb	195 lb	843	9,950.00
TSTM-DC-2 Vertical, 60RMP	100 lb	195 lb	844	9,660.00
TSTMH-DC-2 Horizontal, 60RMP	100 lb	195 lb	845	9,660.00

Options

SP-2496	Torque upgrade		846	965.00
SP-2624	Speed upgrade		847	725.00
TST002	Angle encoder		848	725.00
TSF002	Wall mounting kit		849	270.00
TSFM500(H)-DC	Column extension 12"		850	375.00
TSTM(H)-DC	Column extension 42"		851	895.00
AC1057	Force gauge mounting kit	12 lb	6127	480.00
AC1056	Load cell mounting kit	12 lb	7900	480.00
SF008	FollowMe positioning		7901	680.00
SF009	Travel indication ESM1500/ESM750		7902	2,385.00
SF009-1	Travel indication ESM1500S/ESM750S		7903	1,830.00
SF010	Computer control via USB		7904	1,400.00
SF011	Programmable travel set points		7905	1,138.00
SF012	Overload protection		7906	985.00
SF013	Auto return		7907	675.00
SF014	Cycling dwell time		7908	985.00
SF016	Independent up & down speeds		7909	605.00
SF017	Extended speed range, low		7910	675.00
SF018	Extended speed range, high 1500/1500S		7911	675.00
SF018-1	Extended speed range, high 750/750S		7912	675.00
SF019	Break detection		7913	675.00
SF020	Load holding		7914	825.00
SF021	Preload sample touch		7536	830.00
SF022	Profiles		7537	1,130.00
SFCOMP	Complete options ESM1500/ESM750		7538	8,200.00
SFCOMP-1	Complete options ESM1500S/ESM750S		7539	7,645.00



TSTM-DC
Motorized test stand
Vertical



TSTMH-DC
Motorized test stand
Horizontal

MARK-10

Manual test stands

Economical and compact push/pull test stands. Lever action gives quick testing at high speeds, while hand wheel action gives fine positioning and better motion control

Part Number	Capacity	Weight	SKU	List
ES05 Test stand with lever	30 lb	10 lb	5542	\$ 760.00
ES10 Test stand with lever	100 lb	10 lb	5879	760.00
ES20 Test stand with hand wheel	100 lb	10 lb	5880	850.00

Options

ES001	Dial indicator for ES10/ES20	1 lb	5882	185.00
ES002	Digital indicator for ES10/ES20	2 lb	5543	430.00
ES001NI	Brackets for indicator 9.5mm dia	2 lb	5544	145.00
ES001NI-8MM	Brackets for indicator 8mm dia	2 lb	5545	145.00
AC1060	Base plate w/threaded holes	2 lb	5546	95.00

Part Number	Capacity	Weight	SKU	List
ES30 Test stand with hand wheel	200 lb	17 lb	5881	\$ 1,220.00

Options

ESM001	Digital travel display for ES30 6"	1 lb	5885	985.00
ESM004	Digital travel display for ES30 12"	1 lb	5473	1,900.00
ESM003-1	Column extension for ES30 6"	1 lb	5474	190.00
ESM003-2	Column extension for ES30 12"	1 lb	5475	220.00
ESM003-3	Column extension for ES30 24"	1 lb	5476	275.00

Part Number	Capacity	Weight	SKU	List
TSA750 Test stand lever, vertical	750 lb	16 lb	5867	\$ 1,375.00
TSA750H Test stand lever, horizontal	750 lb	13 lb	5868	1,375.00

Options

TSA-1	Digital travel display for TSA	1 lb	5869	870.00
TSA-2	Horizontal wall mount kit for TSA	1 lb	5870	190.00
TSA-3	Table assembly for TSA/TSAH	1 lb	5871	260.00

Part Number	Capacity	Weight	SKU	List
TSB100 Test stand with lever	100 lb	12 lb	5872	\$ 1,095.00

Options

TSB003	Travel stops kit for TSB	1 lb	5875	115.00
--------	--------------------------	------	------	--------

Part Number	Capacity	Weight	SKU	List
TSC1000 Test stand, wheel, vertical	1,000 lb	25 lb	5876	\$ 1,895.00
TSC1000H Test stand wheel, horizontal	1,000 lb	20 lb	5877	1,895.00

Options

TSC001	Digital travel display for TSC/TSCH	1 lb	5878	820.00
--------	-------------------------------------	------	------	--------

Part Number	Capacity	Weight	SKU	List
TSF Test stand, wheel, vertical	1,000 lb	25 lb	5547	\$ 2,895.00
TSFH Test stand wheel, horizontal	1,000 lb	20 lb	5548	2,895.00

Options

TSF001	Digital travel display for TSF	1 lb	5549	985.00
--------	--------------------------------	------	------	--------

Part Number	Capacity	Weight	SKU	List
TST Test stand, wheel, vertical	100 lb	17 lb	6740	\$ 3,580.00
TSTH Test stand wheel, horizontal	100 lb	17 lb	6741	3,580.00

Options

TST001	Digital travel display for TST/TSTH	2 lb	5550	1,190.00
TST002	Mounting kit for TST/TSTH	4 lb	5551	725.00

TSA/B/C(H)	Column extension 12"		5552	230.00
TSF(H)	Column extension 12"		5553	295.00
TST(H)	Column extension 12"		5554	375.00



ES
Manual test stand



ES30
Manual test stand



TSA
Manual test stand



TSB
Manual test stand



TSC
Manual test stand



TST
Manual test stand



EK3



ME force gauge



EKE



G1001
Wire terminal grip

MARK-10

Ergonomics testing kits

For use in muscle strength assessment, ergonomic studies and workplace design.

Part Number	Capacity	Weight	SKU	List
EK3-100 Test kit w/Series 3 gauge	100 lb	12 lb	4534	\$ 1,175.00
EK3-200 Test kit w/Series 3 gauge	200 lb	12 lb	4535	1,175.00
EK3-500 Test kit w/Series 3 gauge	500 lb	12 lb	4536	1,175.00
ME-100 Force gauge	100 lb	3 lb	4537	1,175.00
ME-200 Force gauge	200 lb	3 lb	4538	1,175.00
ME-500 Force gauge	500 lb	3 lb	4539	1,175.00

Options

E1000	Carrying case, small	2 lb	4540	200.00
E1001	Carrying case, large	3 lb	4541	315.00
E1002	Padded attachment, square	2 lb	4542	90.00
E1003	Padded attachment, rectangular	2 lb	4543	100.00
E1004	Padded attachment, curved	2 lb	4544	115.00
E1005	Padded attachment, circular	2 lb	4545	140.00
E1006	Snap hook	2 lb	4546	125.00
E1007	Snap hook chain assy	2 lb	4556	110.00
E1008	Single handle grip	2 lb	4557	115.00
E1009	Double handle grip	2 lb	4558	170.00
E1010	Pistol grip	2 lb	4559	285.00
E1011	Grip adapter	2 lb	4560	55.00
E1012	Looped cable	2 lb	4561	50.00
E1013	Myometer assessor	2 lb	4562	325.00

Part Number	Capacity	Weight	SKU	List
Advanced Ergonomics testing kit				
EKE-100-1 Test kit w/Series E gauge	100 lb	12 lb	4563	\$ 1,650.00
EKE-200-1 Test kit w/Series E gauge	200 lb	12 lb	4564	1,650.00
EKE-500-1 Test kit w/Series E gauge	500 lb	12 lb	4565	1,650.00

Professional Ergonomics testing kit

EKE-100-2 Test kit w/Series E gauge	100 lb	12 lb	4566	2,130.00
EKE-200-2 Test kit w/Series E gauge	200 lb	12 lb	4567	2,130.00
EKE-500-2 Test kit w/Series E gauge	500 lb	12 lb	4568	2,130.00
ME-500 Force gauge	500 lb	3 lb	4739	70.00

MARK-10

Grips

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number	Weight	SKU	List
G1001 Wire terminal grip 0.000" to 0.125" OD	1 lb	5889	\$ 325.00
G1001-1 Wire terminal grip 0.125" to 0.250" OD	2 lb	5800	325.00
G1001-2 Wire terminal grip 0.250" to 0.375" OD	2 lb	5801	325.00
G1002 Dual roller grip 0" to 0.25"	1 lb	5890	265.00
G1002-1 Dual roller grip 0.10" to 0.34"	2 lb	5802	215.00
G1003 Mini component grip"	1 lb	5891	200.00
G1008 Film and paper grip to 1.25" wide	1 lb	5892	300.00
G1009 Compression plate 2" dia	1 lb	5893	55.00
G1009-1 Compression plate 3" dia	1 lb	5894	90.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

MARK-10

Grips, continued

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1009-2	Compression plate 2" dia	2 lb	5939	\$ 80.00
G1009-3	Compression plate 3" dia	2 lb	5954	120.00
G1010	Pin vise 0.062" to 0.375" dia	1 lb	5895	140.00
G1010-1	Pin vise 0.028" to 0.25" dia	2 lb	5941	130.00
G1010-2	Pin vise 0.078" to 0.5" dia	2 lb	5942	150.00
G1011	Rubber tip	1 lb	5896	45.00
G1013	Parallel jaw grip	1 lb	5898	255.00
G1015-1	Film and paper grip 3" wide	1 lb	5899	375.00
G1015-2	Film and paper grip 5" wide	1 lb	5900	475.00
G1015-3	Film and paper grip 7" wide	1 lb	5901	495.00
G1016-1	Jacobs chuck for R51 0.028" to 0.25" dia	1 lb	5863	165.00
G1016-2	Jacobs chuck for R51 0.062" to 0.375" dia	1 lb	5864	170.00
G1016-3	Jacobs chuck for R51 0.5" dia	1 lb	5865	175.00
G1017	Bit holder for R51 1.4" dia	1 lb	5905	175.00
G1019	Padded attachment, square	1 lb	5908	55.00
G1020	Padded attachment, rectangular	1 lb	5909	75.00
G1021	Curved padded attachment	1 lb	5910	95.00
G1022-1	Jacobs chuck for TST 0.028" to 0.25" dia	1 lb	6730	225.00
G1022-2	Jacobs chuck for TST 0.062" to 0.375" dia	1 lb	6731	250.00
G1022-3	Jacobs chuck for TST 0.078" to 0.5" dia	1 lb	6732	280.00
G1023	Bottle grip for TST 0.050" to 6.0" dia	1 lb	6733	595.00
G1046	Pneumatic grip	1 lb	5944	715.00
G1053	Univrsal v-jaw grip	1 lb	5945	395.00
G1056	Multi jaw grip	1 lb	5946	350.00
G1058	Cap grip	1 lb	5947	475.00
G1061	Wedge grip 0.75" jaw	1 lb	5948	690.00
G1061-1	Wedge grip 0.375" jaw	1 lb	5949	690.00
G1061-2	Wedge grip 1.0" jaw	1 lb	5950	755.00
G1061-3	Wedge grip 0.75" jaw, rubber face	1 lb	5897	755.00
G1062	Minature wedge grip	1 lb	5196	335.00
G1074	Vice grip	1 lb	5197	395.00
G1071	Score bend fixture set	1 lb	5198	530.00
G1072	Opening force fixture set	1 lb	5199	480.00
G1076	Wire terminal grip turret	1 lb	5200	495.00
G1077	Clevis grip	1 lb	5201	145.00
G1078	Miniature filament grip	1 lb	5202	350.00
G1085	Dual roller grip adjustable	1 lb	5203	475.00
G1086	Coefficient of friction fixture	1 lb	5204	1,785.00
G1087	Compression plate 3.78" dia eye end	1 lb	5205	250.00
G1087-1	Compression plate 2.20" dia eye end	1 lb	5206	175.00
G1089	Syringe fixture	1 lb	5207	1,135.00
G1090	High capacity clevis grip eye end	1 lb	5208	385.00
G1092	High capacity wire rope grip eye end	1 lb	6375	1,010.00
G1093	High capacity wire terminal grip eye end	1 lb	6376	1,670.00
G1094	High capacity eccentric roller grip eye end	1 lb	6377	1,195.00



G1010
Pin vise



G1013
Parallel jaw grip



G1002
Dual roller grip



G1016-2
Jacobs chuck

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287

MARK-10

Grips, continued

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1095	Bend fixture eye end	1 lb	6378	950.00
G1096	High capacity bend fixture eye end	1 lb	6379	1,300.00
G1097	Upper anvil for bend fixture eye end	1 lb	6380	275.00
G1098	Loop tack fixture	1 lb	6381	980.00
G1100	Parallel jaw grip large eye end	1 lb	6382	750.00
G1101	Parallel jaw grip medium eye end	1 lb	6383	410.00
G1102	Wire rope grip large eye end	1 lb	6384	750.00
G1103	Wire rope grip medium eye end	1 lb	6385	455.00
G1104	Flip cap grip	1 lb	6386	190.00
G1105	Cork extracion fixture	1 lb	6387	1,500.00
G1106	Vise grip self centering	1 lb	6801	1,195.00
G1107	Snap hook	1 lb	6802	130.00
G1109	90 degree peel fixture	1 lb	6803	2,140.00
G1110	Puncture fixture eye end	1 lb	6804	3,060.00
G1111	Ribbon grip eye end	1 lb	6805	910.00



G1003
Mini component grip



G1017
Bit holder

MARK-10


Attachments

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1024	Extension rod 5" 10-32	1 lb	5911	20.00
G1031	Extension rod 5" 5/16-18	1 lb	5921	25.00
G1024-1	Extension rod 2" 10-32	1 lb	5912	20.00
G1031-1	Extension rod 2" 5/16-18	1 lb	5922	25.00
G1024-2	Extension rod 1" 10-32	1 lb	5913	20.00
G1031-2	Extension rod 1" 5/16-18	1 lb	5923	25.00
G1025	Chisel point 10-32	1 lb	5914	20.00
G1032	Chisel point 5/16-18	1 lb	5924	25.00
G1026	Cone point 10-32	1 lb	5915	20.00
G1033	Cone point 5/16-18	1 lb	5925	25.00
G1027	V-groove 10-32	1 lb	5916	20.00
G1034	V-groove 5/16-18	1 lb	5926	25.00
G1029	Flat head 10-32	1 lb	5919	20.00
G1036	Flat head 5/16-18	1 lb	5928	25.00
G1028	Hook small 10-32	1 lb	5917	20.00
G1038	Hook medium 10-32	1 lb	5930	15.00
G1035	Hook large 5/16-18	1 lb	5927	25.00
G1042	Hook extra large 1/2-20	1 lb	6806	30.00
G1030	Adapter 5/16 to 10-32	1 lb	5920	20.00
G1037	Coupling 5/16-18	1 lb	5929	20.00
G1039	Coupling 10-32	1 lb	5931	15.00
G1040	Adapter 5/16 to 5/16-18	1 lb	5932	20.00
G1041	Adapter 5/16 to 1/2-20	1 lb	5933	20.00
G1018-1	Adapter # 10-32 UNF 200 lb	1 lb	5906	110.00



8G1008
Film & paper grip



G1009
Compression plate

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

MARK-10

Attachments, continued

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1018-2	Swivel adapter 5/16-18 UNC 500 lb	1 lb	5907	\$ 130.00
G1044	Adapter plate TSF/TST 1/2-20F	1 lb	6229	55.00
G1047	Adapter 10-32-to M4F	1 lb	6230	25.00
G1048	Adapter M4M to 10-32	1 lb	6231	25.00
G1049	Adapter M6M to 5/16-18	1 lb	6232	25.00
G1050	Adapter 4-40M to 10-32F	1 lb	6233	25.00
G1051	Adapter 4-40M to 10-32M	1 lb	6234	25.00
G1054	Adapter 10-32F to M6M	1 lb	6235	25.00
G1055	Adapter G1053 to stand	1 lb	6236	60.00
G1057	Adapter M6F to 10-32F	1 lb	6237	25.00
G1059	Adapter 5/16-18F to 1/2-20F	1 lb	6238	25.00
G1060	Adapter 10-32M to 10-32M	1 lb	6239	25.00
G1063	Adapter 10-32M to 10-32F	1 lb	6240	25.00
G1066	Adapter 5/16-18F to 1/2-20M	1 lb	6756	25.00
G1067	Adapter 1/2-20M to 10-32F	1 lb	6757	25.00
G1068	Adapter G1023 to G1045	1 lb	6758	80.00
G1069	Adapter 5/16-18F to 1/4-28M	1 lb	6759	25.00
G1113	Adapter M3M to 4-40F	1 lb	6761	25.00
AC1082	Stud jam nut set 10-32	1 lb	6762	10.00
AC1082-1	Stud jam nut set 5/16-18	1 lb	6763	10.00
AC1082-2	Stud jam nut set 1/2-20	1 lb	6764	10.00



90 degree peel fixture



Cork extraction

MARK-10

Eye end adapters

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1079	Lock ring	1 lb	6765	\$ 25.00
G1080	Anchor pin	2 lb	6766	25.00
G1081	Eye end 10-32M	2 lb	6767	35.00
G1081-1	Eye end 5/16-18M	2 lb	5415	35.00
G1081-2	Eye end 1/2-20M	2 lb	5416	35.00
G1081-3	Eye end 1/4-28M	2 lb	5417	35.00
G1082	Eye end 10-32F	2 lb	5418	35.00
G1082-1	Eye end 5/16-18F	2 lb	5419	35.00
G1083	Eye end adapter 10-32M	2 lb	5420	35.00
G1083-1	Eye end adapter 5/16-18M	2 lb	5421	35.00
G1083-2	Eye end adapter 1/2-20M	2 lb	5422	35.00
G1084	Washer 0.20"	2 lb	5423	25.00
G1084-1	Washer 0.32"	2 lb	5424	25.00
G1084-2	Washer 0.51"	2 lb	5425	25.00
G1088	Spanner wrench	2 lb	5787	70.00
AC1047	Base/load cell adapter kit 10-32M	2 lb	5788	95.00
AC1047-1	Base/load cell adapter kit 5/16-18M	2 lb	5789	95.00
AC1047-2	Base/load cell adapter kit 1/2-20M	2 lb	5790	95.00



Snap hook



Puncture fixture

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



09-1162
Cable



09-1066
Mitutoyo



MU100
Adapter Mitutoyo

MARK-10

Eye end adapters, continued

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
G1047-3	Base/load cell adapter kit 1/4-28M	1 lb	5711	\$ 70.00
AC1047-4	Load cell adapter R03 10-32M	2 lb	5792	110.00
G1046	Pneumatic grip 10-32F	2 lb	5793	715.00
AC1046-1	Grip adapter kit 5/16-18M	2 lb	5794	55.00
G1046-2	Grip adapter kit 1/2-20M	2 lb	5795	35.00
AC1045	Force gauge adapter 10-32F	2 lb	5796	120.00
AC1045-1	Force gauge adapter 5/16/18F	2 lb	5797	120.00
AC1045-2	Force gauge adapter 1/2-20M	2 lb	5718	120.00

MARK-10

Cables & communication adapters

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
AC1114	Cable 7/5/4 to ESM303	1 lb	5724	\$ 175.00
AC1115	Cable 7/5 to ESM303H	1 lb	5725	175.00
AC1107	USB cable B to A	1 lb	5727	30.00
AC1109	Cable serial 7/5/4 to RS232 DB9	1 lb	7652	125.00
AC1110	Cable 5/4 to Mitutoyo	1 lb	7653	175.00
AC1111	Cable USB 7/5/4/3 to PC	1 lb	5764	30.00
AC1112	Cable analog 7/5/4	1 lb	7654	150.00
AC1114	Serial cable stand to PC	1 lb	5713	50.00
AC1108	Cable gauge to stand	1 lb	5714	175.00
AC1105	Cable Mitutoyo	1 lb	5940	150.00
RSU100	Communications adapter RS232 to USB	1 lb	5849	135.00
MU100	Adapter Mitutoyo to RS232 9pin	1 lb	5943	350.00

Legacy cables

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
09-1047	Cable legacy gauge to Mitutoyo	1 lb	5856	\$ 80.00
09-1048A	Cable serial to PC DB-9	1 lb	5937	80.00
09-1049	Cable analog dual banana plug	1 lb	5938	80.00
09-1143	Muilti function cable	1 lb	5967	135.00

Software

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		SKU	List
15-1004	MESUR gauge single license	7704	\$ 560.00
15-1004-5	MESUR gauge 5 licenses	7705	2,265.00
15-1005	MESUR gauge Plus	7706	710.00
15-1005-5	MESUR gauge Plus 5 licenses	7707	2,810.00
15-1006	Upgrade MESUR gauge to MESUR gauge Plus	7708	225.00

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

MARK-10

Accessories & related items

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
08-1026	Replacement battery 8.4V NiMH	2 lb	5951	\$ 20.00
AC1030	AC adapter/charger 110V US	2 lb	5952	45.00
AC1031	AC adapter/charger 220V Europe	2 lb	5953	45.00
AC1032	AC adapter/charger 220V UK	2 lb	5979	45.00
AC1035	AC adapter/charger 220V Australia	2 lb	5980	45.00
AC1002	Handle grip 7/5/4 double grip	2 lb	5955	145.00
AC1002-1	Handle grip 7/5/4 single grip	1 lb	5956	135.00
AC1003	Handle grip 2/3 double grip	1 lb	5957	120.00
AC1003-1	Handle grip 2/3 single grip	1 lb	5958	100.00
AC1004	Mounting kit indicator TT03 to TS	1 lb	5705	100.00
AC1006	Mounting kit R52	1 lb	5843	75.00
AC1007	Mounting kit R51/TT03	1 lb	5961	135.00
AC1008	Stand indicator TT03	1 lb	5503	160.00
AC1010	Mounting kit MR55	1 lb	5963	135.00
AC1014	Jacobs chuck R52 0.062"-0.375"	2 lb	5844	195.00
AC1014-1	Jacobs chuck R52 0.028"-0.25"	2 lb	5594	195.00
AC1015	Mounting kit R51 to TST	2 lb	5959	75.00
AC1016	Mounting kit R55 to TST	2 lb	5960	110.00
AC1016-1	Mounting kit R55 to TST	2 lb	4210	110.00
AC1018	Mounting kit R01 to TST	2 lb	4211	175.00
AC1019	Air connection kit G1046	1 lb	4212	285.00
AC1044	Maintenance kit G1046	2 lb	4213	150.00
AC1020	Gauge mounting kit DFE	2 lb	4214	110.00
AC1021	Gauge mounting kit DFM	2 lb	4215	110.00
AC1022	Gauge mounting kit DFIS	2 lb	4216	110.00
AC1023	Gauge mounting kit AFG	2 lb	4217	110.00
AC1024	Gauge mounting kit ESM	2 lb	4218	110.00
AC1025	Gauge mounting kit FGV	2 lb	4219	110.00
AC1037	Gauge mounting kit DFE	2 lb	4594	150.00
AC1038	Gauge mounting kit DFM	2 lb	4595	150.00
AC1039	Gauge mounting kit DFIS	2 lb	4596	150.00
AC1040	Gauge mounting kit AFG	2 lb	4597	150.00
AC1041	Gauge mounting kit TSA	2 lb	4598	150.00
AC1042	Gauge mounting kit FGV	2 lb	4599	150.00
AC1061	Gauge mounting kit TCD	2 lb	4600	90.00
AC1069	Gauge mounting kit Mecmesin	2 lb	4601	90.00
AC1029	Axial compressor	2 lb	4602	295.00
AC1043	HI Lo limits indicator	2 lb	4603	125.00
AC1036	Calibration kit TT01 (no weights)	2 lb	4262	760.00
AC1049	Calibration kit WT3-201/M (no weights)	2 lb	7532	1,000.00
AC1051	Foot switch 7/M71	2 lb	7455	205.00
AC1052	Mounting plate 500 lb	2 lb	7456	60.00
AC1058	Mounting plate 2,000 lb	2 lb	7457	90.00
AC1053	Set 4 blanks G1089 syringe fixture	2 lb	7458	175.00
AC1062	Mounting kit indicator load cell ESM	2 lb	7459	265.00



AC10002
Handle grip



AC1014
Jacobs chuck STC



AC1006
Mounting kit R52



AC1008
Indicator stand TT03

Prices are subject to change without notice. See website for current prices.

Other items are available from the manufacturers, please call for prices.

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
201-797-2718

Totalcomp
Scales & Balances

www.totalcomp.com
sales@totalcomp.com
Fax 201-797-2287



AC1062
Mounting kit indicator ESM



Calibration kit

MARK-10

Accessories & related items, continued

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		Weight	SKU	List
AC1065	Load cell mounting hardware ESM1500/750	2 lb	8422	\$ 130.00
AC1067	Rollers for bend fixtures 1mm set of 4	2 lb	8423	90.00
AC1067-1	Rollers for bend fixtures 2mm set of 4	2 lb	8424	90.00
AC1067-2	Rollers for bend fixtures 5mm set of 4	2 lb	8425	90.00
AC1067-3	Rollers for bend fixtures 10mm set of 4	2 lb	7804	90.00
AC1068	Test strips G1098	2 lb	7805	195.00
AC1070-1	Jaws for G1100 2.36"	2 lb	7806	335.00
AC1070-2	Jaws for G1100 3.94"	2 lb	7807	380.00
AC1071-1	Jaws for G1100 1.18"	2 lb	7808	140.00
AC1071-2	Jaws for G1100 1.97"	2 lb	7809	210.00
AC1071-3	Jaws for G1100 3.15"	2 lb	7810	285.00
AC1071-4	Jaws for G1100 3.94"	2 lb	7811	330.00
AC1073-1	Inline adapter 3/2 force gauge	2 lb	7812	140.00
AC1073-2	Inline adapter 7/5/4 force gauge	2 lb	7813	185.00
AC1073-3	Inline adapter E force gauge	2 lb	8321	185.00
AC1074	Remote emergency switch ESM	2 lb	8322	310.00
AC1076-1	Mounting posts G1086 ESM750	2 lb	8323	60.00
AC1076-2	Mounting posts G1086 ESM1500	2 lb	8324	60.00
AC1077	Connector covers kit TT01	2 lb	8325	25.00
AC1078	Adjustable angle pulley adapter G1109	2 lb	8326	500.00
AC1079	Adjustable angle mount G1109	1 lb	8327	550.00
AC1080	Adapter G1023 to G1109	1 lb	8328	150.00
AC1087	Adapter G1109 to ESM	1 lb	8329	175.00
20-1025	Chuck key 1/2	1 lb	8330	10.00
20-1025-1	Chuck key 1/4 3/8	1 lb	8331	10.00

MARK-10

Services

For use with, digital force gauges, digital torque gauges, digital force/torque indicators, and test stands.

Part Number		SKU	List
SVC001	Calibration w/NIST certificate	5965	\$ 285.00
SVC006	Load cell w/cal, NIST cert.	5968	495.00
SVC008	Sensor w/cal, NIST cert	5970	670.00
SVC013	Non warranty repair force or torque	5756	265.00
SVC009	Gauge non warranty repair	5757	160.00
SVC011	Evaluation fee if quoted repair charge is refused	5758	105.00
SVC014	UpgradeBGI to Plug & test w/NIST cert	5759	295.00
CERT	NIST certificate with data	5760	85.00

International Wire Transfers

Beneficiary Bank ConnectOne Bank
Beneficiary Bank Address 301 Sylvan Ave Englewood Cliffs NJ 07632
Beneficiary Bank Swift # CNNOUS33

Beneficiary Name Totalcomp Inc
Beneficiary Address 13-01 Pollitt Dr Ext Fair Lawn NJ 07410
Beneficiary Customer # xxxxxxxxxxxx

Please contact us for Customer Account #.

Domestic ACH (Automated Clearing House)

Bank Name ConnectOne Bank
Bank Address 301 Sylvan Ave Englewood Cliffs NJ 07632
Bank ABA # 021213944

Beneficiary Name Totalcomp Inc
Beneficiary Address 13-01 Pollitt Dr Ext Fair Lawn NJ 07410
Beneficiary Account # xxxxxxxxxxxx

Please contact us for Customer Account #.

Tarjetas de Crédito

El despacho se hará el mismo día

Solo aceptamos VISA y MASTERCARD

Nota: Proveer siempre el número de cuenta y la Fecha de Vencimiento.

Estimado cliente tener en cuenta que: Mastercard y Visa cobran el 3.15% mas \$1.15 por transacción. Estos costos serán agregados a su factura.

Con Cheque

Cheque de banco de USA o Money Order.

Despachamos cuando el cheque arribe a nuestras oficinas. Por ejemplo si lo envían por servicio courier como DHL o FedEx, el cheque llegará en 2 ó 3 días a Totalcomp.

Cheque a nombre de: Totalcomp Inc

Enviarlo a: Totalcomp Inc
13-01 Pollitt Dr Ext
Fair Lawn NJ 07410
USA

Cheque por fax/email

Agilizan sus ordenes de compras

En Totalcomp ahora tenemos el nuevo sistema de cheques por fax que permitira el despacho de los productos el mismo día. Tambien agiliza los pagos de facturas vencidas, y ahorra gastos de transferencia y de courier cuando envian un cheque a nuestras oficinas.

¿Como trabaja?

Ustedes consiguen un cheque de un banco local con nexos bancarios Norteamericanos en Dólares Americanos y lo envían vía fax a Totalcomp, con una autorización firmada por el dueño de la cuenta que diga lo siguiente:

Este cheque autoriza cargar a nuestra cuenta la suma de \$_____

Una vez que lo tengamos tomaremos el número de cuenta del cheque, el número de tránsito y el número MICR que identifica el banco original. Luego imprimimos un cheque con esos datos y lo depositamos normalmente. Esta transaccion es completamente legal y es permitida en los Estados Unidos.

Una vez que tengamos el cheque por fax podremos despachar el mismo día. Ustedes se ahorran los gastos de DHL, FEDEX, tranferencia, o cargos del 2.8% cuando pagan con Visa o MasterCard.

Terms

Your choice of payment.

1. Check or money order with order.
2. Net 30 days for approved credit customers. If you desire a Totalcomp charge account, simply request a credit application with your next order (or at any time) and we will ship your order when your credit is approved.
3. C.O.D. will be delivered by UPS or Federal Express. They will collect total charges which will include merchandise, freight and handling.

Prices are FOB Fair Lawn, New Jersey or FOB Factory and are subject to change without notice. Orders will be filled with prices in effect at the date of shipment.
Minimum order is \$20.00 excluding shipping charges.

Stock

Your components will be shipped within 24 hours from when we receive your order.
We normally carry an ample supply of every item on our stock shelf. It is very infrequent that our supply is depleted to zero due to unusual requests from our other customers.

Shipping

- UPS Your order will be shipped UPS whenever possible, unless you request a different method of shipment. Maximum 150 lbs per carton.
- UPS 2nd day air Air freight via UPS. It is a guaranteed 2-day delivery not including Saturday or Sunday.
- UPS 3 day air Ground service via UPS. It is guaranteed 3 day delivery not including Saturday and Sunday.
- UPS Next day air Air freight via UPS. It is a guaranteed 1-day delivery not including Sunday.
- Express mail Air freight via U S Postal Service. Guaranteed next day delivery not including Sunday.
- Air Freight Air freight via Federal Express, DHL and other independent air cargo service. Normally next day service. Extra cost for Saturday delivery. No Sunday deliveries.
- Truck When shipping load cells and other parts by truck specify shipping class as SCALES NOI CLASS 85.

Warranty

Your Customer Warranty is the standard manufacturer's warranty, which is normally 1 year from date of shipment.

No prior return authorization is required.

Return to us the defective items. Enclose a note with the model number, serial number, invoice number and date of purchase and a brief description of defect.

Defective part will be forwarded to the manufacturer for evaluation. Customer will be advised of the status.

No credit will be issued unless offered by the manufacturer.

Return Policy

All merchandise must be authorized prior to return. No return will be accepted without a **Return Authorization Number**, except for warranties.

If the wrong part was ordered:

1. A 20% restocking charge plus shipping charges will apply.
2. The merchandise being returned must be returned within 2 weeks of original shipping date.
3. The Merchandise being returned must be unused and received in new condition. If merchandise appears to have been used or received in poor or damaged condition, a refurbishing charge will be applied before credit is given.

If the wrong part was shipped:

1. The correct merchandise will be shipped at once.
2. Full credit will be issued upon return of incorrect merchandise.

Damaged in Shipment

Merchandise that has been damaged in shipment must be reported to the freight carrier immediately.

Do not return the merchandise until after the freight carrier has inspected the damage. Keep all the original packaging material for the inspection. The freight carrier will not honor a claim for damage if the merchandise is not as you received it.

After the freight carrier has inspected the damage and has given us approval, we will give you a **Return Authorization Number**.

Email

sales@totalcomp.com
purchasing@totalcomp.com
accountspayable@totalcomp.com
accountsreceivable@totalcomp.com

110ES 128
110RH 127
1119-DO 174
1124 179
1704B 170
2200 49
2200CW 76
235 112
2400-12 174
30007 122
310 175
311 175
337 98
400KL 98
4300 77
500703-0013 115
520B 92
64 88
6550 96
6855 96
7000 49
7000XL 48
710 173
7300 61
7400 47
7500 83
7600 83
8000XL 50
8001-MA 177
8011-MA 177
80410-00 176
820 112
8260DD-T-H 113
854F 178

A

A&D, AD-1683 162
A&D, AD-4212A 132
A&D, BM 160
A&D, EJ 10
A&D, EK 7
A&D, EK-G 10
A&D, EK-i 7
A&D, EK-L 153
A&D, EW 8
A&D, FCI 80
A&D, FG 26
A&D, FS-i 75
A&D, FV 9
A&D, FW 9
A&D, FX-i 131
A&D, FX-iWP 133
A&D, FZ-i 133
A&D, FZ-iWP 132
A&D, GF-A 134
A&D, GF-P 134
A&D, GH 161

A&D, GP 152
A&D, GR 162
A&D, GX 129, 152
A&D, GX-A 130
A&D, HCl 79
A&D, HD 79
A&D, HL 5
A&D, HLi 5
A&D, HR-AZ/HR-A 160
A&D, HT 6
A&D, HV 23
A&D, HV-G 25
A&D, HV-WP 25
A&D, HW-CEP 90
A&D, HW-G 24, 25
A&D, MC 159
A&D, MF 147
A&D, ML 147
A&D, MS 147
A&D, MX 147
A&D, SC 27
A&D, SE 27
A&D, SJ 6, 11
A&D, SK 11
A&D, SK-WP 9
A&D, SW 28
A520BT 92
ABW 12
Acculab, ALC 135
Acom, PW-200 65
AD-1683 162
AD-4212A 132
Adam, CCT 81
Adam, CPW 28
Adam, GFC 81
Adam, HCB 136
Adam, IHS 121
Adam, LBX 12
Adam, LHS 121
Adam, PGL 135
Adam, PGWe 158
Adam, SHS 115
Adam, WBW 12
Adventurer service parts 141
ALC 135
Analytical 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169
Animal 91
Anyload, 100ES 128
Anyload, 100RH-WL 127
AP1 67
APS 49
AV 140
AW-WLG 64
AW-WSM 64
AWT05 122
AX 139, 163
AY123 145

B

Baggage 87, 88, 89
Bench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
Bench/Floor 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54
Benchmark 170
BG2 187
BM 160
Brecknell, 235 112
Brecknell, CS 120
Brecknell, Electro Samson 114
Brecknell, PS500 91
BW 52

C

C 86
C11P 30
Cardinal, C 86
Cardinal, CIM 74
Cas, AP1 67
Cas, BW 52
Cas, Caston II 118
Cas, Caston III 119
Cas, CCB 117
Cas, CL5000 69
Cas, CL5500 69
Cas, CPS 104
Cas, DL 52
Cas, EB 71
Cas, EC 82
Cas, EC2 82
Cas, ED 13
Cas, IE 118
Cas, LP-1000 68
Cas, NC1 117
Cas, PB 53
Cas, PD-II POS 61
Cas, RW-2601P 108
Cas, RW-S/L 107
Cas, S2000 71
Cas, S2000JR 70
Cas, SC 82
Cas, SW 15
Cas, SW-RS 14
Cas, SW-W 15
Cas, SW-Z 14
CAST2-PLUS 118
Caston III 119
CCB 117
CCI, FS 172
CCT 81
Chatillon, 8260DD-T-H 113
Chatillon, IN-50 113
CIM 74

Index

CL5000 69
CL5500 69
Compact 2, 3, 4, 5
Computing 67, 68, 69, 70, 71, 72, 73
Counting 78, 79, 80, 81, 82, 83, 84, 85, 86
Covers 182, 183
CPS 104
CPW 28
CQ 43
CR 4
Crane 115, 116, 119, 120, 121
CS 120
CS1500 116
CS200 115
CS750 116
CW250 58
CX 3

D

D31P 31
D32XW 32
D33P 33
D33XW 34, 35
D51P 36
D52P 40, 42
D52XW 37, 38, 39, 41
D71P 42
DCS-CD 113
Detecto, 6500 96
Detecto, Low Profile 29
Detecto, Personal Scale 96
Detecto, Physician Scale 98
Detecto, Portable Beam 178
Detecto, RW 59
Detecto, TB 170
Dial type spring scales 177
Dillon, AP 122
Dillon, ED junior 123
Dillon, EDxtreme 123
Dillon, Quick-Check 122
DL 52
DLP-300 73
DMS 89
Doran, 2200 49
Doran, 2200CW 76
Doran, 4300 77
Doran, 7000 49
Doran, 7000XL 48
Doran, 7400 47
Doran, 8000XL 50
Doran, DBS 89
Doran, DMS 89
Doran, DS2100 99
Doran, DS5250 100
Doran, MVP 50
Doran, PC400 62
Doran, PC500 63

Doran, PFS7000 56
DP-6900 51
DR 29
DS 89
DS2100 99
DS5250 100
Dynamometer 123, 124, 125, 126, 127, 128
Dynamometers 122

E

EB 71
EC 82, 84
EC2 82
ED 13
EDjr 123
EDx 123
EJ 10
EK 7
EK-G 10
EK-L 153
EK3 196
Electro Samson 114
EP 137
ES 195
EW 8
EX 138, 155
EX1 164

F

Fairbanks, 1124 179
Fairbanks, Portable Beam Scale 179
FCi 80
FD 62
FG 26
Floor 55, 56, 57, 58
FormasDePago 203
FS 172
FS-i 75
FV 9
FW 9
FX 131
FX-iWP 133
FZ 133
FZ-iWP 132

G

GF-A 134
GF-P 134
GFC 81
GH 161
GL 53
Globe Scientific, Weighing Dishes 181
GR 162
grip 196, 198
GX 129, 152
GX-A 130

H

Hanging 112, 113, 114
Hazardous 90
HC 79
HCB 136
HD 79
Health 92, 93, 94, 95, 96, 97, 98
Healthometer, 400 98
HI 146
HL 5
HR 160
HT 6
HV 23
HV-G 25
HV-WP 25
HW 23, 24
HW-CEP 90
HW-G 25

I

IE 118
IHS 121
IN-50 113
Index 205, 206, 207, 208
Industrial 151, 152, 153, 154, 155, PB 156, 157
Intercomp, CS1500 116
Intercomp, CS200 115
Intercomp, CS750 116
Intercomp, CW250 58
Intercomp, LP600 109
Intercomp, PT300 111
Intercomp, PT300DW 110
Intercomp, PW800 104
Intercomp, SW 106
Intercomp, TL6000 125
Intercomp, TL6000-RF 124
Intercomp, TL8500 126

J

JE 103
Jewelry 102, 103
JS 103

L

LBX 12
LC:127 23
LC:4102 24
LC:4103 24
LHS 121
Lift Truck 105
LP-1000 68
LP600 109
LTEF-16 105
LTS, LTEF 105

M

M2 187
M3 186
M4 186
M5 184
M7 185
MA35 151
Mark-10 185, 186, 187, 188, 189, 190, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202
Mark-10, Accessories 201, 202
Mark-10, Attachments 198, 199
Mark-10, BG 187
Mark-10, Cables & communication 200
Mark-10, Ergonomics 196
Mark-10, Eye end adapters 199, 200
Mark-10, Grips 196, 197, 198
Mark-10, Legacy cables 200
Mark-10, M2 187
Mark-10, M3 186
Mark-10, M4 186
Mark-10, M5 184
Mark-10, M7 185
Mark-10, Manual test stands 195
Mark-10, Motorized test stands 193, 194
Mark-10, MR04 191
Mark-10, MR50 191
Mark-10, MR51 192
Mark-10, MR52 192
Mark-10, MR55 193
Mark-10, MTT01 189
Mark-10, MTT02 189
Mark-10, MTT05 190
Mark-10, Plug & Test indicator & sensors 190, 191
Mark-10, Services 202
Mark-10, Software 200
Mark-10, TT03 188
Mark-10, WT3 188
MB120 148
MB200 148
MB23 149
MB27 149
MB32 150
MB62 150
MB90 149
MB92 151
MBS 94
MC 159
ME 196
Mechanical 173, 174, 175, 176, 177, 178, 179
Mechanical Portion 170, 171, 172
MF 147
MH-200 4
ML 147
Moisture 147, 148, 149, 150
MR 190
MR03 191
MR04 191
MR50 191

MR51 192
MR52 192
MR55 193
MS 147
MSI, hanging scale 115
MSI, Service parts 120
MTT01 189
MTT02 189
MTT05 190
MVP 50
MVS1 53
MW1P 143
MX 147

N

NC1 117
NCI scales service parts 101
NV 141, 153
NVT 154

O

Ohaus Adventurer Analytical, AX 163
Ohaus Adventurer Precision, AX 139, 141
Ohaus Analytical, EX 164
Ohaus Analytical, PX 166
Ohaus Explorer Industrial, EX 155
Ohaus Explorer Precision, EX 138
Ohaus Explorer Pro, EP 137
Ohaus Navigator Industrial, NV 153
Ohaus Navigator Precision, NV 141
Ohaus Semi Micro, PX 166
Ohaus, AV 140
Ohaus, Catapult 1000 30
Ohaus, Cent-O-Gram® 175
Ohaus, CQ31 43
Ohaus, CR 4
Ohaus, CX 3
Ohaus, Defender 3000 32, 33, 34, 35
Ohaus, Defender 5000 37, 38, 39, 40, 41, 42
Ohaus, Defender 5000 Square 36
Ohaus, Dial type spring 177
Ohaus, Dial-O-Gram® 175
Ohaus, Digital Field Test 31
Ohaus, EC 84
Ohaus, ES 31
Ohaus, FD 62
Ohaus, Field Test 174
Ohaus, Harvard Trip 176
Ohaus, JE 103
Ohaus, JS 103
Ohaus, MB120 148
Ohaus, MB200 148, 150
Ohaus, MB23 149
Ohaus, MB27 149
Ohaus, MB62 150
Ohaus, MB90 149, 151
Ohaus, NVT 154
Ohaus, PA 140
Ohaus, Pioneer 140
Ohaus, PR 165

Ohaus, Primer Balance 176
Ohaus, PS 2
Ohaus, Pull type spring 177
Ohaus, Ranger 3000 16
Ohaus, Ranger 3000 Counting 84
Ohaus, Ranger 4000 18
Ohaus, Ranger 4000 Counting 85
Ohaus, Ranger 7000 18
Ohaus, School Balance 176
Ohaus, Scoops 181
Ohaus, SD 30
Ohaus, SJX 102
Ohaus, Solution Balance 174
Ohaus, SPX 17
Ohaus, STX 17
Ohaus, TAJ 102
Ohaus, Triple Beam 173
Ohaus, Triple Beam Junior 173
Ohaus, Triple Pro 175
Ohaus, Valor 1000 19
Ohaus, Valor 2000 20
Ohaus, Valor 3000 20
Ohaus, Valor 4000 21
Ohaus, Valor 7000 21
Ohaus, YA 102
Over/Under 74, 75, 76, 77

P

P Spring scale 171
PA 140
package 55
Pallet truck 104
PB 53
PC 60
PC-40L 72
PC400 62
PC500 63
PD-II 61
Penn Scale, 820 112
Penn Scale, Heirloom Scale 170
Penn Scale, P 171
Penn Scale, PS 66
Pennsylvania, 64 88
Pennsylvania, 7300 61
Pennsylvania, 7500 Counting 83
Pennsylvania, 7600 Counting 83
PFS7000 56
PGL 135
PGW 158
Point of Sale 61
Portion/Food 62, 63, 64, 65
Postal 101
PPC-200W-II 64
PPC-300-II 63
PPC-300WP-II 63
PR 165
Practum 144
Precision 129, 130, 131, 132, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146

Index

PS 2, 66
PS500 91
PT300 111
PT300DW 110
Pull type spring scales 177
PW-200 65
PW800 104
PX 140, 166

Q

Quintix 168

R

R31P 16
R41ME 18
R71MD 18
Race car 106
Radwag, WLC 142, 157
Radwag, WLY 157
Radwag, WTC 142
RC31P 84
RC41 85
Rice Lake, RLP-S 66
RLP-S 66
RW 59, 107
RW-2601P 108

S

S2000 71
S2000JR 70
Sartorius, CP 143
Sartorius, M-Prove 145
Sartorius, MA35 151
Sartorius, Midrics 143
Sartorius, Praxum 144
Sartorius, Quintix 168
Sartorius, Secura 167
Sartorius, Signum 156
Sartorius, TE 145
SB1200 176
SC 27, 82
scoop 181
Scoops 180, 181
SD 30, 176
SE 27
SECURA 167
Service parts for CP 143
Service parts for MSI Crane Scale 120
Setra, HI 146
Setra, SI 146
Setra, Supercount 86
Shimadzu 158
SHS 115
SI 146
SIWADCP 156

SJ 6, 11
SJX 102
SK 11
SK-WP 9
SPS 101
SPX 17
SRP 60
STX 17
supercount 86
SW 14, 15, 28, 106
SW-RS 14

T

T 90
T29 8
TAJ 102
Tanita, TLC 74
TB 44, 46, 170
TBL 46
TBP 45
TBS 87
TBT 45, 46
TBW 54
TBWS 54
TCM2 78
TDS 57
TE212 145
TEI 29
Terms 204
TFC 182
THS 114
TJ 173
TJA-203 169
TL6000 125
TL6000-RF 124
TL8500 126
TLC 74
TM101 94
TM301 93
TM302 93
TM501 95
TM503 97
TM701 97
TM901 91
TM902 91
Topload 133
Tor-Rey, PC-40L 72
Totalcomp, Baggage Scale Kit 87
Totalcomp, Clear Flexible Covers 182, 183
Totalcomp, Floor Scale 55
Totalcomp, Hazardous Floor Base 90
Totalcomp, MBS 94
Totalcomp, MH 4
Totalcomp, Scoops 180
Totalcomp, T29 8
Totalcomp, TB 44

Totalcomp, TBL 46
Totalcomp, TBP 45
Totalcomp, TCM2 78
Totalcomp, TEI 29
Totalcomp, THS 114
Totalcomp, TJA 169
Totalcomp, TM101 94
Totalcomp, TM301 93
Totalcomp, TM302 93
Totalcomp, TM501 95
Totalcomp, TM503 97
Totalcomp, TM701 97
Totalcomp, TM901 91
Totalcomp, TM902 91
Totalcomp, TPR 104
Totalcomp, TDS 57
TP2611 175
TPR 104
Transcell, NCI 101
Transcell, PC 60
Transcell, SPS 101
Transcell, SRP 60
TSA 195
TSCP-431 180
TSTM 194
TT03 188
TVD 22
TVP 73
TVS 65

U

UC-321
Wheel Load 108, 109, 110
UPS Shipping 60

V

V22PW 20
V22XW 20
V31X 20
V41PW 21
V41XW 21
V71P 21
Valor 1000 19
Vision Tech, 520B 92
Vision Tech, A520BT 92
Vision Tech, DCS-CD 113
Vision Tech, DLP-300 73
Vision Tech, GL 53
Vision Tech, MVS1 53
Vision Tech, TBW 54
Vision Tech, TBWS 54
Vision Tech, TVD 22
Vision Tech, TVP 73
Vision Tech, TVS 65

W

weighing dishes 181
Wheel Load 107, 111
WLC 142, 157
WLY 157
WT3 188
WTC 142

Y

YA 102
Yamato, AW-WLG 64
Yamato, AW-WSM 64
Yamato, DP-6900 51
Yamato, PPC-200W-II 64
Yamato, PPC-300-II 63
Yamato, PPC-300WP-II 63



13-01 Pollitt Drive Ext
Fair Lawn NJ
07410
USA

Address Service Requested

BOUND PRINTED
MATTER
U.S. POSTAGE PAID
PARAMUS, NJ
PERMIT 545

Mail Room Supervisor: Our customer at your location has requested this catalog. If this catalog cannot be delivered as addressed, please forward to your company's Purchasing Manager and call us at **800-631-0347** to update the changes.



write

13-01 Pollitt Dr Ext
Fair Lawn NJ 07410

phone

201-797-2718

fax

(201) 797-2287

browse

www.totalcomp.com

e-mail

sales@totalcomp.com